# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 19 day of September . 20 55 the forgoing preventive maintenance procedures to on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
	Dhy Davies 1604930
S COUNTY WOOD	1604930

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

ALAMANCE COUNTY BAT MOBILE UNIT 12 000

Serial Number: 008601 Test Date: 09/19/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Lanier Jr., John P Permit Number: 4582-9118

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	9:40pm
AIR BLK	.00	9:41pm
ACCY CHK	.07	9:42pm
AIR BLK	.00	9:43pm
SUB TEST	.00	9:43pm
AIR BLK	.00	9:44pm
SUB TEST	.00	9:46pm
AIR BLK	.00	9:47pm

Reported AC: /300 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# ALAMANCE COUNTY BAT MOBILE UNIT 12 000

Serial Number: 008601

Test Record Number: 1836

Test Date: 09/19/2025

Test Time: 9:47pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	9:48pm
FLO	Pass	9:48pm
FC	Pass	9:48pm

# Temperature Tests

Test	Status	Time
FC1	Pass	9:48pm
SRC	Pass	9:48pm
DET	Pass	9:48pm
BAR	Pass	9:48pm
BT	Pass	9:48pm

# Blank Tests

Test	Status	Time
AIR	Pass	9:49pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:49pm

## CRC Tests

Test	Status	Time
COMP	Pass	9:49pm
CAL	Pass	9:49pm

Preventive Maintenance Status: Pass

Analyst

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that or were performe	simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator te

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

#### ALAMANCE COUNTY BAT MOBILE UNIT 12 000

Serial Number: 008698 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Lanier Jr., John P Permit Number: 4582-9118 Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG400303 Exp Date: 01/03/2026

Test	g/210L	Time
DIAG	Pass	9:41pm
AIR BLK	.00	9:42pm
ACCY CHK	.07	9:43pm
AIR BLK	.00	9:43pm
SUB TEST	.00	9:44pm
AIR BLK	.00	9:45pm
SUB TEST	.00	9:47pm
AIR BLK	.00	9:47pm

Reported AC: \( .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# ALAMANCE COUNTY BAT MOBILE UNIT 12 000

Serial Number: 008698 Test

Test Record Number: 2668

Test Date: 09/19/2025 Test Time: 9:48pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	9:48pm
FLO	Pass	9:48pm
FC	Pass	9:48pm

# Temperature Tests

Test	Status	Time
FC1	Pass	9:48pm
SRC	Pass	9:48pm
DET	Pass	9:48pm
BAR	Pass	9:48pm
BT	Pass	9:48pm

#### Blank Tests

Test	Status	Time
ATD	Dage	9 - 49 pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:49pm

#### CRC Tests

Test	Status	Time
COMP	Pass	9:49pm
CAL	Pass	9:49pm

Preventive Maintenance Status: Pass

Analyst

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
vere performed	the 19th day of September, 2055 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
nd Human Ser	Vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

ALAMANCE COUNTY BAT MOBILE UNIT 12 000

Serial Number: 008788 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Lanier Jr., John P
Permit Number: 4582-9118
Effective:
03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time '
DIAG	Pass	9:42pm
AIR BLK	.00	9:43pm
ACCY CHK	.07	9:44pm
AIR BLK	.00	9:45pm
SUB TEST	.00	9:45pm
AIR BLK	.00	9:46pm
SUB TEST	.00	9:48pm
AIR BLK	.00	9:49pm

Reported AC: /00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

anies

## ALAMANCE COUNTY BAT MOBILE UNIT 12 000

Serial Number: 008788 Test Record Number: 2465

Test Date: 09/19/2025

Test Time: 9:49pm EDT

System Check: Passed

## Baseline Tests

Status	Time
Pass .	9:49pm
Pass	9:49pm
Pass	9:50pm
	Pass •

# Temperature Tests

Test	Status	Time
FC1	Pass	9:50pm
SRC	Pass	9:50pm
DET	Pass	9:50pm
BAR	Pass	9:50pm
BT	Pass	9:50pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:50pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:50pm

#### CRC Tests

Test	Status	Time
COMP	Pass	9:51pm
CAL	Pass	9:51pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 008818 DETENTION CENTER
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.



Signature of Certifying Official

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

BLADEN COUNTY DETENTION CENTER 080

Serial Number: 008818 Test Date: 09/22/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R
Permit Number: 0014-6279
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	11:56am
AIR BLK	.00	11:57am
ACCY CHK	.08	11:57am
AIR BLK	.00	11:59am
SUB TEST	.00	12:00pm
AIR BLK	.00	12:01pm
SUB TEST	.00	12:02pm
AIR BLK	.00	12:03pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

alu Re Baren

#### BLADEN COUNTY DETENTION CENTER 080

Serial Number: 008818 Test Record Number: 2267 Test Date: 09/22/2025 Test Time: 12:04pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass	12:05pm
FC	Pass Pass	12:05pm 12:05pm

## Temperature Tests

Test	Status	Time
FC1	Pass	12:05pm
SRC	Pass	12:05pm
DET	Pass	12:05pm
BAR	Pass	12:05pm
BT	Pass	12:05pm

## Blank Tests

Test	Status	Time	
ATD	Dage	12:05pm	

# Printer Tests

Test	Status	Time
PRNT	Pass	12:05pm
	CRC Tests	
Test	Status	Time

Status	TIME
Pass	12:06pm
Pass	12:06pm
	Pass

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the <u>05</u> day of <u>SEPTEMBER</u> , 20 <u>25</u> the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

# BRUNSWICK COUNTY DETENTION CENTER 090

Serial Number: 008585 Test Date: 09/05/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R
Permit Number: 0014-6279
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG501037 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	12:29pm
AIR BLK	.00	12:30pm
ACCY CHK	.08	12:31pm
AIR BLK	.00	12:32pm
SUB TEST	.00	12:33pm
AIR BLK	.00	12:34pm
SUB TEST	.00	12:36pm
AIR BLK	.00	12:37pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# BRUNSWICK COUNTY DETENTION CENTER 090

Serial Number: 008585 Test Date: 09/05/2025

Test Record Number: 6099 Test Time: 12:37pm EDT

System Check: Passed

# Baseline Tests

Test	Status	Time
IR	Pass	12:38pm
FLO	Pass	12:38pm
FC	Pass	12:38pm

# Temperature Tests

Test	Status	Time
FC1	Pass	12:38pm
SRC	Pass	12:38pm
DET	Pass	12:38pm
BAR	Pass	12:38pm
BT	Pass	12:38pm

#### Blank Tests

Test	Status	Time
AIR	Pass	12:38pm

#### Printer Tests

Tost

COMP

CAL

1636	Status	Time
PRNT	Pass	12:38pm
	CRC Tests	
Test	Status	Time

Statue Time

12:39pm

12:39pm

Preventive Maintenance Status: Pass

Pass

Pass

al Ry Bens

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County Bi	RUNGWICK	Instrument Location_		COUNTY
Instrument Seri	ial No. <u>008585</u>		DETENTION	CENTER
The preventive serial number 1	maintenance procedures for the 0,000 or higher) to be followed	ne Intoximeters, Model In d at least once every four	tox EC/IR II and Model In	tox EC/IR II (Enhanced with
(1)	Verify the ethanol gas can breath simulator thermome	ister displays at least 51 p eter shows 34 degrees, plu	ounds per square inch (psi) is or minus .2 degree centig	of pressure, or the alcoholi- rade;
(2)	Verify instrument displays	time and date;		
(3)	Initiate breath test sequence	oe;		
(4)	Enter information as prom	pted;		
(5)	Verify instrument accuracy	y;		
(6)	When "PLEASE BLOW"	appears, collect breath sar	mple;	
(7)	When "PLEASE BLOW"	appears, collect breath sa	mple;	
(8)	Print test record;			
(9)	Run diagnostic program as	nd confirm preventive ma	intenance status of "Pass";	and
(10)	Verify that the ethanol g simulator solution is being whichever occurs first.	gas canister is being changed every four n	anged before expiration d nonths or after 125 Alcoh	ate, or the alcoholic breatl olic Breath Simulator tests
were performed	the 12 day of 5EP do not the instrument indicated rvices, and the instrument is full.	above, in accordance wit	h current regulations of the	

A signed original of the preventive maintenance record shall be kept on file for at least three years.

# BRUNSWICK COUNTY DETENTION CENTER 090

Serial Number: 008585 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R

Permit Number: 0014-6279

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Tes	st	g/210L	Time
DIA	AG	Pass	1:31pm
AIF	BLK	.00	1:32pm
ACC	CY CHK	.08	1:33pm
AIF	BLK	.00	1:34pm
SUI	TEST	.00	1:35pm
AIF	RBLK	.00	1:36pm
SUI	TEST	.00	1:37pm
AIF	BLK	.00	1:38pm

Reported AC: .00 g/210L

Court CVR

## BRUNSWICK COUNTY DETENTION CENTER 090

Serial Number: 008585

Test Record Number: 6106

Test Date: 09/12/2025 Test Time: 1:39pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time	
IR	Pass	1:39pm	
FLO	Pass	1:39pm	
FC	Pass	1:39pm	

# Temperature Tests

Test	Status	Time
FC1	Pass	1:39pm
SRC	Pass	1:39pm
DET	Pass	1:39pm
BAR	Pass	1:39pm
BT	Pass	1:39pm

#### Blank Tests

Test	Status	Time
ATR	Pass	1:40pm

#### Printer Tests

Test	Status	Time
		155 15/28
PRNT	Pass	1:40pm

#### CRC Tests

Test	Status	Time	
COMP	Pass	1:40pm	
CAL	Pass	1:40pm	

Preventive Maintenance Status: Pass

alun Ray Bann

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	Instrument Location BRUNSWICK COUNTY  ial No. 008602  DETENTION CENTER
The preventive serial number	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wi 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcohol breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the <u>05</u> day of <u>SEPTEMBER</u> , 20 <u>25</u> the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.



al Ry Ban

146219

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

BRUNSWICK COUNTY DETENTION CENTER 090

Serial Number: 008602 Test Date: 09/05/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R

Permit Number: 0014-6279

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG501037 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	12:31pm
AIR BLK	.00	12:32pm
ACCY CHK	.08	12:32pm
AIR BLK	.00	12:34pm
SUB TEST	.00	12:35pm
AIR BLK	.00	12:36pm
SUB TEST	.00	12:37pm
ATR BLK	.00	12:38pm

Reported AC: .00 g/210L

Chemical Analyst

Court CVR

# BRUNSWICK COUNTY DETENTION CENTER 090

Serial Number: 008602 Test Date: 09/05/2025 Test Time: 12:39pm EDT

Test Record Number: 6069

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	12:39pm 12:39pm
FC	Pass	12:39pm

# Temperature Tests

Status	Time
Pass	12:39pm
	Pass Pass Pass Pass

## Blank Tests

Test	Status	Time
ATR	Pass	12:40pr

# Printer Tests

Test	Status	Time
PRNT	Pass	12:40pm
	CRC Tests	
Test	Status	Time
COMP	Pass	12:40pm
CAL	Pass	12:40pm

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhan serial number 10,000 or higher) to be followed at least once every four months are:  (1) Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the abreath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;  (2) Verify instrument displays time and date;  (3) Initiate breath test sequence;  (4) Enter information as prompted;  (5) Verify instrument accuracy;  (6) When "PLEASE BLOW" appears, collect breath sample;  (7) When "PLEASE BLOW" appears, collect breath sample;  (8) Print test record;  (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and  (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholis simulator solution is being changed every four months or after 125 Alcoholic Breath Simula whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance prevere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.		RUNSWICK al No. <u></u>	Instrument Location	DETENTION	CENTER
(1) Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the abreath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;  (2) Verify instrument displays time and date;  (3) Initiate breath test sequence;  (4) Enter information as prompted;  (5) Verify instrument accuracy;  (6) When "PLEASE BLOW" appears, collect breath sample;  (7) When "PLEASE BLOW" appears, collect breath sample;  (8) Print test record;  (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and  (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholis simulator solution is being changed every four months or after 125 Alcoholic Breath Simula whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2015 the forgoing preventive maintenance prevere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	The preventive	maintenance procedures for t	he Intoximeters, Model	Intox EC/IR II and Model In	tox EC/IR II (Enhanced with
(3) Initiate breath test sequence; (4) Enter information as prompted; (5) Verify instrument accuracy; (6) When "PLEASE BLOW" appears, collect breath sample; (7) When "PLEASE BLOW" appears, collect breath sample; (8) Print test record; (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholis simulator solution is being changed every four months or after 125 Alcoholic Breath Simula whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance prevere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.		Verify the ethanol gas can	nister displays at least 5	l pounds per square inch (psi)	
(4) Enter information as prompted; (5) Verify instrument accuracy; (6) When "PLEASE BLOW" appears, collect breath sample; (7) When "PLEASE BLOW" appears, collect breath sample; (8) Print test record; (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance prevere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(2)	Verify instrument display	s time and date;		
(5) Verify instrument accuracy; (6) When "PLEASE BLOW" appears, collect breath sample; (7) When "PLEASE BLOW" appears, collect breath sample; (8) Print test record; (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2015 the forgoing preventive maintenance prevere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(3)	Initiate breath test sequen	ce;		
(6) When "PLEASE BLOW" appears, collect breath sample; (7) When "PLEASE BLOW" appears, collect breath sample; (8) Print test record; (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic simulator solution is being changed every four months or after 125 Alcoholic Breath Simula whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance prevere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(4)	Enter information as pron	npted;		
(7) When "PLEASE BLOW" appears, collect breath sample; (8) Print test record; (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance provere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(5)	Verify instrument accurac	у;		
(8) Print test record;  (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and  (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance prevere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(6)	When "PLEASE BLOW"	appears, collect breath	sample;	
(9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and  (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance provere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(7)	When "PLEASE BLOW"	appears, collect breath	sample;	
Verify that the ethanol gas canister is being changed before expiration date, or the alcoholis simulator solution is being changed every four months or after 125 Alcoholic Breath Simula whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance prever performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(8)	Print test record;			
simulator solution is being changed every four months or after 125 Alcoholic Breath Simula whichever occurs first.  I certify that on the 12 day of SEPTEMBER, 2025 the forgoing preventive maintenance prevere performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(9)	Run diagnostic program a	nd confirm preventive r	naintenance status of "Pass";	and
were performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of and Human Services, and the instrument is functioning properly.	(10)	simulator solution is being	gas canister is being on ng changed every four	changed before expiration d months or after 125 Alcoh	ate, or the alcoholic breath solic Breath Simulator tests
al 7 Ben 146 219	were performed	on the instrument indicated vices, and the instrument is fu	above, in accordance v inctioning properly.	vith current regulations of the	ive maintenance procedures N.C. Department of Health

A signed original of the preventive maintenance record shall be kept on file for at least three years.

BRUNSWICK COUNTY DETENTION CENTER 090

Serial Number: 008602 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R
Permit Number: 0014-6279
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	1:33pm
AIR BLK	.00	1:34pm
ACCY CHK	.07	1:34pm
AIR BLK	.00	1:36pm
SUB TEST	.00	1:36pm
AIR BLK	.00	1:37pm
SUB TEST	.00	1:39pm
ATR BLK	.00	1:40pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### BRUNSWICK COUNTY DETENTION CENTER 090

Serial Number: 008602 Test Record Number: 6081 Test Date: 09/12/2025 Test Time: 1:40pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	1:41pm
FLO	Pass	1:41pm
FC	Pass	1:41pm

# Temperature Tests

Status	Time
Pass	1:41pm
	Pass Pass Pass Pass

#### Blank Tests

Test	Status	Time
AIR	Pass	1:42pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:42pm
	CRC Tests	
Test	Status	Time
COMP	Pass	1:42pm
CAL	Pass	1:42pm

Preventive Maintenance Status: Pass

Ol 2 3 ---- Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

nstrument Seri	ial No. 008648 POLICE DEPT.
The preventive serial number 1	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	n the <u>05</u> day of <u>SEPTEMBER</u> , 20 <u>25</u> the forgoing preventive maintenance procedures of on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health
and Human Se	ervices, and the instrument is functioning properly.
	A CALL OF THE PARTY OF THE PART
CA PARTY	

A signed original of the preventive maintenance record shall be kept on file for at least three years.

BRUNSWICK COUNTY OAK ISLAND PD 090

Serial Number: 008648 Test Date: 09/05/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R Permit Number: 0014-6279

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG405103 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	10:37am
AIR BLK	.00	10:37am
ACCY CHK	.07	10:38am
AIR BLK	.00	10:39am
SUB TEST	.00	10:39am
AIR BLK	.00	10:40am
SUB TEST	.00	10:42am
ATR BLK		10:43am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Olm Ry Benna

# BRUNSWICK COUNTY OAK ISLAND PD 090

Serial Number: 008648 Test Date: 09/05/2025 Test Record Number: 2004 Test Time: 10:43am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	10:43am
FLO	Pass	10:43am
FC	Pass	10:43am

#### Temperature Tests

Test	Status	Time
FC1	Pass	10:44am
SRC	Pass	10:44am
DET	Pass	10:44am
BAR	Pass	10:44am
BT	Pass	10:44am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:44am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:44am
	CRC Tests	
Test	Status	Time
COMP	Pass	10:44am

Preventive Maintenance Status: Pass

Pass

10:44am

CAL

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	Instrument Location SUNSET BEACH ial No. 008874  POLICE DEPT
The preventive serial number	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the <u>05</u> day of <u>5EPTEMBER</u> , 20 25 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.
· a amin	alu Ry Bono 146279
	Signature of Certifying Official Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

BRUNSWICK COUNTY SUNSET BEACH PD 090

Serial Number: 008874 Test Date: 09/05/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R Permit Number: 0014-6279 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	2:03pm
AIR BLK	.00	2:04pm
ACCY CHK	.07	2:05pm
AIR BLK	.00	2:06pm
SUB TEST	.00	2:06pm
AIR BLK	.00	2:07pm
SUB TEST	.00	2:09pm
AIR BLK	.00	2:09pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

alun Re Bans

## BRUNSWICK COUNTY SUNSET BEACH PD 090

Serial Number: 008874 Test Record Number: 1085 Test Date: 09/05/2025 Test Time: 2:10pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	2:10pm
FLO	Pass	2:10pm
FC	Pass	2:10pm

# Temperature Tests

Test	Status	Time
FC1	Pass	2:10pm
SRC	Pass	2:10pm
DET	Pass	2:10pm
BAR	Pass	2:10pm
BT	Pass	2:10pm

#### Blank Tests

Test	Status	Time
AIR	Pass	2:11pm

## Printer Tests

Test	Status	Time
PRNT	Pass	2:11pm
	CRC Tests	
Test	Status	Time
COMP	Pass	2:11pm
CAL	Pass	2:11pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. 008697	Black Mountain, NC
The preventive serial number	maintenance procedures for the Intox 10,000 or higher) to be followed at lea	meters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with once every four months are:
(1)		lays at least 51 pounds per square inch (psi) of pressure, or the alcoholics 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time a	I date;
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears	collect breath sample;
(7)	When "PLEASE BLOW" appears	collect breath sample;
(8)	Print test record;	
(9)	Run diagnostic program and confi	n preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas can simulator solution is being chan whichever occurs first.	ter is being changed before expiration date, or the alcoholic breath ed every four months or after 125 Alcoholic Breath Simulator tests
were performe	the Z day of Scotor of don the instrument indicated above, rvices, and the instrument is function in Signature.	244987

A signed original of the preventive maintenance record shall be kept on file for at least three years.

DHHS 4080 (04/20)

# BUNCOMBE COUNTY BLACK MOUNTAIN PD 100

Serial Number: 008697 Test Date: 09/02/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Loftis, Benjamin C

Permit Number: 0024-4987

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG400303 Exp Date: 01/03/2026

Test	g/210L	Time
DIAG	Pass	3:01pm
AIR BLK	.00	3:01pm
ACCY CHK	.07	3:02pm
AIR BLK	.00	3:03pm
SUB TEST	.00	3:04pm
AIR BLK	.00	3:05pm
SUB TEST	.00	3:06pm
AIR BLK	.00	3:07pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## BUNCOMBE COUNTY BLACK MOUNTAIN PD 100

Serial Number: 008697 Test Record Number: 7137 Test Date: 09/02/2025 Test Time: 3:07pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	3:08pm
FLO FC	Pass Pass	3:08pm 3:08pm
I C	rass	J. OODIII

# Temperature Tests

Test	Status	Time
FC1	Pass	3:08pm
SRC	Pass	3:08pm
DET	Pass	3:08pm
BAR	Pass	3:08pm
BT	Pass	3:08pm

#### Blank Tests

Test	Status	Time
AIR	Pass	3:09pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	3:09pm
	CRC Tests	

Test	Status	Time	
COMP	Pass	3:09pm	
CAL	Pass	3:09pm	

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County Bu	al No.008748  Instrument Location Buncombe County Detention  Asheville, Nc
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the Z day of September, 2025 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
	Signature of Certifying Official Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

BUNCOMBE COUNTY BUNCOMBE COUNTY DETENTION 100

> Serial Number: 008748 Test Date: 09/02/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Loftis, Benjamin C Permit Number: 0024-4987 Effective: 03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	2:08pm
AIR BLK	.00	2:08pm
ACCY CHK	.08	2:09pm
AIR BLK	.00	2:10pm
SUB TEST	.00	2:11pm
AIR BLK	.00	2:11pm
SUB TEST	.00	2:13pm
AIR BLK	.00	2:14pm

Reported AC: .00 g/240L

Signature of Chemidal Analyst

Court CVR

Analyst

## BUNCOMBE COUNTY BUNCOMBE COUNTY DETENTION 100

Serial Number: 008748 Test Record Number: 3272 Test Date: 09/02/2025 Test Time: 2:16pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	2:16pm 2:16pm
FC	Pass	2:16pm

## Temperature Tests

Test	Status	Time
FC1	Pass	2:16pm
SRC	Pass	2:16pm
DET	Pass	2:16pm
BAR	Pass	2:16pm
BT	Pass	2:16pm

#### Blank Tests

Test	Status	Time
AIR	Pass	2:17pm

# Printer Tests

Test	Status	Time
PRNT	Pass	2:17pm
	ODO Marka	

#### CRC Tests

Test	Status	Time
COMP	Pass	2:17pm
CAL	Pass	2:17pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No.009198	Ashev	ile, NC
The preventive serial number 1	maintenance procedures for the Intoxime 0,000 or higher) to be followed at least or	eters, Model Intox EC/IR II and Mo	odel Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas canister displa breath simulator thermometer shows	ys at least 51 pounds per square inc 34 degrees, plus or minus .2 degree	h (psi) of pressure, or the alcoholic centigrade;
(2)	Verify instrument displays time and d	late;	
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, co	ellect breath sample;	
(8)	Print test record;		
(9)	Run diagnostic program and confirm	preventive maintenance status of "I	Pass"; and
(10)	Verify that the ethanol gas canister simulator solution is being changed whichever occurs first.		
were performe	the Z day of Scotemb d on the instrument indicated above, in a rvices, and the instrument is functioning p	eccordance with current regulations	reventive maintenance procedures of the N.C. Department of Health

BUNCOMBE COUNTY BUNCOMBE COUNTY DETENTION 100

> Serial Number: 008798 Test Date: 09/02/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Loftis, Benjamin C Permit Number: 0024-4987 Effective: 03/01/2025-03/01/2027

> Officer's Name: NONE, NONE Type of Agency: FTA Agency: DHHS Test Type: Breath Test

> > Lot Number: AG506303 Exp Date: 03/04/2027

T	est		g/210L	Time
D	IAC	3	Pass	2:07pm
A	IR	BLK	.00	2:07pm
A	CC	CHK	.07	2:08pm
A	IR	BLK	.00	2:09pm
S	UB	TEST	.00	2:09pm
A	IR	BLK	.00	2:10pm
S	UB	TEST	.00	2:12pm
A	IR	BLK	.00	2:13pm

Reported AC: .00 g/210L

Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures

Analyst

Forensic Tests for Alcohol Branch Department of Health and Human Services

Rev. 12/2007

## BUNCOMBE COUNTY BUNCOMBE COUNTY DETENTION 100

Serial Number: 008798 Test Record Number: 7389
Test Date: 09/02/2025 Test Time: 2:13pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	2:13pm
FLO	Pass	2:13pm
FC	Pass	2:14pm

## Temperature Tests

Test	Status	Time
FC1	Pass	2:14pm
SRC	Pass	2:14pm
DET	Pass	2:14pm
BAR	Pass	2:14pm
BT	Pass	2:14pm

## Blank Tests

Test	Status	Time
AIR	Pass	2:14pm

## Printer Tests

Test	Status	Time
PRNT	Pass	2:14pm
	CRC Tests	
Test	Status	Time
COMP	Pass	2:15pm

Preventive Maintenance Status: Pass

Pass

2:15pm

CAL

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch

Department of Health and Human Services Rev. 12/2007

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MO	DEL INTOX EC/IK II (Ennanced with serial number 10,000 or nigher)
County	bancs Instrument Location Hamagolis PD
Instrument Seri	hannapolis, nc
The preventive serial number I	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that or	

were performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health and Human Services, and the instrument is functioning properly.



Signature of Certifying Official

Certificate Number

KANNAPOLIS PD CABARRUS COUNTY 120

Serial Number: 008589 Test Date: 09/17/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	11:27am
AIR BLK		11:28am
ACCY CHK	.07	11:29am
AIR BLK	.00	11:30am
SUB TEST	.00	11:30am
AIR BLK	.00	11:31am
SUB TEST	.00	11:33am
AIR BLK	.00	11:33am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

## KANNAPOLIS PD CABARRUS COUNTY 120

Serial Number: 008589 Test Record Number: 4195 Test Date: 09/17/2025 Test Time: 11:34am EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	11:34am
FLO	Pass	11:34am
FC	Pass	11:34am

## Temperature Tests

Test	Status	Time
FC1	Pass	11:34am
SRC	Pass	11:34am
DET	Pass	11:34am
BAR	Pass	11:34am
BT	Pass	11:34am

#### Blank Tests

Test	Status	Time
AIR	Pass	11:35am

## Printer Tests

Test	Status	Time
PRNT	Pass	11:35am
	CRC Tests	
Test	Status	Time
COMP	Pass	11:35am

Preventive Maintenance

Pass 11:35am

CAL

Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	ial No. 008615 Instrument Location BAT Mobile Unit 8  Cabactus 50		
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatt simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.		
were performed	the 29 day of September, 2025 the forgoing preventive maintenance procedure on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.		



Secret Haracult 22/9283
Signature of Certifying Official Certificate Number

#### CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008615 Test Date: 09/29/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Glasscock, Jerry D
Permit Number: 7180-9235
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

g/210L	Time
Pass .00 .07	8:33am 8:33am 8:34am
.00	8:35am
.00	8:37am
.00	8:38am
	Pass .00 .07 .00 .00

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Suy D. Kluskuul

## CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008615 Test Record Number: 6157 Test Date: 09/29/2025 Test Time: 8:40am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	8:40am 8:40am
FC	Pass	8:40am

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	8:40am 8:40am 8:40am 8:40am
BT	Pass	8:40am

## Blank Tests

Test	Status	Time
AIR	Pass	8:41am

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:41am
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	8:41am 8:41am

Preventive Maintenance Status: Pass

Sang D Suggerous

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH



# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

CABARRUS COUNTY CABARRUS COUNTY SO 120

Serial Number: 008625 Test Date: 09/17/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	10:38am
AIR BLK	.00	10:39am
ACCY CHK	.07	10:39am
AIR BLK	.00	10:40am
SUB TEST	.00	10:41am
AIR BLK	.00	10:42am
SUB TEST	.00	10:45am
AIR BLK	.00	10:46am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch

Department of Health and Human Services Rev. 12/2007

#### CABARRUS COUNTY CABARRUS COUNTY SO 120

Serial Number: 008625 Test Record Number: 7232 Test Date: 09/17/2025 Test Time: 10:46am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:46am
FC	Pass	10:47am

## Temperature Tests

Test	Status	Time
FC1	Pass	10:47am
SRC	Pass	10:47am
DET	Pass	10:47am
BAR	Pass	10:47am
BT	Pass	10:47am

## Blank Tests

Test	Status	Time
AIR	Pass	10:47am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:47am

#### CRC Tests

Test	Status	Time
COMP	Pass	10:47am
CAL	Pass	10:47am

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 29 day of September 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

## CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008736 Test Date: 09/29/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Glasscock, Jerry D
Permit Number: 7180-9235
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK	.00	8:34am 8:35am 8:35am
AIR BLK SUB TEST	.00	8:36am 8:37am
AIR BLK		8:38am
SUB TEST	.00	8:40am
AIR BLK	.00	8:41am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Lay O Maseur

## CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008736

Test Record Number: 1517

Test Date: 09/29/2025

Test Time: 8:43am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	8:44am
FLO	Pass	8:44am
FC	Pass	8:44am

## Temperature Tests

FC1 Pass 8:44am SRC Pass 8:44am DET Pass 8:44am	
BAR Pass 8:44an BT Pass 8:44an	n n
24 200 0.4400	

#### Blank Tests

Test	Status	Time
AIR	Pass	8:45am

#### Printer Tests

Test	Status Tim	Time
PRNT	Pass	8:45am

#### CRC Tests

Test	Status	Time
COMP	Pass	8:45am
CAL	Pass	8:45am

Preventive Maintenance Status: Pass

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 29 day of September 2025 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

# CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008775 Test Date: 09/29/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Glasscock, Jerry D
Permit Number: 7180-9235
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	8:27am
AIR BLK		8:28am
ACCY CHK	.08	8:29am
AIR BLK	.00	8:29am
SUB TEST	.00	8:30am
AIR BLK	.00	8:31am
SUB TEST	.00	8:32am
AIR BLK	.00	8:33am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Sea O Blusaus

## CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008775 Test Record Number: 2365 Test Date: 09/29/2025 Test Time: 8:34am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	8:34am
FLO	Pass	8:34am
FC	Pass	8:34am

## Temperature Tests

Test	Status	Time
FC1 SRC	Pass Pass	8:35am 8:35am
DET	Pass	8:35am
BAR	Pass	8:35am
BT	Pass	8:35am

## Blank Tests

Test	Status	Time
AIR	Pass	8:35am

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:35am
	CRC Tests	
Test	Status	Time
COMP	Pass	8:35am

Preventive Maintenance Status: Pass

Pass

8:35am

CAL

Sun Dellorund

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	ial No. 008816 Instrument Location BAT Mobile Unit 8
The preventive serial number I	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 29 day of September, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
A STATE O	



Signature of Certifying Official

Certificate Number

CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008816 Test Date: 09/29/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Glasscock, Jerry D Permit Number: 7180-9235 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431002 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST	.00	8:30am 8:31am 8:31am 8:32am 8:33am
AIR BLK	.00	8:34am
SUB TEST	.00	8:35am
AIR BLK	.00	8:36am

Reported AC: .00 g/210L

Signarure of Chemical Analyst

Court CVR

Lang D. Hasoury

## CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008816 Test Record Number: 7951 Test Date: 09/29/2025 Test Time: 8:37am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	8:37am 8:37am
FC	Pass	8:37am

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	8:37am 8:37am 8:37am 8:37am
BT	Pass	8:37am

#### Blank Tests

Test	Status	Time
AIR	Pass	8:38am

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:38am
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	8:38am 8:38am

Preventive Maintenance Status: Pass

Sun Deleasure

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	ial No. 008929 Instrument Location BAT Mobile Unit 8  Cabactus SO
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 29 day of September, 2025 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.
SAM	See Consolination of the Conso
The same of the sa	Land Hadocuri 2219283 Signature of Certifying Official Certificate Number

## CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008929 Test Date: 09/29/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Glasscock, Jerry D Permit Number: 7180-9235 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK	Pass .00 .08	8:29am 8:30am 8:30am 8:32am
SUB TEST	.00	8:32am
AIR BLK	.00	8:33am
SUB TEST	.00	8:35am
ATR BLK	.00	8:36am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

- Level Harris

## CABARRUS COUNTY BAT MOBILE UNIT 8 120

Serial Number: 008929 Test Record Number: 1653 Test Date: 09/29/2025 Test Time: 8:37am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	8:38am 8:38am
FC	Pass	8:38am

## Temperature Tests

Test	Status	Time
FC1	Pass	8:38am
SRC	Pass	8:38am
DET	Pass	8:38am
BAR	Pass	8:38am
BT	Pass	8:38am

#### Blank Tests

Test	Status	Time
AIR	Pass	8:39am

## Printer Tests

Test	Status	Time
PRNT	Pass	8:39am
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	8:39am 8:39am

Preventive Maintenance Status: Pass

Suy & Helsouse

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	ial No. 008719 LE. Kore No.
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the A day of State of 20 25 the forgoing preventive maintenance procedures of the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.
Sam and	214970
- Constitution of the Cons	Signature of Certifying Official Certificate Number

CALDWELL COUNTY CALDWELL COUNTY JAIL 130

> Serial Number: 008719 Test Date: 09/04/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Fleming, Tina S Permit Number: 0027-4970 Effective: 10/01/2023-10/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431001 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	11:52am
AIR BLK	.00	11:53am
ACCY CHK	.08	11:54am
AIR BLK	.00	11:55am
SUB TEST	.00	11:55am
AIR BLK	.00	11:56am
SUB TEST	.00	11:58am
AIR BLK	.00	11:59am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## CALDWELL COUNTY CALDWELL COUNTY JAIL 130

Serial Number: 008719 Test Record Number: 3571
Test Date: 09/04/2025 Test Time: 11:59am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	12:00pm
FLO	Pass	12:00pm
FC	Pass	12:00pm

## Temperature Tests

Test	Status	Time
FC1	Pass	12:00pm
SRC	Pass	12:00pm
DET	Pass	12:00pm
BAR	Pass	12:00pm
BT	Pass	12:00pm
		The second secon

#### Blank Tests

Test	Status	Time
AIR	Pass	12:00pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	12:01pm
	CRC Tests	
Test	Statue	Timo

resc	Status	TIME
COMP	Pass	12:01pm
CAL	Pass	12:01pm

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Serie	Instrument Location Canden Co. S.O.  II7 N. Carolina Hwy. 343  Canden, NC
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi- breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.



Mach Signature of Certify Official

206272 Certificate Number

CAMDEN COUNTY CAMDEN CO SO 140

Serial Number: 008940 Test Date: 09/16/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Chappell, Mark A

Permit Number: 0020-6272

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG405101 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	9:33am
AIR BLK	.00	9:34am
ACCY CHK	.08	9:34am
AIR BLK	.00	9:35am
SUB TEST	.00	9:36am
AIR BLK	.00	9:37am
SUB TEST	.00	9:38am
AIR BLK	.00	9:39am

hemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures Forensic Tests for Alcohol Branch

> Department of Health and Human Services Rev. 12/2007

## CAMDEN COUNTY CAMDEN CO SO 140

Serial Number: 008940 Test Record Number: 1360 Test Date: 09/16/2025 Test Time: 9:40am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	9:41am
FLO	Pass	9:41am
FC	Pass	9:41am

## Temperature Tests

Test	Status	Time
FC1	Pass	9:41am
SRC	Pass	9:41am
DET	Pass	9:41am
BAR	Pass	9:41am
BT	Pass	9:41am

#### Blank Tests

Test	Status	Time	
ATR	Pass	9:41am	

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:41am
	CRC Tests	
Test	Status	Time

10.000.000.000.000.000	
Pass	9:42am
Pass	9:42am
	Pass

Preventive Maintenance Status: Pass

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	ial No. 008687 Lowrow NC
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 3 day of 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

Signature of Certifying Official

A signed original of the preventive maintenance record shall be kept on file for an least three years.

Certificate Number

DHHS 4080 (04/20)

CATAWBA COUNTY CATAWBA COUNTY SO 170

Serial Number: 008687 Test Date: 09/03/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Fleming, Tina S Permit Number: 0027-4970 Effective: 10/01/2023-10/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405103 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	11:58am
AIR BLK	.00	11:59am
ACCY CHK	.08	11:59am
AIR BLK	.00	12:00pm
SUB TEST	.00	12:01pm
AIR BLK	.00	12:02pm
SUB TEST	.00	12:04pm
AIR BLK	-00	12:04pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## CATAWBA COUNTY CATAWBA COUNTY SO 170

Serial Number: 008687 Test Record Number: 4235 Test Date: 09/03/2025 Test Time: 12:05pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	12:06pm
FLO	Pass	12:06pm
FC	Pass	12:06pm

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	12:06pm 12:06pm 12:06pm 12:06pm 12:06pm

#### Blank Tests

Test	Status	Time	
AIR	Pass	12:07pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	12:07pm
	CRC Tests	
Test	Status	Time
COMP	Pass	12:07pm

Preventive Maintenance Status: Pass

Pass

CAL

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	ial No. 608821	
The preventive serial number 1	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wi 10,000 or higher) to be followed at least once every four months are:	ith
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcohol breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;	lic
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and	
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic brea simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tes whichever occurs first.	
were performed	the 3 day of 25 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healtwices, and the instrument is functioning properly.	
Com view	du 5 Jun 274970	

A signed original of the preventive maintenance record shall be kept on file for-at least three years.

DHHS 4080 (04/20)

#### CATAWBA COUNTY CATAWBA COUNTY SO 170

Serial Number: 008821 Test Date: 09/03/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Fleming, Tina S Permit Number: 0027-4970 Effective: 10/01/2023-10/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405103 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	12:00pm
AIR BLK	.00	12:00pm
ACCY CHK	.07	12:01pm
AIR BLK	.00	12:02pm
SUB TEST	.00	12:03pm
AIR BLK	.00	12:04pm
SUB TEST	.00	12:05pm
AIR BLK	.00	12:06pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## CATAWBA COUNTY CATAWBA COUNTY SO 170

Serial Number: 008821 Test Record Number: 2631

Test Date: 09/03/2025 Test Time: 12:07pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	12:07pm
FLO	Pass	12:07pm
FC	Pass	12:07pm

## Temperature Tests

Test	Status	Time
FC1	Pass	12:07pm
SRC	Pass	12:07pm
DET	Pass	12:07pm
BAR	Pass	12:07pm
BT	Pass	12:07pm

## Blank Tests

Test	Status	Time
AIR	Pass	12:08pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	12:08pm
	CRC Tests	

rest	Status	TIME
COMP	Pass Pass	12:08pm 12:08pm

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	ial No. 608841	
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:	
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;	
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and	
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.	
vere performed	the 3 day of 25 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.	

A signed original of the preventive maintenance record shall be kept on file for at least three years.

DHHS 4080 (04/20)

CATAWBA COUNTY HICKORY PD 170

Serial Number: 008841 Test Date: 09/03/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Fleming, Tina S Permit Number: 0027-4970 Effective: 10/01/2023-10/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	10:25am
AIR BLK	.00	10:26am
ACCY CHK	.08	10:26am
AIR BLK	.00	10:28am
SUB TEST	.00	10:28am
AIR BLK	.00	10:29am
SUB TEST	.00	10:31am
AIR BLK	.00	10:32am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### CATAWBA COUNTY HICKORY PD 170

Serial Number: 008841 Test Date: 09/03/2025 Test Record Number: 2541 Test Time: 10:33am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	10:33am
FLO	Pass	10:33am
FC	Pass	10:33am

#### Temperature Tests

Test	Status	Time
FC1	Pass	10:33am
SRC	Pass	10:33am
DET	Pass	10:33am
BAR	Pass	10:33am
BT	Pass	10:33am

#### Blank Tests

Test	Status	Time	
ATR	Page	10 · 34 am	

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:34am
	CRC Tests	
Test	Status	Time

COMP Pass 10:34am CAL Pass 10:34am

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 00859/ Instrument Location CHATHAM COUNTY  DETENTION CENTER
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the \( \frac{17}{25}\) day of \( \frac{5EPFENDED}{25}\), 20\( \frac{25}{25}\) the forgoing preventive maintenance procedures of the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.



Signature of Certifying Cultural

73977/ Certificate Number

CHATHAM COUNTY DETENTION CENTER 180

Serial Number: 008591 Test Date: 09/17/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Galloway, Charles L Permit Number: 0023-9771 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405103 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK	Pass .00 .08	12:45pm 12:46pm 12:46pm 12:48pm
SUB TEST	.00	12:48pm
AIR BLK	.00	12:49pm
SUB TEST	.00	12:50pm
AIR BLK	.00	12:51pm

Signature of Chemistral Analyst

Analys

#### CHATHAM COUNTY DETENTION CENTER 180

Serial Number: 008591 Test Record Number: 3337 Test Date: 09/17/2025 Test Time: 12:52pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	12:52pm
FLO	Pass	12:52pm
FC	Pass	12:53pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	12:53pm 12:53pm 12:53pm 12:53pm 12:53pm

#### Blank Tests

Test	Status	Time
AIR	Pass	12:53pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	12:53pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	12:53pm 12:53pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County A	No. 2088// Instrument Location SILER CITY  PAUCE DEPARTMENT
The preventive n serial number 10	naintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with ,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed of	on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health ces, and the instrument is functioning properly.



Signature of Certifying Official

23977/ Certificate Number

CHATHAM COUNTY SILER CITY PD 180

Serial Number: 008811 Test Date: 09/17/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Galloway, Charles L Permit Number: 0023-9771 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405103 Exp Date: 02/20/2026

g/210L	Time
Pass	2:22pm
.08	2:23pm 2:24pm
.00	2:25pm
.00	2:25pm
.00	2:26pm
.00	2:28pm
.00	2:29pm
	Pass .00 .08 .00 .00

Reported AC: .00 g/210L

Signature of Chemina Analyst

Court CVR

Analys

#### CHATHAM COUNTY SILER CITY PD 180

Serial Number: 008811 Test Record Number: 1843 Test Date: 09/17/2025 Test Time: 2:30pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	2:30pm
FLO	Pass	2:30pm
FC	Pass	2:30pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET	Pass Pass	2:30pm 2:30pm
BAR	Pass Pass	2:30pm 2:30pm
BT	Pass	2:30pm

#### Blank Tests


Test	Status	Time
AIR	Pass	2:31pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	2:31pm
	CRC Tests	
Test	Status	Time

COMP Pass 2:31pm CAL Pass 2:31pm

Preventive Maintenance Status: Pass



#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

MOI	DEL INTOX EC/IR II (Ennanced with serial number 10,000 or nigner)
County_C	herokee Instrument Location Cherokee Co. Jail ial No. 008622 Murphy, NC
Instrument Seri	ial No. 008622 Murphy, NC
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the 1 day of September, 2025 the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt



Signature of Certifying Official

Certificate Number

CHEROKEE COUNTY CHEROKEE COUNTY JAIL
190

Serial Number: 008622 Test Date: 09/18/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Cutler, Daniel R Permit Number: 0084-3310 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG505001 Exp Date: 02/19/2027

Test	g/210L	Time
DIAG AIR BLK	Pass	2:50pm 2:51pm
ACCY CHK	.07	2:51pm
AIR BLK	.00	2:52pm
SUB TEST	.00	2:53pm
AIR BLK	.00	2:54pm
SUB TEST	.00	2:55pm
ATR RIK	.00	2:56pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analys

#### CHEROKEE COUNTY CHEROKEE COUNTY JAIL 190

Serial Number: 008622 Test Record Number: 1335 Test Date: 09/18/2025 Test Time: 2:57pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	2:58pm
FLO	Pass	2:58pm
FC	Pass	2:58pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	2:58pm 2:58pm 2:58pm 2:58pm 2:58pm

#### Blank Tests

Test	Status	Time
AIR	Pass	2:59pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	2:59pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	2:59pm

Preventive Maintenance Status: Pass

Analyst

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	Instrument Location Cherokee Co. Jail Murphy, NC
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the 16 day of 5 to 1 to 1 to 25 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.

Signature of Certifying Official

Certificate Number

CHEROKEE COUNTY CHEROKEE COUNTY JAIL

Serial Number: 008711 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Cutler, Daniel R
Permit Number: 0084-3310
Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG503001 Exp Date: 01/30/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK SUB TEST	.07 .00 .00	3:09pm 3:09pm 3:10pm 3:11pm 3:12pm 3:12pm 3:14pm
AIR BLK	.00	3:15pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### CHEROKEE COUNTY CHEROKEE COUNTY JAIL 190

Serial Number: 008711

Test Record Number: 1530 Test Date: 09/18/2025 Test Time: 3:17pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	3:17pm 3:17pm
FC	Pass	3:17pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass	3:17pm 3:17pm 3:17pm 3:17pm
BT	Pass	3:17pm

#### Blank Tests

Test	Status	Time	
AIR	Pass	3:18pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	3:18pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	3:18pm 3:18pm

Preventive Maintenance Status: Pass

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	strument Seri	Cheokee Instrument Location BAT Mobile Unit 11  ial No. 008970 Cheokee 6 5.0.
		maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 0,000 or higher) to be followed at least once every four months are:
	(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
	(2)	Verify instrument displays time and date;
	(3)	Initiate breath test sequence;
	(4)	Enter information as prompted;
	(5)	Verify instrument accuracy;
	(6)	When "PLEASE BLOW" appears, collect breath sample;
	(7)	When "PLEASE BLOW" appears, collect breath sample;
	(8)	Print test record;
	(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
	(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
we	re performed	the 2044 day of 5 c p km bc , 20 25 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.
	Cam Age	Signature of Certifying Official Certificate Number

CHEROKEE COUNTY BAT MOBILE UNIT 11 190

Serial Number: 008970 Test Date: 09/20/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Barrier, Dennis J

Permit Number: 0014-7953

Effective:

06/01/2025-06/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	9:01pm
AIR BLK	.00	9:02pm
ACCY CHK	.07	9:03pm
AIR BLK	.00	9:04pm
SUB TEST	.00	9:04pm
AIR BLK	.00	9:05pm
SUB TEST	.00	9:07pm
AIR BLK	.00	9:07pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### CHEROKEE COUNTY BAT MOBILE UNIT 11 190

Serial Number: 008970

Test Record Number: 1312

Test Date: 09/20/2025

Test Time: 9:08pm EDT

#### System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:08pm
FLO	Pass	9:08pm
FC	Pass	9:08pm

## Temperature Tests

Test	Status	Time
FC1	Pass	9:08pm
SRC	Pass	9:08pm
DET	Pass	9:08pm
BAR	Pass	9:08pm
BT	Pass	9:08pm

#### Blank Tests

Test	Status	Time	
AIR	Pass	9:09pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:09pm
	CRC Tests	
Test	Status	Time

COMP	Pass	9:09pm
CAL	Pass	9:09pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 20 day of 5 phmber, 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

#### CHEROKEE COUNTY BAT MOBILE UNIT 11 190

Serial Number: 008973 Test Date: 09/20/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Barrier, Dennis J

Permit Number: 0014-7953

Effective:

06/01/2025-06/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

rest	g/210L	Time
DIAG	Pass	8:59pm
AIR BLK	.00	9:00pm
ACCY CHK	.07	9:01pm
AIR BLK	.00	9:02pm
SUB TEST	.00	9:02pm
AIR BLK	.00	9:03pm
SUB TEST	-00	9:05pm

9:05pm

~/21AT

Reported\_AC: .00 g/210L

AIR BLK .00

Signature of Chemical Analyst

Court CVR

#### CHEROKEE COUNTY BAT MOBILE UNIT 11 190

Serial Number: 008973 Test Record Number: 1373 Test Date: 09/20/2025

Test Time: 9:06pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:06pm
FLO	Pass	9:06pm
FC	Pass	9:06pm

#### Temperature Tests

Status	Time
Pass	9:06pm
	Pass Pass Pass Pass

#### Blank Tests

Test	Status	Time
AIR	Pass	9:07pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:07pm

#### CRC Tests

Test	Status	Time
COMP	Pass	9:07pm
CAL	Pass	9:07pm

Preventive Maintenance Status: Pass

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.

843310

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

CLAY COUNTY CLAY COUNTY JAIL 210

Serial Number: 008608 Test Date: 09/18/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Cutler, Daniel R
Permit Number: 0084-3310
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431002 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK	Pass .00 .07	1:49pm 1:50pm 1:50pm 1:51pm
SUB TEST	.00	1:52pm
AIR BLK	.00	1:53pm
SUB TEST	.00	1:54pm
AIR BLK	.00	1:55pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### CLAY COUNTY CLAY COUNTY JAIL 210

Serial Number: 008608 Test Record Number: 1638 Test Date: 09/18/2025 Test Time: 1:56pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	1:56pm
FLO FC	Pass Pass	1:56pm 1:56pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	1:56pm
SRC	Pass	1:56pm
DET	Pass	1:56pm
BAR	Pass	1:56pm
BT	Pass	1:56pm

#### Blank Tests

Test	Status	Time
AIR	Pass	1:57pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:57pm
	CRC Tests	
Test	Status	Time
COMP	Pass	1:57pm

Preventive Maintenance Status: Pass

Pass 1:57pm

Analyst

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 12th day of September , 20 25 the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.

COLUMBUS COUNTY BAT MOBILE UNIT 12 230

Serial Number: 008601 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	8:16pm
AIR BLK	.00	8:17pm
ACCY CHK	.07	8:17pm
AIR BLK	.00	8:19pm
SUB TEST	.00	8:19pm
AIR BLK	.00	8:20pm
SUB TEST	.00	8:22pm
AIR BLK	.00	8:22pm

Reported AC: .00 g/210L

Signatur of Chemical Analyst

Court CVR

Analyst

#### COLUMBUS COUNTY BAT MOBILE UNIT 12 230

Serial Number: 008601 Test Record Number: 1832 Test Date: 09/12/2025 Test Time: 8:24pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	8:24pm
FLO	Pass	8:24pm
FC	Pass	8:24pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	8:24pm
SRC DET	Pass Pass	8:24pm 8:24pm
BAR BT	Pass Pass	8:24pm 8:24pm
DI	rass	0.24pm

#### Blank Tests

Test	Status	Time
AIR	Pass	8:25pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:25pm
	CRC Tests	
Test	Status	Time

Preventive Maintenance Status: Pass

Pass

Pass.

8:25pm

8:25pm

COMP

CAL

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 008698	Shikeville PD
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Into 0,000 or higher) to be followed at least once every four n	ox EC/IR II and Model Intox EC/IR II (Enhanced with nonths are:
(1)	Verify the ethanol gas canister displays at least 51 po breath simulator thermometer shows 34 degrees, plus	unds per square inch (psi) of pressure, or the alcoholic or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sam	ple;
(7)	When "PLEASE BLOW" appears, collect breath sam	ple;
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive main	tenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being chan simulator solution is being changed every four mo whichever occurs first.	iged before expiration date, or the alcoholic breath onths or after 125 Alcoholic Breath Simulator tests
were performed	the 12h day of September, 202 on the instrument indicated above, in accordance with vices, and the instrument is functioning properly.	the forgoing preventive maintenance procedures current regulations of the N.C. Department of Health
OF OWN ISS	Signature of Certifying Of	Ticial Certificate Number

COLUMBUS COUNTY BAT MOBILE UNIT 12 230

Serial Number: 008698 Test Date: 09/12/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG400303 Exp Date: 01/03/2026

Test	g/210L	Time
DIAG	Pass	8:03pm
AIR BLK	.00	8:04pm
ACCY CHK	.07	8:05pm
AIR BLK	.00	8:06pm
SUB TEST	.00	8:06pm
AIR BLK	.00	8:07pm
SUB TEST		8:09pm
ATR BLK	.00	8:10pm

Reported AC: .00 46210L

Signature Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services
Rev. 12/2007

Analyst

#### COLUMBUS COUNTY BAT MOBILE UNIT 12 230

Serial Number: 008698 Test Record Number: 2663
Test Date: 09/12/2025 Test Time: 8:10pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	8:11pm 8:11pm
FC	Pass	8:11pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	8:11pm
SRC	Pass	8:11pm
DET	Pass	8:11pm
BAR	Pass	8:11pm
BT	Pass	8:11pm

#### Blank Tests

Test	Status	Time
AIR	Pass	8:11pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:12pm
	CRC Tests	
Test,	Status	Time

COMP Pass 8:12pm CAL Pass 8:12pm

Preventive Maintenance Status: Pass

Analyst

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County_Co	Jumbus Instrument Location BAT Mobile Unit 12
Instrument Seria	No. 008788 Whiteville PD
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the late day of September, 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
	2266313
V25-10-111111-11-11-11-11-11-11-11-11-11-11	Signature of Certifying Official Certificate Number

#### COLUMBUS COUNTY BAT MOBILE UNIT 12 230

Serial Number: 008788 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	8:03pm
AIR BLK	.00	8:04pm
ACCY CHK	.07	8:04pm
AIR BLK	.00	8:05pm
SUB TEST	.00	8:06pm
AIR BLK	.00	8:07pm
SUB TEST	.00	8:08pm
AIR BLK	.00	8:09pm

Reported AC: \_\_\_00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services
Rev. 12/2007

Analyst

#### COLUMBUS COUNTY BAT MOBILE UNIT 12 230

Serial Number: 008788 Test Date: 09/12/2025 Test Record Number: 2460

Test Time: 8:10pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	8:10pm
FLO	Pass	8:10pm
FC	Pass	8:10pm

## Temperature Tests

Test	Status	Time
FC1	Pass	8:10pm
SRC	Pass Pass	8:10pm 8:10pm
BAR	Pass	8:10pm
BT	Pass	8:10pm

#### Blank Tests

Test	Status	Time
AIR	Pass	8:11pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:11pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	8:11pm 8:11pm

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

ountyC	OLUMBUS Instrument Location COLUMBUS COUNTY		
strument Serial	NO. 008875 DETENTION CENTER		
e preventive m	naintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced w 000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholoreath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic bre simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator te whichever occurs first.		
(10)	simulator solution is being changed every four months or after 125 Alcoholic Bre		

were performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health and Human Services, and the instrument is functioning properly.



COLUMBUS COUNTY DETENTION CENTER 230

Serial Number: 008875 Test Date: 09/22/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R Permit Number: 0014-6279 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG400301 Exp Date: 01/03/2026

Test	g/210L	Time
DIAG	Pass	1:51pm
AIR BLK	.00	1:52pm
ACCY CHK	.08	1:52pm
AIR BLK	.00	1:54pm
SUB TEST	.00	1:54pm
AIR BLK	.00	1:55pm
SUB TEST	.00	1:57pm
AIR BLK	.00	1:57pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Celu Ky Bens Analyst

#### COLUMBUS COUNTY DETENTION CENTER 230

Serial Number: 008875 Test Record Number: 3330 Test Date: 09/22/2025 Test Time: 1:58pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	1:58pm
FLO	Pass	1:58pm
FC	Pass	1:58pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	1:58pm
SRC	Pass	1:58pm
DET	Pass	1:58pm
BAR	Pass	1:58pm
BT	Pass	1:58pm

#### Blank Tests

1:59pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:59pm
	CRC Tests	
Test	Status	Time
COMP	Pass	1:59pm

Preventive Maintenance Status: Pass

Pass

1:59pm

Analyst

CAL

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. <u>008</u> 886	COLUMBUS DETENTION	CENTER
The preventive serial number 1	maintenance procedures for the Intoximeters, Model In 0,000 or higher) to be followed at least once every four	tox EC/IR II and Model Intox months are:	EC/IR II (Enhanced with
(1)	Verify the ethanol gas canister displays at least 51 p breath simulator thermometer shows 34 degrees, plu		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being cha simulator solution is being changed every four n whichever occurs first.		



Signature of Certifying Official

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

COLUMBUS COUNTY DETENTION CENTER 230

Serial Number: 008886 Test Date: 09/22/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R

Permit Number: 0014-6279

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG400301 Exp Date: 01/03/2026

Test	g/210L	Time
DIAG	Pass	1:59pm
AIR BLK	.00	2:00pm
ACCY CHK	.08	2:01pm
AIR BLK	.00	2:02pm
SUB TEST	.00	2:03pm
AIR BLK	.00	2:04pm
SUB TEST	.00	2:06pm
AIR BLK	.00	2:07pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# COLUMBUS COUNTY DETENTION CENTER 230

Serial Number: 008886 Test Date: 09/22/2025

Test Record Number: 1915 Test Time: 2:08pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	2:08pm
FLO FC	Pass Pass	2:08pm 2:08pm
	1400	Z. OOPIII

### Temperature Tests

Test	Status	Time
FC1	Pass	2:09pm
SRC	Pass	2:09pm
DET	Pass	2:09pm
BAR	Pass	2:09pm
BT	Pass	2:09pm

#### Blank Tests

Test	Status	Time
AIR	Pass	2:09pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	2:09pm
	CRC Tests	
Test	Status	Time
COMP	Pass	2:09pm

Preventive Maintenance Status: Pass

Pass

2:09pm

Olu Ry Bennance

CAL

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seria	al No. 008615 Craven S.O.
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 27 day of September, 2015 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008615 Test Date: 09/27/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Carroll, Barry J Permit Number: 0019-3759 Effective: 09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	11:11pm
AIR BLK	.00	11:12pm
ACCY CHK	.07	11:12pm
AIR BLK	.00	11:13pm
SUB TEST	.00	11:14pm
AIR BLK	.00	11:15pm
SUB TEST	.00	11:16pm
AIR BLK	.00	11:17pm

Reported AC: .00 g/210L

Standare of Chemical Analyst

Court CVR

Analyst

CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008615 Test Record Number: 6155 Test Date: 09/27/2025 Test Time: 11:17pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	11:18pm
FLO	Pass	11:18pm
FC	Pass	11:18pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	11:18pm
SRC	Pass	11:18pm
DET	Pass	11:18pm
BAR	Pass	11:18pm
BT	Pass	11:18pm

### Blank Tests

Test	Status	Time
AIR	Pass	11:18pm

#### Printer Tests

Toet

rest	Status	TIME
PRNT	Pass	11:18pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	11:19pm 11:19pm

Status

Time

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County_ C	Toven Instrument Location BAT M	
Instrument Seria	No. 008736 Craver	150
The preventive serial number 10	naintenance procedures for the Intoximeters, Model Intox EC/IR II an 0,000 or higher) to be followed at least once every four months are:	d Model Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas canister displays at least 51 pounds per squar breath simulator thermometer shows 34 degrees, plus or minus .2 de	re inch (psi) of pressure, or the alcoholi- egree centigrade;
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status	of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before ex simulator solution is being changed every four months or after whichever occurs first.	piration date, or the alcoholic breath 125 Alcoholic Breath Simulator tests
were performed	the A 1 day of September , 2025 the forgoing on the instrument indicated above, in accordance with current regularities, and the instrument is functioning properly.	ng preventive maintenance procedure tions of the N.C. Department of Health
SAME OF THE PROPERTY OF THE PR	CAN CONTRACT OF THE PARTY OF TH	
Cam inch	Signature of Certifying Official	73757 Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008736 Test Date: 09/27/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST	Pass .00 .07 .00	10:32pm 10:33pm 10:34pm 10:35pm 10:35pm
AIR BLK	.00	10:36pm
SUB TEST	.00	10:37pm
AIR BLK	.00	10:38pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008736 Test Record Number: 1515 Test Date: 09/27/2025 Test Time: 10:39pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	10:39pm
FLO	Pass	10:39pm
FC	Pass	10:39pm

#### Temperature Tests

Status	Time
Pass	10:39pm
	10:39pm
	10:39pm 10:39pm
Pass	10:39pm
	Pass Pass Pass

#### Blank Tests

Test	Status	Time
AIR	Pass	10:40pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:40pm
	CRC Tests	
Test	Status	Time
COMP	Pass	10:40pm

Pass

Preventive Maintenance Status: Pass

CAL

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County		1061/e Uni+8 50.
The preventive serial number	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and 10,000 or higher) to be followed at least once every four months are:	d Model Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas canister displays at least 51 pounds per squar breath simulator thermometer shows 34 degrees, plus or minus .2 de	e inch (psi) of pressure, or the alcoholic gree centigrade;
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status	of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before ex- simulator solution is being changed every four months or after whichever occurs first.	piration date, or the alcoholic breath 125 Alcoholic Breath Simulator tests,
were performe	n the 27 day of September , 2025 the forgoin d on the instrument indicated above, in accordance with current regular rvices, and the instrument is functioning properly.	ng preventive maintenance procedures tions of the N.C. Department of Health
\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
a am as	HOLE CONTRACTOR	193759 Certificate Number
	Signature of Certifying Official	Carring the control

A signed original of the preventive maintenance record shall be kept on file for at least three years.

CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008775 Test Date: 09/27/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	10:21pm
AIR BLK	.00	10:22pm
ACCY CHK	.08	10:23pm
AIR BLK	.00	10:24pm
SUB TEST	.00	10:24pm
AIR BLK	.00	10:25pm
SUB TEST	.00	10:27pm
AIR BLK	.00	10:28pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008775 Test Record Number: 2363
Test Date: 09/27/2025 Test Time: 10:28pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:29pm 10:29pm
FC	Pass	10:29pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	10:29pm 10:29pm 10:29pm 10:29pm
BT	Pass	10:29pm

#### Blank Tests

Test	Status	Time
AIR	Pass	10:30pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:30pm
	CRC Tests	
Test	Status	Time
COMP	Pass	10:30pm

Preventive Maintenance Status: Pass

Pass

10:30pm

CAL

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.		
	the grant day of september, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.		

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Cettifying Official

Certificate Number

CRAVEN COUNTY HAVELOCK PD 240

Serial Number: 008800 Test Date: 09/08/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: GILLESPIE, PENTTI W

Permit Number: 9523-2149

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG405103 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	11:28am
AIR BLK		11:29am
ACCY CHK		11:30am
AIR BLK		11:31am
SUB TEST		11:32am
AIR BLK		11:32am
SUB TEST		11:34am

Reported AC:

AIR BLK

.00 g/210L

11:35am

Signature of Chemical Analyst

.00

Court CVR

Analyst

#### CRAVEN COUNTY HAVELOCK PD 240

Serial Number: 008800 Test Record Number: 1752 Test Date: 09/08/2025 Test Time: 11:35am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	11:36am
FLO	Pass	11:36am
FC	Pass	11:36am

#### Temperature Tests

Test Status T	
FC1 Pass 1	1:36am
SRC Pass 1	1:36am
DET Pass 1	1:36am
BAR Pass 1	1:36am
BT Pass 1	1:36am

#### Blank Tests

Test	Status	Time
AIR	Pass	11:37am

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:37am
	CRC Tests	
Test	Status	Time
COMP	Pass	11:37am

11:37am

Preventive Maintenance Status: Pass

CAL

Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the day of September, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008816 Test Date: 09/27/2025

Citation Number: M0000000 0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431002 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK SUB TEST	Pass .00 .08 .00 .00	11:02pm 11:03pm 11:03pm 11:04pm 11:05pm 11:06pm 11:07pm
AIR BLK	.00	11:08pm

Reported AC: .00 g/210L

Size ture of Chemical Analyst

Court CVR

Analyst

### CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008816 Test Record Number: 7949
Test Date: 09/27/2025 Test Time: 11:08pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	11:09pm
FLO FC	Pass Pass	11:09pm 11:09pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	11:09pm
SRC	Pass	11:09pm
DET	Pass	11:09pm
BAR	Pass	11:09pm
BT	Pass	11:09pm

#### Blank Tests

Test	Status	Time
AIR	Pass	11:10pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:10pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	11:10pm 11:10pm

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. 008929 Craven S. O.
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the 27 day of September , 2025 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.

Signature of Certifying Official

793 75 9 Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008929 Test Date: 09/27/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J Permit Number: 0019-3759 Effective: 09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	
AIR BLK ACCY CHK	.00	10:53pm 10:54pm
AIR BLK	.00	10:55pm
SUB TEST AIR BLK	.00 .00	10:56pm 10:57pm
SUB TEST	.00	10:58pm
AIR BLK	.00	10:59pm

Reported AC: .00 g/210L

Mature of Chemical Analyst

Court CVR

Analyst

CRAVEN COUNTY BAT MOBILE UNIT 8 240

Serial Number: 008929 Test Record Number: 1651 Test Date: 09/27/2025 Test Time: 11:00pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	11:01pm
FLO	Pass	11:01pm
FC	Pass	11:01pm

#### Temperature Tests

SRC Pass 11:01pm DET Pass 11:01pm	Test	Status	Time
	SRC DET BAR	Pass Pass Pass	11:01pm 11:01pm 11:01pm 11:01pm 11:01pm

#### Blank Tests

Test	Status	Time
AIR	Pass	11:02pm

### Printer Tests

Test	Status	Time
PRNT	Pass	11:02pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	11:02pm 11:02pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

RAVEN	Instrument Location_	MCAS	Pmo
al No. 01 0819		CHERRY	POINT
maintenance procedures for 0,000 or higher) to be follow	r the Intoximeters, Model In wed at least once every four	tox EC/IR II and Mo months are:	del Intox EC/IR II (Enhanced with
Verify the ethanol gas of breath simulator thermo	anister displays at least 51 p meter shows 34 degrees, plu	ounds per square inclusion or minus .2 degree	h (psi) of pressure, or the alcoholic centigrade;
Verify instrument displa	ays time and date;		
Initiate breath test seque	ence;		
Enter information as pro	ompted;		
Verify instrument accur	acy;		
When "PLEASE BLOW	V" appears, collect breath sa	mple;	
When "PLEASE BLOW	V" appears, collect breath sa	mple;	
Print test record;			
Run diagnostic program	and confirm preventive ma	intenance status of "F	Pass"; and
Verify that the ethano simulator solution is b whichever occurs first.	l gas canister is being cha eing changed every four n	anged before expirat nonths or after 125	ion date, or the alcoholic breath Alcoholic Breath Simulator tests
the 8 day of 5	d above, in accordance wit	25 the forgoing point the current regulations	reventive maintenance procedures of the N.C. Department of Health
		Signature of Certifying	Signature of Certifying Official

A signed original of the preventive maintenance record shall be kept on file for at least three years.

CRAVEN COUNTY MCAS CHERRY POINT 240

Serial Number: 010819 Test Date: 09/08/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: GILLESPIE, PENTTI W

Permit Number: 9523-2149

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG405103 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	12:57pm
AIR BLK	.00	12:57pm
ACCY CHK	.08	12:58pm
AIR BLK	.00	12:59pm
SUB TEST	.00	12:59pm
AIR BLK	.00	1:01pm
SUB TEST	.00	1:02pm
AIR BLK	.00	1:04pm

Reported, AC: .00

.00 g/210L

Signature of Chem

Chemical Analyst

Court CVR

Analyst

## CRAVEN COUNTY MCAS CHERRY POINT 240

Serial Number: 010819 Test Record Number: 961 Test Date: 09/08/2025 Test Time: 1:05pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	1:05pm
FLO	Pass	1:05pm
FC	Pass	1:05pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	1:05pm
SRC	Pass	1:05pm
DET	Pass	1:05pm
BAR	Pass	1:05pm
BT	Pass	1:05pm

#### Blank Tests

Test	Status	Time
AIR	Pass	1:06pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:06pm
	ana maaka	

#### CRC Tests

Test	Status	Time
COMP	Pass	1:06pm
CAL	Pass	1:06pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No.008947 Instrument Location Currifuck Co. S.O. 407A Maple Rd. Maple, N
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
I certify that on were performed and Human Ser	on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

Signature of Certifying Official

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

CURRITUCK COUNTY CURRITUCK SO-MAPLE 260

Serial Number: 008947 Test Date: 09/02/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male river's License State: XX

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Chappell, Mark A Permit Number: 0020-6272 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405101 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	1:18pm
AIR BLK	.00	1:19pm
ACCY CHK	.07	1:19pm
AIR BLK	.00	1:20pm
SUB TEST	.00	1:21pm
AIR BLK	.00	1:22pm
SUB TEST	.00	1:24pm
AIR BLK	.00	1:24pm

Reported AC: 00 g/210L

gnature of Chamical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch

Department of Health and Human Services Rev. 12/2007

#### CURRITUCK COUNTY CURRITUCK SO-MAPLE 260

Serial Number: 008947 Test Record Number: 3686 Test Date: 09/02/2025 Test Time: 1:26pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	1:26pm
FLO	Pass	1:26pm
FC	Pass	1:26pm

## Temperature Tests

Test	Status	Time
FC1	Pass	1:26pm
SRC	Pass	1:26pm
DET	Pass	1:26pm
BAR	Pass	1:26pm
BT	Pass	1:26pm

#### Blank Tests

Test	Status	Time
AIR	Pass	1:27pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:27pm
	CRC Tests	
Test	Status	Time
COMP	Pass	1:27pm

Preventive Maintenance Status: Pass

Pass

1:27pm

CAL

they

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	Instrument Location WALLACE  Instrument Location WALLACE  POLICE DEPT
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 33 day of SEPTEMBER, 20 25 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
were performed	d on the instrument indicated above, in accordance with current regulations of the N.C. Department of F vices, and the instrument is functioning properly.



Signature of Certifying Official

176211

Certificate Number

DUPLIN COUNTY WALLACE PD 300

Serial Number: 008858 Test Date: 09/23/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R Permit Number: 0014-6279 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	12:23pm
AIR BLK	.00	12:23pm
ACCY CHK	.07	12:24pm
AIR BLK	.00	12:25pm
SUB TEST	.00	12:26pm
AIR BLK	.00	12:26pm
SUB TEST	.00	12:29pm
AIR BLK	.00	12:29pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch

Department of Health and Human Services Rev. 12/2007

### DUPLIN COUNTY WALLACE PD 300

Serial Number: 008858 Test Date: 09/23/2025

Test Record Number: 1372 Test Time: 12:30pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	12:30pm
FLO	Pass	12:30pm
FC	Pass	12:30pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	12:31pm
SRC	Pass	12:31pm
DET	Pass	12:31pm
BAR	Pass	12:31pm
BT	Pass	12:31pm

#### Blank Tests

Test	Status	Time
	D	12.21

#### Printer Tests

Test	Status	Time
PRNT	Pass	12:31pm
	CRC Tests	
Test	Status	Time
COMP	Pass	12:31pm
CAL	Pass	12:31pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH



# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	Instrument Location DUPLIN COUNTY  al No. 008864  DETENTION CENTER
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the <u>33</u> day of <u>SEPTEMBER</u> , 20 <u>25</u> the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.



Signature of Certifying Official

Certificate Number



A signed original of the preventive maintenance record shall be kept on file for at least three years.

DUPLIN COUNTY DETENTION CENTER 300

Serial Number: 008864 Test Date: 09/23/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R
Permit Number: 0014-6279
Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	11:07am
AIR BLK	.00	11:08am
ACCY CHK	.08	11:09am
AIR BLK	.00	11:10am
SUB TEST	.00	11:10am
AIR BLK	.00	11:11am
SUB TEST	.00	11:13am
AIR BLK	.00	11:14am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## DUPLIN COUNTY DETENTION CENTER 300

Serial Number: 008864

Test Record Number: 5266

Test Date: 09/23/2025 Test Time: 11:14am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	11:15am
FLO	Pass	11:15am
FC	Pass	11:15am

#### Temperature Tests

Test	Status	Time
FC1	Pass	11:15am
SRC	Pass	11:15am
DET	Pass	11:15am
BAR	Pass	11:15am
BT	Pass	11:15am

#### Blank Tests

Test	Status	Time	
AIR	Pass	11:16am	

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:16am
	CRC Tests	
Test	Status	Time
COMP	Pass	11:16am

Preventive Maintenance Status: Pass

Pass

CAL

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	al No. 00 8583 Instrument Location FORSYTH CO. DETENTION  WINSTON - SALEM, NC		
Instrument Sen	al No. 00 8583 WINSTON - SALEM, NC		
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.		
	the 29 day of SEPTEMBER, 2025 the forgoing preventive maintenance procedure of the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt revices, and the instrument is functioning properly.		
	T C B		

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

FORSYTH COUNTY FORSYTH CO DETENTION 330

> Serial Number: 008583 Test Date: 09/29/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Oligmueller, Leo A
Permit Number: 0035-3799
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

7	ľest	g/210L	Time
I	DIAG	Pass	11:04am
1	AIR BLK	.00	11:04am
1	ACCY CHK	.08	11:05am
1	AIR BLK	.00	11:06am
5	SUB TEST	.00	11:07am
7	AIR BLK	.00	11:08am
5	SUB TEST	.00	11:10am
7	AIR BLK	.00	11:11am

Reported AC: .00 g/210L

Court CVR

grature of themical

A Stralyst

#### FORSYTH COUNTY FORSYTH CO DETENTION 330

Serial Number: 008583 Test Record Number: 10020 Test Date: 09/29/2025 Test Time: 11:12am EDT

System Check: Passed

#### Baseline Tests

Time	
13am	
13am	
:13am	

#### Temperature Tests

Test	Status	Time
FC1	Pass	11:13am
SRC	Pass	11:13am
DET	Pass	11:13am
BAR	Pass	11:13am
BT	Pass	11:13am

#### Blank Tests

Test	Status	Time	
AIR	Pass	11:14am	

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:14am
	CRC Tests	
Test	Status	Time
COMP	Pass	11:14am
CAL	Pass	11:14am

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 008650 DEPARTMENT
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 29 day of SENTEMBER, 2025 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

Signature of Certificing Official

Certificate Number

FORSYTH COUNTY KERNERSVILLE PD 330

Serial Number: 008650 Test Date: 09/29/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Oligmueller, Leo A Permit Number: 0035-3799 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	9:06am
AIR BLK	.00	9:06am
ACCY CHK	.08	9:07am
AIR BLK	.00	9:08am
SUB TEST	.00	9:09am
AIR BLK	.00	9:09am
SUB TEST	.00	9:11am
AIR BLK	.00	9:12am

Reported AC: .00 g/210L

Court CVR

# FORSYTH COUNTY KERNERSVILLE PD 330

Serial Number: 008650 Test Record Number: 2432 Test Date: 09/29/2025 Test Time: 9:14am EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	9:14am
FLO	Pass	9:14am
FC	Pass	9:14am

### Temperature Tests

Test	Status	Time
FC1	Pass	9:14am
SRC	Pass	9:14am
DET	Pass	9:14am
BAR	Pass	9:14am
BT	Pass	9:14am

## Blank Tests

Test	Status	Time
AIR	Pass	9:15am

## Printer Tests

Test	Status	Time
PRNT	Pass	9:15am

#### CRC Tests

Test	Status	Time
COMP	Pass Pass	9:15am 9:15am

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	ial No. 008659 Instrument Location FORSYTH CO. DETENTION  WINSTON - SALEM, NC
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 29 day of SEPTEMBER 2025 the forgoing preventive maintenance procedure on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt vices, and the instrument is functioning properly.

FORSYTH COUNTY FORSYTH CO DETENTION 330

Serial Number: 008659 Test Date: 09/29/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Oligmueller, Leo A
Permit Number: 0035-3799
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516203 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	10:35am
AIR BLK	.00	10:35am
ACCY CHK	.08	10:36am
AIR BLK	.00	10:37am
SUB TEST	.00	10:38am
AIR BLK	.00	10:39am
SUB TEST	.00	10:42am
AIR BLK	.00	10:43am

Reported AC: .00 g/210L

chamical Analyst

COULT CVR

Analy

# FORSYTH COUNTY FORSYTH CO DETENTION 330

Serial Number: 008659 Test Date: 09/29/2025 Test Record Number: 6765 Test Time: 10:46am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	10:47am
FLO	Pass	10:47am
FC	Pass	10:47am

## Temperature Tests

Test	Status	Time
FC1	Pass	10:47am
SRC	Pass	10:47am
DET	Pass	10:47am
BAR	Pass	10:47am
BT	Pass	10:47am

## Blank Tests

Test	Status	Time
AIR	Pass	10:48am

## Printer Tests

Test	Status	Time
PRNT	Pass	10:48am

## CRC Tests

Test	Status	Time
COMP	Pass	10:48am
CAL	Pass	10:48am

Preventive Maintenance Status: Pass

Arralyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 008925 WINSTON-SALEM, NC
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 29 day of SEPTEMBER, 2025 the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.

Signature of Certifythig Officeal

Certificate Number

FORSYTH COUNTY FORSYTH CO DETENTION 330

> Serial Number: 008925 Test Date: 09/29/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Oligmueller, Leo A Permit Number: 0035-3799 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	10:50am
AIR BLK	.00	10:50am
ACCY CHK	.08	10:51am
AIR BLK	.00	10:52am
SUB TEST	.00	10:52am
AIR BLK	.00	10:53am
SUB TEST	.00	10:56am
AIR BLK	.00	10:57am

Reported AC: .00 9/210L

f Chemical Analyst

Court CVR

# FORSYTH COUNTY FORSYTH CO DETENTION 330

Serial Number: 008925 Test Record Number: 5603 Test Date: 09/29/2025 Test Time: 11:00am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	11:00am 11:00am
FC	Pass	11:00am

# Temperature Tests

Test	Status	Time
FC1	Pass	11:00am
SRC	Pass	11:00am
DET	Pass	11:00am
BAR	Pass	11:00am
BT	Pass	11:00am

## Blank Tests

Test	Status	Time
AIR	Pass	11:01am

#### Printer Tests

Toet

rest	Status	LING
PRNT	Pass	11:01am

Statue

Time

## CRC Tests

Test	Status	Time
COMP	Pass	11:01am
CAL	Pass	11:01am

Preventive Maintenance Status: Pass

This form is used when performing Preventive Maintenance procedures

Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County FRA	
Instrument Ser	Louisturg, NC
	Louisburg, NC
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the 4 day of SEPTEMBER, 20,25 the forgoing preventive maintenance procedures do not the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.
	SAB 179707
-	Signature of Certifying Official Certificate Number

FRANKLIN COUNTY FRANKLIN CO. LEC 340

Serial Number: 008933 Test Date: 09/04/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Bryant, Earl A
Permit Number: 0017-9707
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	8:16am
AIR BLK	.00	8:16am
ACCY CHK	.08	8:17am
AIR BLK	.00	8:18am
SUB TEST	.00	8:18am
AIR BLK	.00	8:19am
SUB TEST	.00	8:21am
AIR BLK	.00	8:22am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

## FRANKLIN COUNTY FRANKLIN CO. LEC 340

Serial Number: 008933 Test Record Number: 1839 Test Date: 09/04/2025 Test Time: 8:23am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	8:23am 8:23am
FC	Pass	8:23am

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	8:23am 8:23am 8:23am 8:23am
BT	Pass	8:23am

### Blank Tests

Test	Status	Time
AIR	Pass	8:24am

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:24am
	CRC Tests	
Test	Status	Time
COMP	Pass	8:24am

8:24am

Preventive Maintenance Status: Pass

Pass

CAL

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County C10	ial No.008684 Instrument Location Glaston County Jail Glastonia, NC	
madulien Sell	2 100 7 0 1 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V	
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:	
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;	
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and	
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.	
	15th Sanda 1	

I certify that on the 10 day of 2000 day o



GASTON COUNTY GASTON COUNTY SO 350

Serial Number: 008684 Test Date: 09/15/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	12:12pm
AIR BLK	.00	12:13pm
ACCY CHK	.07	12:13pm
AIR BLK	.00	12:15pm
SUB TEST	.00	12:16pm
AIR BLK	.00	12:17pm
SUB TEST	.00	12:18pm
AIR BLK	.00	12:19pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch

Department of Health and Human Services Rev. 12/2007

# GASTON COUNTY GASTON COUNTY SO 350

Serial Number: 008684 Test Record Number: 6731 Test Date: 09/15/2025 Test Time: 12:19pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	12:20pm
FLO	Pass	12:20pm
FC	Pass	12:20pm

## Temperature Tests

Test	Status	Time
FC1	Pass	12:20pm
SRC	Pass	12:20pm
DET	Pass	12:20pm
BAR	Pass	12:20pm
BT	Pass	12:20pm

## Blank Tests

Test	Status	Time
ATD	Dane	12.20nm
ATR	Dagg	12.20

### Printer Tests

Test	Status	
PRNT	Pass	12:21pm
	CPC Tests	

Test	Status	Time
COMP	Pass	12:21pm
CAL	Pass	12:21pm

Preventive Maintenance

Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. <i>QOS 635</i>	525 NEW	Commerce Deve
The preventive serial number 1	maintenance procedures for the Intoximete 0,000 or higher) to be followed at least one	ers, Model Intox EC/IR II and Mod	2000000000000 W1 10
(1)	Verify the ethanol gas canister displays breath simulator thermometer shows 34	s at least 51 pounds per square inch degrees, plus or minus .2 degree o	(psi) of pressure, or the alcoholic entigrade;
(2)	Verify instrument displays time and da	te;	
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, coll	ect breath sample;	
(7)	When "PLEASE BLOW" appears, coll	ect breath sample;	
(8)	Print test record;		
(9)	Run diagnostic program and confirm p	reventive maintenance status of "Pa	iss"; and
(10)	Verify that the ethanol gas canister simulator solution is being changed whichever occurs first.		
were performed	the 26 day of SEPTEMBER on the instrument indicated above, in accivices, and the instrument is functioning process.	cordance with current regulations	eventive maintenance procedure of the N.C. Department of Health

GRANVILLE COUNTY GRANVILLE COUNTY LEC 380

> Serial Number: 008635 Test Date: 09/26/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Bryant, Earl A Permit Number: 0017-9707 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG505001 Exp Date: 02/19/2027

Toet

rest	g/210L	TIME
DIAG	Pass	1:02pm
AIR BLK	.00	1:03pm
ACCY CHK	.08	1:03pm
AIR BLK	.00	1:04pm
SUB TEST	.00	1:05pm
AIR BLK	.00	1:06pm
SUB TEST	.00	1:07pm
AIR BLK	.00	1:08pm

a/210T. Time

Reported AC: .00 g/210L

Signatury of Chemical Analyst

Court CVR

EAS at Analyst

## GRANVILLE COUNTY GRANVILLE COUNTY LEC 380

Serial Number: 008635 Test Record Number: 2253 Test Date: 09/26/2025 Test Time: 1:10pm EDT

System Check: Passed

Baseline Tests

Status	Time
Pass	1:11pm 1:11pm 1:11pm
	Status Pass Pass Pass

## Temperature Tests

Test	Status	Time
FC1	Pass	1:11pm
SRC	Pass	1:11pm
DET	Pass	1:11pm
BAR	Pass	1:11pm
BT	Pass	1:11pm

### Blank Tests

Test	Status	Time
AIR	Pass	1:11pm

## Printer Tests

Test	Status	Time
PRNT	Pass	1:11pm
	CRC Tests	
Test	Status	Time
COMP	Pass	1:12pm

Preventive Maintenance Status: Pass

Pass 1:12pm

CAL

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. QOB923  Instrument Location GRANVIUE CO. LEC  525 NEW Commerce DR  OXPORD, NC
	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the 26 day of serrence, 20,25 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

GRANVILLE COUNTY GRANVILLE COUNTY LEC 380

Serial Number: 008923 Test Date: 09/26/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Bryant, Earl A
Permit Number: 0017-9707
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG505001 Exp Date: 02/19/2027

Test	g/210L	Time
DIAG	Pass	1:11pm
AIR BLK	.00	1:12pm
ACCY CHK	.08	1:13pm
AIR BLK	.00	1:14pm
SUB TEST	.00	1:15pm
AIR BLK	.00	1:15pm
SUB TEST	.00	1:17pm
AIR BLK	.00	1:18pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

# GRANVILLE COUNTY GRANVILLE COUNTY LEC 380

Serial Number: 008923 Test Date: 09/26/2025

Test Record Number: 3554 Test Time: 1:19pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	1:19pm
FLO	Pass	1:19pm
FC	Pass	1:19pm

## Temperature Tests

Test	Status	Time
FC1 SRC	Pass Pass	1:19pm 1:19pm
DET	Pass	1:19pm
BAR	Pass	1:19pm
BT	Pass	1:19pm

## Blank Tests

Test	Status	Time
AIR	Pass	1:20pm

## Printer Tests

Test

Status Time

PRNT	Pass	1:20pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	1:20pm 1:20pm

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. 008670 301 N	· Greene St., Snow HII, N.C.
	maintenance procedures for the Intoximeters, Model Intox EC 10,000 or higher) to be followed at least once every four months	
(1)	Verify the ethanol gas canister displays at least 51 pounds p breath simulator thermometer shows 34 degrees, plus or mi	
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance	ce status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed be simulator solution is being changed every four months of whichever occurs first.	
were performed	the <u>La</u> day of <u>September</u> , 2025 the don the instrument indicated above, in accordance with current vices, and the instrument is functioning properly.	e forgoing preventive maintenance procedures at regulations of the N.C. Department of Health
	The am	377722
-	Signiture of Certifying Official	Certificate Number

GREENE COUNTY GREENE CO SO 390

Serial Number: 008670 Test Date: 09/22/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gray, Kelly D Permit Number: 0037-7722 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	10:30am
AIR BLK	.00	10:30am
ACCY CHK	.08	10:31am
AIR BLK	.00	10:32am
SUB TEST	.00	10:33am
AIR BLK	.00	10:34am
SUB TEST	.00	10:36am
AIR BLK	.00	10:37am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Amilyst

# GREENE COUNTY GREENE CO SO 390

Serial Number: 008670 Test Record Number: 2623 Test Date: 09/22/2025 Test Time: 10:39am EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	10:39am
FLO	Pass	10:39am
FC	Pass	10:39am

## Temperature Tests

Test	Status	Time
FC1	Pass	10:39am
SRC	Pass	10:39am
DET	Pass	10:39am
BAR	Pass	10:39am
BT	Pass	10:39am

### Blank Tests

Test	Status	Time
AIR	Pass	10:40am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:40am
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	10:40am 10:40am

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 008601 Guilford County Traffic Safety Task Force
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 18th day of September , 2025 the forgoing preventive maintenance procedures don the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.
	Signature of Certifying Official Certificate Number

#### GUILFORD COUNTY BAT MOBILE UNIT 12 400

Serial Number: 008601 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Lanier Jr., John P

Permit Number: 4582-9118

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	8:06am
AIR BLK	.00	8:07am
ACCY CHK	.07	8:07am
AIR BLK	.00	8:08am
SUB TEST	.00	8:09am
AIR BLK	.00	8:10am
SUB TEST	.00	8:11am
AIR BLK	.00	8:12am

Reported AC; .00 g/210L

ignature of Chemical Analyst

Court CVR

Analyst

### GUILFORD COUNTY BAT MOBILE UNIT 12 400

Serial Number: 008601 Test Record Number: 1834
Test Date: 09/18/2025 Test Time: 8:17am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	8:18am
FLO	Pass	8:18am
FC	Pass	8:18am

## Temperature Tests

Test	Status	Time
FC1	Pass	8:18am
SRC	Pass	8:18am
DET	Pass	8:18am
BAR	Pass	8:18am
BT	Pass	8:18am

### Blank Tests

Test	Status	Time
AIR	Pass	8:19am

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:19am
	CRC Tests	
Test	Status	Time
COMP	Pass	8:19am

CAL Pass 8:19am

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 18th day of September , 20 25 the forgoing preventive maintenance procedures to on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

GUILFORD COUNTY BAT MOBILE UNIT 12 400

Serial Number: 008698 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Lanier Jr., John P

Permit Number: 4582-9118

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG400303

Exp Date: 01/03/2026

Test	g/210L	Time

DIAG	Pass	8:09am
AIR BLK	.00	8:10am

ACCY CHK .07 8:10am AIR BLK .00 8:11am

SUB TEST .00 8:12am

8:13am

AIR BLK .00 SUB TEST .00 8:14am

AIR BLK .00 8:15am

Reported AC: \_.00 g/210L

Janes Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures Forensic Tests for Alcohol Branch Department of Health and Human Services

Rev. 12/2007

# GUILFORD COUNTY BAT MOBILE UNIT 12 400

Serial Number: 008698 Test Date: 09/18/2025 Test Record Number: 2666

Test Time: 8:17am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	8:17am
FLO	Pass	8:17am
FC	Pass	8:17am

## Temperature Tests

Test	Status	Time
FC1	Pass	8:17am
SRC	Pass	8:17am
DET	Pass	8:17am
BAR	Pass	8:17am
BT	Pass	8:17am

## Blank Tests

Test	Status	Time	
AIR	Pass	8:18am	

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:18am
	CRC Tests	
Test	Status	Time

1050	beacub	11110
COMP	Pass	8:18am
CAL	Pass	8:18am

Preventive Maintenance Status: Pass

Analyst

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. 008788 County Traffic Solety Tosk F
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the 18# day of September , 20% the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

GUILFORD COUNTY BAT MOBILE UNIT 12 400

Serial Number: 008788 Test Date: 09/18/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Lanier Jr., John P
Permit Number: 4582-9118
Effective:
03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	8:23am
AIR BLK	.00	8:23am
ACCY CHK	.07	8:24am
AIR BLK	.00	8:25am
SUB TEST	.00	8:25am
AIR BLK	.00	8:26am
SUB TEST	.00	8:28am
AIR BLK	.00	8:29am

Reported AC: \_00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## GUILFORD COUNTY BAT MOBILE UNIT 12 400

Serial Number: 008788 Test Record Number: 2463 Test Date: 09/18/2025 Test Time: 8:31am EDT

System Check: Passed

## Baseline Tests

Status	Time
Pass	8:32am
Pass	8:32am
Pass	8:32am
	Pass Pass

# Temperature Tests

Test	Status	Time
FC1	Pass	8:32am
SRC	Pass	8:32am
DET	Pass	8:32am
BAR	Pass	8:32am
BT	Pass	8:32am

## Blank Tests

Test	Status	Time	
AIR	Pass	8:32am	

### Printer Tests

Test	Status	Time
PRNT	Pass	8:32am
	CRC Tests	
Test	Status	Time
COMP	Pass	8:33am
CAL	Pass	8:33am

Preventive Maintenance Status: Pass

8:33am

This form is used when performing Preventive Maintenance procedures Forensic Tests for Alcohol Branch Department of Health and Human Services

Rev. 12/2007

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that on were performed and Human Ser	the 15 day of September, 2025 the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

HARNETT COUNTY DUNN PD 420

Serial Number: 008644 Test Date: 09/15/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Garner, Joel K Permit Number: 0036-5156 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405101 Exp Date: 02/20/2026

mont

Test	g/210L	Time
DIAG	Pass	1:19pm
AIR BLK	.00	1:19pm
ACCY CHK	.07	1:20pm
AIR BLK	.00	1:21pm
SUB TEST	.00	1:22pm
AIR BLK	.00	1:23pm
SUB TEST	.00	1:24pm
AIR BLK	.00	1:25pm

~/210T Time

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## HARNETT COUNTY DUNN PD 420

Serial Number: 008644 Test Record Number: 1939
Test Date: 09/15/2025 Test Time: 1:29pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	1:29pm
FLO	Pass	1:29pm
FC	Pass	1:30pm

## Temperature Tests

Status	Time
Pass	1:30pm
	Pass Pass Pass Pass

### Blank Tests

Test	Status	Time
AIR	Pass	1:30pm

### Printer Tests

Test	Status	Time
PRNT	Pass	1:30pm
	CRC Tests	
Test	Status	Time

1656	Deacab	
COMP	Pass	1:30pm
CAL	Pass	1:30pm

Preventive Maintenance Status: Pass

Analyst

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the 15 day of Speember, 20,25the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

HARNETT COUNTY DETENTION CENTER 420

Serial Number: 008729 Test Date: 09/15/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Garner, Joel K
Permit Number: 0036-5156
Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506301 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	2:37pm
AIR BLK	.00	2:38pm
ACCY CHK	.08	2:38pm
AIR BLK	.00	2:40pm
SUB TEST	.00	2:41pm
AIR BLK	.00	2:41pm
SUB TEST	.00	2:43pm
AIR BLK	.00	2:44pm

Reported AC: .00 g/210L

Agnature of Chemical Analyst

Court CVR

Analyst

#### HARNETT COUNTY DETENTION CENTER 420

Serial Number: 008729 Test Record Number: 3484
Test Date: 09/15/2025 Test Time: 2:45pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	2:45pm
FLO	Pass	2:45pm
FC	Pass	2:46pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	2:46pm 2:46pm 2:46pm 2:46pm
BT	Pass	2:46pm

#### Blank Tests

Test	Status	Time
AIR	Pass	2:46pm

#### Printer Tests

mook

CAL

Statue Time

Test	Status	Time
PRNT	Pass	2:46pm
	CRC Tests	
Test	Status	Time
COMP	Pass	2:47pm

Preventive Maintenance Status: Pass

Pass

Analyst

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	Instrument Location Harnett County  al No. 008730  Detention Center
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi- breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator test whichever occurs first.
	the 15 day of September, 2025 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healtwices, and the instrument is functioning properly.



Signature of Certifying Official

Certificate Number

#### HARNETT COUNTY DETENTION CENTER 420

Serial Number: 008730 Test Date: 09/15/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Garner, Joel K
Permit Number: 0036-5156
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506301 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	2:38pm
AIR BLK ACCY CHK	.00	2:39pm 2:39pm
AIR BLK	.00	2:41pm
SUB TEST	.00	2:42pm
AIR BLK	.00	2:42pm
SUB TEST	.00	2:44pm
AIR BLK	.00	2:45pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### HARNETT COUNTY DETENTION CENTER 420

Serial Number: 008730 Test Record Number: 4856 Test Date: 09/15/2025

Test Time: 2:46pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	2:46pm
FLO	Pass	2:46pm
FC	Pass	2:46pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	2:46pm
SRC	Pass	2:46pm
DET	Pass	2:46pm
BAR	Pass	2:46pm
BT	Pass	2:46pm

#### Blank Tests

Test	Status	Time
AIR	Pass	2:47pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	2:47pm
	CRC Tests	
Test	Status	Time
COMP	Pass	2:47pm

Preventive Maintenance Status: Pass

Pass

CAL

2:47pm

2:47pm

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

CountyH	Instrument Location_BAT MOBILE UNIT 13  INO. 008869  HERTFORD SO
The preventive is serial number 10	naintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 1,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
I certify that on twere performed and Human Serv	the day of September, 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health ices, and the instrument is functioning properly.
	Signafure of Certifying Official Certificate Number

HERTFORD COUNTY BAT MOBILE UNIT 13 450

Serial Number: 008869 Test Date: 09/19/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Crutchfield, Jr, Marshall B Permit Number: 0008-3034 Effective: 07/01/2025-07/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK	Pass .00 .08	7:04pm 7:05pm 7:06pm 7:07pm
SUB TEST AIR BLK	.00	7:07pm 7:08pm
AIR BLK	.00	7:10pm 7:11pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

¢ourt CVR

Analys

#### HERTFORD COUNTY BAT MOBILE UNIT 13 450

Serial Number: 008869 Test Record Number: 2112 Test Date: 09/19/2025 Test Time: 7:12pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	7:12pm
FLO	Pass	7:12pm
FC	Pass	7:12pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass	7:12pm 7:12pm 7:12pm 7:12pm
D1	Pass	7:12pm

#### Blank Tests

Test	Status	Time
AIR	Pass	7:13pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:13pm

#### CRC Tests

Test	Status	Time
COMP	Pass	7:13pm
CAL	Pass	7:13pm

Preventive Maintenance Status: Pass

Analyst

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	Instrument Location BAT MOBILE UNIT 13  inl No. 008898  HELTFORD SO
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 19th day of September, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
SIAM	\$3034

A signed original of the preventive maintenance record shall be kept on file for at least three years,

Signature of Certifying Official

Certificate Number

HERTFORD COUNTY BAT MOBILE UNIT 13 450

Serial Number: 008898 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Crutchfield, Jr, Marshall B Permit Number: 0008-3034 Effective: 07/01/2025-07/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST	Pass .00 .07 .00	7:18pm 7:19pm 7:20pm 7:21pm <b>7:22pm</b>
AIR BLK SUB TEST	.00	7:22pm <b>7:24pm</b>
AIR BLK	.00	7:25pm

Reported AC: / .90

Signature of Chemical Analyst

Court CVR

Analyst

#### HERTFORD COUNTY BAT MOBILE UNIT 13 450

Serial Number: 008898 Test Record Number: 2059 Test Date: 09/19/2025 Test Time: 7:26pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	7:26pm
FLO	Pass	7:26pm
FC	Pass	7:26pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	7:26pm 7:26pm 7:26pm 7:26pm
BT	Pass	7:26pm

#### Blank Tests

Test	Status	Time
AIR	Pass	7 • 27 mm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:27pm
	CRC Tests	
Test	Status	Time

rear	Status	rime
COMP	Pass	7:27pm
CAL	Pass	7:27pm

Preventive Maintenance Status: Pass

Analyst

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County_He	RIFORD	Instrument Location	BAT MOBILE U	nn 13
Instrument Serie	al No. 008939	2 %	HERTFORD	50
	maintenance procedures for the total of the			Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas can breath simulator thermome			si) of pressure, or the alcoholic tigrade;
(2)	Verify instrument displays	s time and date;		
(3)	Initiate breath test sequence	ce;		
(4)	Enter information as prom	npted;		
(5)	Verify instrument accurac	y;		
(6)	When "PLEASE BLOW"	appears, collect breath sa	imple;	
(7)	When "PLEASE BLOW"	appears, collect breath sa	imple;	
(8)	Print test record;			
(9)	Run diagnostic program a	nd confirm preventive ma	aintenance status of "Pass	"; and
(10)				date, or the alcoholic breath oholic Breath Simulator tests
		above, in accordance wi		entive maintenance procedures the N.C. Department of Health
		×10		83034

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

HERTFORD COUNTY BAT MOBILE UNIT 13 450

Serial Number: 008939 Test Date: 09/19/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name:

Crutchfield, Jr, Marshall B

Permit Number: 0008-3034

Effective:

07/01/2025-07/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST	Pass .00 .07 .00	7:21pm 7:22pm 7:23pm 7:24pm <b>7:24pm</b>
AIR BLK	.00	7:26pm
SUB TEST	.00	7:27pm
ATR BLK	- 0.0	7:28pm

Reported Ad: /

700 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### HERTFORD COUNTY BAT MOBILE UNIT 13 450

Serial Number: 008939 Test Record Number: 1929
Test Date: 09/19/2025 Test Time: 7:29pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	7:29pm 7:29pm
FC	Pass	7:29pm

#### Temperature Tests

FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	7:30pm 7:30pm 7:30pm 7:30pm 7:30pm
DI	rass	7.30pm

#### Blank Tests

Test	Status	Time
AIR	Pass	7:30pm

#### Printer Tests

Test	Status	Time	
PRNT	Pass	7:30pm	

#### CRC Tests

Test	Status	Time
COMP	Pass	7:30pm
CAL	Pass	7:30pm

Preventive Maintenance Status: Pass

**∮**∦alyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

x EC/IR II (Enhanced with
german armonisti germania ancient
f pressure, or the alcoholic de;
d
e, or the alcoholic breat ic Breath Simulator tests



Certificate Number

HYDE COUNTY HYDE CO SO OCRACOKE 470

Serial Number: 008797 Test Date: 09/24/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Chappell, Mark A Permit Number: 0020-6272 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405101 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	10:17am
AIR BLK	.00	10:18am
ACCY CHK	.07	10:19am
AIR BLK	.00	10:20am
SUB TEST	.00	10:21am
AIR BLK	.00	10:22am
SUB TEST	.00	10:24am
AIR BLK	.00	10:25am

Reported ACT .00 g/210L

Signature of Themical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

#### HYDE COUNTY HYDE CO SO OCRACOKE 470

Serial Number: 008797 Test Date: 09/24/2025

Test Record Number: 757 Test Time: 10:25am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	10:26am
FLO	Pass	10:26am
FC	Pass	10:26am

#### Temperature Tests

Test	Status	Time
FC1	Pass	10:26am
SRC	Pass	10:26am
DET	Pass	10:26am
BAR	Pass	10:26am
BT	Pass	10:26am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:27am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:27am
	CRC Tests	

Test	Status	Time
COMP	Pass	10:27am
CAL	Pass	10:27am

Preventive Maintenance Status: Pass

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. <u>008869</u>	-	STATIES	sville al
The preventive serial number 1	maintenance procedures for 0,000 or higher) to be follow	the Intoximeters, Model wed at least once every fo	Intox EC/IR II and lour months are:	Model Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas co breath simulator thermo-	anister displays at least 5 meter shows 34 degrees,	l pounds per square plus or minus .2 degr	inch (psi) of pressure, or the alcoholic ree centigrade;
(2)	Verify instrument displa	sys time and date;		
(3)	Initiate breath test seque	nce;		
(4)	Enter information as pro	empted;		
(5)	Verify instrument accura	acy;		
(6)	When "PLEASE BLOW	" appears, collect breath	sample;	
(7)	When *PLEASE BLOW	" appears, collect breath	sample;	
(8)	Print test record;			
(9)	Run diagnostic program	and confirm preventive	maintenance status of	f"Pass"; and
(10)	Verify that the ethanol simulator solution is be whichever occurs first.	gas canister is being eing changed every four	changed before exper months or after 12	iration date, or the alcoholic breath 25 Alcoholic Breath Simulator tests
were performed		d above, in accordance v		preventive maintenance procedures ons of the N.C. Department of Health

IREDELL COUNTY IREDELL COUNTY SO 480

Serial Number: 008809 Test Date: 09/05/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Fleming, Tina S Permit Number: 0027-4970

Effective: 10/01/2023-10/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	8:58am
AIR BLK	.00	8:58am
ACCY CHK	.07	8:59am
AIR BLK	.00	9:00am
SUB TEST	.00	9:01am
AIR BLK	.00	9:01am
SUB TEST	.00	9:03am
AIR BLK	.00	9:04am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### IREDELL COUNTY IREDELL COUNTY SO 480

Serial Number: 008809 Test Date: 09/05/2025 Test Record Number: 6438 Test Time: 9:05am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:05am
FLO	Pass	9:05am
FC	Pass	9:05am

#### Temperature Tests

Test	Status	Time
FC1	Pass	9:05am
SRC	Pass	9:05am
DET	Pass	9:05am
BAR	Pass	9:05am
BT	Pass	9:05am

#### Blank Tests

Test	Status	Time
AIR	Pass	9:06am

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:06am
	CRC Tests	
Test	Status	Time

Preventive Maintenance Status: Pass

Pass

Pass

9:06am

9:06am

COMP

CAL

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

(1) (2) (3) (4) (5) (6) (7) (8) (10) (10) (10) (10) (10) (10) (10) (10	tenance procedures for the Intoximete O or higher) to be followed at least one ferify the ethanol gas canister displays reath simulator thermometer shows 34 ferify instrument displays time and dat mitiate breath test sequence; inter information as prompted; ferify instrument accuracy;	s at least 51 pounds pe 4 degrees, plus or minu	are: er square inch (psi	of pressure, or the alcoholic
(2) (3) I (4) I (5) (6) (7) (8) I (10) (10) S	reath simulator thermometer shows 34 'erify instrument displays time and data nitiate breath test sequence; inter information as prompted;	4 degrees, plus or minu		
(3) I (4) I (5) V (6) V (7) V (8) I (9) I (10) V S V	nitiate breath test sequence; inter information as prompted;	ite;		
(4) I (5) N (6) N (7) N (8) I (9) I (10) N S	inter information as prompted;			
(5) 3 (6) 3 (7) 3 (8) 4 (9) 4 (10) 5 3 4				
(6) (7) (8) I (9) I (10) S	erify instrument accuracy;			
(7) V (8) I (9) I (10) V s V I certify that on the were performed on				
(8) I (9) I (10) V s V I certify that on the were performed on	When "PLEASE BLOW" appears, colle	lect breath sample;		
(9) If (10) S s v I certify that on the were performed on	When "PLEASE BLOW" appears, colle	lect breath sample;		
(10) S	rint test record;			
I certify that on the were performed on	un diagnostic program and confirm pr	reventive maintenance	status of "Pass";	and
were performed on	erify that the ethanol gas canister imulator solution is being changed ethichever occurs first.			
	9th day of Septem Leading the instrument indicated above, in account of the instrument is functioning pro	cordance with current	regulations of the	ive maintenance procedures N.C. Department of Health

JONES COUNTY DETENTION CENTER 510

Serial Number: 008705 Test Date: 09/09/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: GILLESPIE, PENTTI W

Permit Number: 9523-2149

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	9:44am
AIR BLK	.00	9:44am
ACCY CHK	.07	9:45am
AIR BLK	.00	9:46am
SUB TEST	.00	9:47am
AIR BLK	.00	9:47am
SUB TEST	.00	9:49am
AIR BLK	.00	9:50am

Reported AC.

.00 a/210I

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures

Forensic Tests for Alcohol Branch

Department of Health and Human Services

Analyst

Rev. 12/2007

#### JONES COUNTY DETENTION CENTER 510

Serial Number: 008705 Test Record Number: 1929 Test Date: 09/09/2025 Test Time: 9:50am EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	9:50am
FLO FC	Pass Pass	9:50am 9:50am
	* 0.00	2 . 20 am

#### Temperature Tests

FC1 Pass 9:51	am
SRC Pass 9:51	am
DET Pass 9:51	am
BAR Pass 9:51	am
BT Pass 9:51	am

#### Blank Tests

Test	Status	Time
AIR	Pass	9:51am

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:51am
	CRC Tests	
Test	Status	Time

Pass

Pass

9:51am 9:51am

Preventive Maintenance Status: Pass

COMP

CAL

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County	EE Instrument Location LEE COUNTY  No.008645 DETENTION CENTER
The preventive r	naintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that o	on the 22 day of SEPTEMBER, 2025 the forgoing preventive maintenance procedures

I certify that on the day of the forgoing preventive maintenance procedures were performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health and Human Services, and the instrument is functioning properly.



Signature of Certifying Official

23977/ Certificate Number

LEE COUNTY DETENTION CENTER 520

Serial Number: 008645 Test Date: 09/22/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Galloway, Charles L

Permit Number: 0023-9771

Effective:

10/01/2023-10/01/2025

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG431002 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST	Pass .00 .08 .00	3:23pm 3:24pm 3:24pm 3:25pm <b>3:26pm</b>
AIR BLK SUB TEST	.00	3:27pm 3:28pm
AIR BLK	.00	3:29pm

Reported AC: .00 g/210L

Signature of Chemical analyst

Court CVR

Anglym

#### LEE COUNTY DETENTION CENTER 520

Serial Number: 008645 Test Record Number: 2699 Test Date: 09/22/2025 Test Time: 3:30pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	3:30pm
FLO	Pass	3:30pm
FC	Pass	3:30pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	3:30pm 3:30pm 3:30pm 3:30pm
BT	Pass	3:30pm

#### Blank Tests

Test	Status	Time
AIR	Pass	3:31pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	3:31pm
	CRC Tests	
Test	Status	Time

Pass 3:31pm


3:31pm

Preventive Maintenance Status: Pass

Pass

COMP

CAL



## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County Z	LEE Instrument Location SAWFORD POLICE rial No. 008867 DEPARTMENT
	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the 22 day of SEPTEMPLE, 2025 the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.
	\$



Signature of Certifying Officers

239771 Certificate Number

LEE COUNTY SANFORD POLICE DEPT 520

Serial Number: 008867 Test Date: 09/22/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Galloway, Charles L Permit Number: 0023-9771

Effective:

10/01/2023-10/01/2025

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG405103 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG AIR BLK	Pass	4:21pm 4:22pm
ACCY CHK	.07	4:22pm
AIR BLK SUB TEST	.00	4:23pm 4:24pm
AIR BLK SUB TEST	.00	4:25pm 4:26pm
AIR BLK	.00	4:27pm

Reported AC: -90 g/210L

Court CVR

Analys

#### LEE COUNTY SANFORD POLICE DEPT 520

Serial Number: 008867 Test Record Number: 1559
Test Date: 09/22/2025 Test Time: 4:28pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	4:28pm 4:28pm
FC	Pass	4:28pm

#### Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	4:28pm 4:28pm 4:28pm 4:28pm
BT	Pass	4:28pm

#### Blank Tests

Test	Status	Time
AIR	Pass	4:29pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	4:29pm
	CRC Tests	
Test	Status	Time
COMP	Pass	4:29pm

Preventive Maintenance Status: Pass

Pass

CAL

4:29pm

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and 0,000 or higher) to be followed at least once every four months are:	Model Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas canister displays at least 51 pounds per square breath simulator thermometer shows 34 degrees, plus or minus .2 deg	e inch (psi) of pressure, or the alcoholic gree centigrade;
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of	of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before ex- simulator solution is being changed every four months or after whichever occurs first.	
	the 21 day of September . 2025 the forgoin on the instrument indicated above, in accordance with current regulativices, and the instrument is functioning properly.	ng preventive maintenance procedures ions of the N.C. Department of Health
	Xey P. W	377722

LENOIR COUNTY KINSTON PD 530

Serial Number: 008624 Test Date: 09/24/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gray, Kelly D Permit Number: 0037-7722 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	9:29am
AIR BLK	.00	9:30am
ACCY CHK	.07	9:30am
AIR BLK	.00	9:31am
SUB TEST	.00	9:32am
AIR BLK	.00	9:33am
SUB TEST	.00	9:35am
AIR BLK	.00	9:36am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### LENOIR COUNTY KINSTON PD 530

Serial Number: 008624 Test Date: 09/24/2025

Test Record Number: 2440 Test Time: 9:37am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	9:37am 9:37am
FC	Pass	9:37am

#### Temperature Tests

Test	Status	Time
FC1	Pass	9:37am
SRC	Pass	9:37am
DET	Pass	9:37am
BAR	Pass	9:37am
BT	Pass	9:37am

#### Blank Tests

Test	Status	Time
AIR	Pass	9:38am

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:38am

#### CRC Tests

Status	Time
Pass	9:38am
Pass	9:38am
	Pass

Preventive Maintenance Status: Pass

Analyst

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD

INTOXIMETERS, MODEL INTOX EC/IR II	[ and
MODEL INTOX EC/IR II (Enhanced with serial number 1	0,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.		
were periormed	the 24 day of September, 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.		

LENOIR COUNTY LENOIR CO SO 530

Serial Number: 008639 Test Date: 09/24/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gray, Kelly D Permit Number: 0037-7722 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516203 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	10:21am
AIR BLK	.00	10:22am
ACCY CHK	.07	10:23am
AIR BLK	.00	10:24am
SUB TEST	.00	10:24am
AIR BLK	.00	10:25am
SUB TEST		10:27am
	.00	10:28am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Ky Pro

#### LENOIR COUNTY LENOIR CO SO 530

Serial Number: 008639 Test Date: 09/24/2025 Test Record Number: 4332

Test Time: 10:29am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	10:29am
FLO	Pass	10:29am
FC	Pass	10:29am

#### Temperature Tests

SRC Pass 10:30am DET Pass 10:30am BAR Pass 10:30am	Pass Pass Pass	10:30am 10:30am 10:30am 10:30am 10:30am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:30am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:30am
	CRC Tests	
Test	Status	Time
COMP	Pass	10:30am

Preventive Maintenance Status: Pass

Pass

10:30am

CAL

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	ial No. DO 5388
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoho breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breasimulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tes whichever occurs first.
were performed	the 15 day of 5eptember, 2025 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Hearwices, and the instrument is functioning properly.
	274987
	Signature of Certifying Official Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

DHHS 4080 (04/20)

MCDOWELL COUNTY MCDOWELL COUNTY JAIL 580

> Serial Number: 008888 Test Date: 09/15/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Loftis, Benjamin C Permit Number: 0024-4987 Effective: 03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431001 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	10:45am
AIR BLK	.00	10:45am
ACCY CHK	.07	10:46am
AIR BLK	.00	10:47am
SUB TEST	.00	10:48am
AIR BLK	.00	10:48am
SUB TEST	.00	10:50am
AIR BLK	.00	10:51am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# MCDOWELL COUNTY MCDOWELL COUNTY JAIL 580

Serial Number: 008888 Test Date: 09/15/2025

Test Record Number: 1892 Test Time: 10:51am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:51am 10:51am
FC	Pass	10:51am

#### Temperature Tests

Test	Status	Time
FC1	Pass	10:52am
SRC	Pass	10:52am
DET	Pass	10:52am
BAR	Pass	10:52am
BT	Pass	10:52am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:52am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:52am
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	10:52am 10:52am

Preventive Maintenance Status: Pass

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch

Department of Health and Human Services Rev. 12/2007

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County_M	c00well	Instrument Location McDowell County Jail
Instrument Seri	al No. 008892	Morion, NC
		he Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with d at least once every four months are:
(1)		ister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholieter shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument display	s time and date;
(3)	Initiate breath test sequen	be;
(4)	Enter information as pron	pted;
(5)	Verify instrument accurac	y;
(6)	When "PLEASE BLOW"	appears, collect breath sample;
(7)	When "PLEASE BLOW"	appears, collect breath sample;
(8)	Print test record;	
(9)	Run diagnostic program a	nd confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.	
I certify that on were performed and Human Ser	vices, and the instrument is fu	Signature of Certifying Official  2 14987  Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

MCDOWELL COUNTY MCDOWELL COUNTY JAIL 580

> Serial Number: 008892 Test Date: 09/15/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Loftis, Benjamin C Permit Number: 0024-4987 Effective: 03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	10:44am
AIR BLK	.00	10:45am
ACCY CHK	.07	10:45am
AIR BLK	.00	10:46am
SUB TEST	.00	10:47am
AIR BLK	.00	10:48am
SUB TEST	.00	10:49am
AIR BLK	-00	10:50am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch

Department of Health and Human Services

nalyst

Rev. 12/2007

#### MCDOWELL COUNTY MCDOWELL COUNTY JAIL 580

Serial Number: 008892 Test Record Number: 1441 Test Date: 09/15/2025 Test Time: 10:50am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:51am 10:51am
FC	Pass	10:51am

#### Temperature Tests

Test	Status	Time
FC1	Pass	10:51am
SRC	Pass	10:51am
DET	Pass	10:51am
BAR	Pass	10:51am
BT	Pass	10:51am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:51am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:52am
	CRC Tests	
Test	Status	Time
COMP	Pass	10:52am
CAL	Pass	10:52am

Preventive Maintenance Status: Pass

/ /

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County Co	Instrument Location CMPD LEC Charlotte, NC	
The preventive serial number	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 0,000 or higher) to be followed at least once every four months are:	
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;	
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and	
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatl simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.	
I certify that on were performed	the 40th day of September, 2025 the forgoing preventive maintenance procedure on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health	

were performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health and Human Services, and the instrument is functioning properly.



A signed original of the preventive maintenance record shall be kept on file for at least three years.

MECKLENBURG COUNTY CMPD LEC 590

Serial Number: 008594 Test Date: 09/04/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	11:36am
AIR BLK	.00	11:37am
ACCY CHK	.08	11:38am
AIR BLK	.00	11:39am
SUB TEST	.00	11:40am
AIR BLK	.00	11:41am
SUB TEST	.00	11:42am
AIR BLK	.00	11:43am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

#### MECKLENBURG COUNTY CMPD LEC 590

Serial Number: 008594 Test Record Number: 6363 Test Date: 09/04/2025 Test Time: 11:44am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	11:45am
FLO	Pass	11:45am
FC	Pass	11:45am

#### Temperature Tests

Test	Status	Time
FC1	Pass	11:45am
SRC	Pass	11:45am
DET	Pass	11:45am
BAR	Pass	11:45am
BT	Pass	11:45am

#### Blank Tests

Test	Status	Time
AIR	Pass	11:45am

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:46am
	CRC Tests	
Test	Status	Time

COMP Pass 11:46am CAL Pass 11:46am

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

least once every four months are: displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi shows 34 degrees, plus or minus .2 degree centigrade;
SHOWS 34 DEKIEGS, DIES OF HILLIES - ASSESS SECTION -
ne and date;
1.
ears, collect breath sample;
ears, collect breath sample;
onfirm preventive maintenance status of "Pass"; and
canister is being changed before expiration date, or the alcoholic breath hanged every four months or after 125 Alcoholic Breath Simulator tests

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

MECKLENBURG COUNTY SHERIFFS OFFICE 590

Serial Number: 008665 Test Date: 09/04/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A
Permit Number: 0084-9845
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	10:52am
AIR BLK	.00	10:52am
ACCY CHK	.07	10:53am
AIR BLK	.00	10:54am
SUB TEST	.00	10:55am
AIR BLK	.00	10:55am
SUB TEST	.00	10:57am
AIR BLK	.00	10:58am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

### MECKLENBURG COUNTY SHERIFFS OFFICE 590

Serial Number: 008665 Test Record Number: 5844
Test Date: 09/04/2025 Test Time: 10:59am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	11:00am
FLO	Pass	11:00am
FC	Pass	11:00am

#### Temperature Tests

Test	Status	Time
FC1	Pass	11:00am
SRC	Pass	11:00am
DET	Pass	11:00am
BAR	Pass	11:00am
BT	Pass	11:00am

#### Blank Tests

Test	Status	Time
ATR	Dagg	11.01am

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:01am
	CRC Tests	
Test	Status	Time
COMP	Pass	11:01am

11:01am

Preventive Maintenance Status: Pass

Pass

CAL

Andlest

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatl simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

#### MECKLENBURG COUNTY PINEVILLE PD 590

Serial Number: 008703 Test Date: 09/16/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911 Subject's Sex: Male Driver's License State: XX

Driver's License Number: NONE
Analyst's Name: Helms, Bryce A

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Te	est	g/210L	Time
D:	IAG	Pass	12:34pm
A:	IR BLK	.00	12:35pm
A	CCY CHK	.08	12:35pm
A.	IR BLK	.00	12:36pm
SI	UB TEST	.00	12:39pm
A	IR BLK	.00	12:40pm
S	UB TEST	.00	12:41pm
A	TR BLK	.00	12:42pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

# MECKLENBURG COUNTY PINEVILLE PD 590

Serial Number: 008703 Test Date: 09/16/2025

Test Record Number: 6354 Test Time: 12:43pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	12:43pm 12:43pm
FC	Pass	12:43pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	12:44pm
SRC	Pass	12:44pm
DET	Pass	12:44pm
BAR	Pass	12:44pm
BT	Pass	12:44pm

#### Blank Tests

Test	Status	Time
AIR	Pass	12:44pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	12:44pm

### CRC Tests

Test	Status	Time
COMP	Pass	12:44pm
CAL	Pass	12:44pm

Preventive Maintenance

Status; Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	Instrument Location BAT Mobile Unit 13 ial No. 008869  CMPD
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the 10 day of September, 2025 the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt rvices, and the instrument is functioning properly.



Signature of Certifying Official

0019-3759

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

MECKLENBURG COUNTY BAT MOBILE UNIT 13
590

Serial Number: 008869 Test Date: 09/10/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J Permit Number: 0019-3759 Effective: 09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK	Pass .00 .08	9:44pm 9:45pm 9:46pm 9:47pm
SUB TEST	.00	9:48pm
AIR BLK	.00	9:48pm
SUB TEST	.00	9:50pm
AIR BLK	.00	9:51pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008869 Test Record Number: 2104 Test Date: 09/10/2025 Test Time: 9:52pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:52pm
FLO	Pass	9:52pm
FC	Pass	9:52pm

#### Temperature Tests

FC1 Pass 9:52pr	
SRC Pass 9:52pr DET Pass 9:52pr BAR Pass 9:52pr BT Pass 9:52pr	m m m

#### Blank Tests

Test	Status	Time
AIR	Pass	9:53pm

#### Printer Tests

Status Time

9:53pm

Test

CAL

		22110
PRNT	Pass	9:53pm
	CRC Tests	
Test	Status	Time
COMP	Pass	9:53pm

Preventive Maintenance Status: Pass

Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County Mc	INO. 008869 Instrument Location BAT Mobile Unit 13
Instrument Serial	No. 008869 CM PD
	naintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with ,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 1 day of September, 20 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health ices, and the instrument is functioning properly.
	Just Aleman 3219283
	Signature of Certifying Official Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

> Serial Number: 008869 Test Date: 09/11/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Glasscock, Jerry D Permit Number: 7180-9235

Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK SUB TEST	Pass .00 .08 .00 .00	9:28pm 9:29pm 9:30pm 9:31pm 9:31pm 9:32pm
AIR BLK	.00	9:35pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

#### MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008869 Test Record Number: 2106 Test Date: 09/11/2025 Test Time: 9:37pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	9:37pm
FLO	Pass	9:37pm
FC	Pass	9:37pm

# Temperature Tests

Test	Status	Time
FC1	Pass	9:37pm
SRC	Pass	9:37pm
DET	Pass	9:37pm
BAR	Pass	9:37pm
BT	Pass	9:37pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:38pm

#### Printer Tests

Test	Status	Time
PRNT	Pass .	9:38pm
	CRC Tests	
Toet	Ctatue	mima

Test	Status	Time
COMP	Pass	9:38pm
CAL	Pass	9:38pm

Preventive Maintenance Status: Pass

Sen O Hassens

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 008869 Instrument Location BAT Mobile Unit 13
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatt simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 12 day of 501.  do not the instrument indicated above, in accordance with current regulations of the N.C. Department of Health roices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Certificate Number

Signature of Certifying Official

MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

> Serial Number: 008869 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J Permit Number: 0019-3759 Effective: 09/01/2025-09/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA Agency: DHHS Test Type: Breath Test

> Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK SUB TEST	Pass .00 .08 .00 .00	9:04pm 9:05pm 9:06pm 9:07pm 9:07pm 9:08pm 9:10pm
AIR BLK	.00	9:10pm

Reported AC: .00 g/210L

ture of Chemical Analyst

Court CVR

Analyst

#### MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008869 Test Record Number: 2108 Test Date: 09/12/2025 Test Time: 9:27pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:28pm
FLO	Pass	9:28pm
FC	Pass	9:28pm

#### Temperature Tests

Test	Status	Time
FC1 SRC	Pass Pass	9:28pm 9:28pm
DET	Pass	9:28pm
BAR	Pass	9:28pm
BT	Pass	9:28pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:28pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:28pm

#### CRC Tests

Test	Status	Time
COMP	Pass	9:29pm
CAL	Pass	9:29pm

Preventive Maintenance Status: Pass

Analyst

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

0019-3759 Certificate Number

MECKLENBURG COUNTY BAT MOBILE UNIT 13
590

Serial Number: 008898 Test Date: 09/10/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENAN E

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK	Pass .00 .07 .00 .00 .00	9:37pm 9:38pm 9:39pm 9:39pm <b>9:40pm</b> 9:41pm
SUB TEST	.00	9:42pm
AIR BLK	.00	9:43pm

Reported AC: .00 g/210L

of Chemical Analyst

Court CVR

#### MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008898 Test Record Number: 2050 Test Date: 09/10/2025 Test Time: 9:45pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	9:45pm 9:45pm
FC	Pass	9:45pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	9:46pm
SRC	Pass	9:46pm
DET	Pass	9:46pm
BAR	Pass	9:46pm
BT	Pass	9:46pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:46pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:46pm
	CRC Tests	

Test	Status	Time
COMP	Pass	9:46pm

Pass

9:46pm

Preventive Maintenance

CAL

reventive Maintenance Status: Pass

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
ere performed	the \( \int \) day of \( \sum_{exp} \) for \( \log \) \( \log \) day of \( \sum_{exp} \) for \( \log \) \( \log \) \( \log \) \( \log \) the forgoing preventive maintenance procedures of the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

> Serial Number: 008898 Test Date: 09/11/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Glasscock, Jerry D

Permit Number: 7180-9235

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	9:28pm
AIR BLK	.00	9:29pm
ACCY CHK	.07	9:29pm
AIR BLK	.00	9:30pm
SUB TEST	.00	9:31pm
AIR BLK	.00	9:32pm
SUB TEST	.00	9:33pm
AIR BLK	.00	9:34pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures

Forensic Tests for Alcohol Branch

Department of Health and Human Services

Rev. 12/2007

Hussun )

# MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008898 Test Record Number: 2052 Test Date: 09/11/2025 Test Time: 9:35pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	9:36pm
FLO	Pass	9:36pm
FC	Pass	9:36pm

# Temperature Tests

Test	Status	Time
FC1	Pass	9:36pm
SRC	Pass	9:36pm
DET	Pass	9:36pm
BAR	Pass	9:36pm
BT	Pass	9:36pm

#### Blank Tests

Test	Status	tus Time
AIR	Pass	9:37pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:37pm
	CRC Tests	
Test	Status	Time

COMP	Pass	9:37pm
CAL	Pass	9:37pm

Preventive Maintenance Status: Pass

Jun Doler Mund

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

al No. 008898 Instrument Location BAT Mobile Unit 13
maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
Verify instrument displays time and date;
Initiate breath test sequence;
Enter information as prompted;
Verify instrument accuracy;
When "PLEASE BLOW" appears, collect breath sample;
When "PLEASE BLOW" appears, collect breath sample;
Print test record;
Run diagnostic program and confirm preventive maintenance status of "Pass"; and
Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
the 12 day of September, 2025 the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.



Signature of Certifying Official

193759

A signed original of the preventive maintenance record shall be kept on file for at least three years.

MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

> Serial Number: 008898 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	8:56pm
AIR BLK		8:57pm
ACCY CHK		8:57pm
AIR BLK		8:58pm
SUB TEST		8:59pm
AIR BLK		9:00pm
SUB TEST		9:01pm
	.00	9:02pm

~/210T Time

Reported AC: .00 g/210L

ture of Chemical Analyst

Court CVR

Analyst

# MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008898 Test Record Number: 2055 Test Date: 09/12/2025 Test Time: 9:03pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	9:03pm
FLO	Pass	9:03pm
FC	Pass	9:03pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	9:03pm
SRC	Pass	9:03pm
DET	Pass	9:03pm
BAR	Pass	9:03pm
BT	Pass	9:03pm

#### Blank Tests

Test	Status T	Time
AIR	Pass	9:04pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:04pm
	CRC Tests	
Test	Status	Time

COMP CAL	Pass Pass	9:04pm 9:04pm
CHL	rass	٠.

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:	
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;	
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and	
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatt simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.	
I certify that on were performed	simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator test	

Signature of Certifying Official

0019-3759 Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

> Serial Number: 008939 Test Date: 09/10/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J Permit Number: 0019-3759 Effective: 09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	9:19pm
AIR BLK	.00	9:20pm
ACCY CHK	.08	9:20pm
AIR BLK	.00	9:21pm
SUB TEST	.00	9:22pm
AIR BLK	.00	9:23pm
SUB TEST	.00	9:24pm
ATR BLK	.00	9:25pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

#### MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008939 Test Record Number: 1919 Test Date: 09/10/2025 Test Time: 9:28pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:29pm
FLO FC	Pass Pass	9:29pm 9:29pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	9:29pm
SRC	Pass	9:29pm
DET	Pass	9:29pm
BAR	Pass	9:29pm
BT	Pass	9:29pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:30pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:30pm
	CRC Tests	
Test	Status	Time
COMP	Pass	9:30pm

Preventive Maintenance Status: Pass

Pass

CAL

9:30pm

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number !	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that or	simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tes



Ignature of Certifying Official Certificate Number

MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

> Serial Number: 008939 Test Date: 09/11/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Glasscock, Jerry D

Permit Number: 7180-9235

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG506302

Exp Date: 03/04/2027

Test	g/210L	Time
1 62 25 1	G / Z I U Li	1 1 1110

DIAG	Pass	9:26pm
AIR BLK	.00	9:27pm
ACCY CHK	.07	9:28pm
AIR BLK	.00	9:29pm
SUB TEST	.00	9:29pm
AIR BLK	.00	9:30pm
SUB TEST	.00	9:32pm
AIR BLK	.00	9:33pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

## MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008939 Test Record Number: 1922 Test Date: 09/11/2025 Test Time: 9:33pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	9:34pm
FLO FC	Pass Pass	9:34pm 9:34pm

## Temperature Tests

Test	Status	Time
FC1	Pass	9:34pm
SRC	Pass	9:34pm
DET	Pass	9:34pm
BAR	Pass	9:34pm
BT	Pass	9:34pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:35pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:35pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	9:35pm 9:35pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the 12 day of Satenber, 2015 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

> Serial Number: 008939 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK SUB TEST	Pass .00 .07 .00 .00	8:42pm 8:43pm 8:44pm 8:45pm 8:45pm 8:46pm 8:48pm
AIR BLK	.00	8:49pm

Reported AC: .00 g/210L

gnature of Chemical Analyst

Court CVR

Analyst

# MECKLENBURG COUNTY BAT MOBILE UNIT 13 590

Serial Number: 008939 Test Record Number: 1925 Test Date: 09/12/2025 Test Time: 8:49pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	8:50pm
FLO	Pass	8:50pm
FC	Pass	8:50pm

# Temperature Tests

Test	Status	Time
FC1	Pass	8:50pm
SRC	Pass	8:50pm
DET	Pass	8:50pm
BAR	Pass	8:50pm
BT	Pass	8:50pm

#### Blank Tests

Test	Status	Time
AIR	Pass	8:51pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:51pm
	CRC Tests	
Test	Status	Time

rest	Status	Time
COMP	Pass	8:51pm
CAL	Pass	8:51pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	the 4 <sup>#</sup> day of September , 2025 the forgoing preventive maintenance procedures and on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health process, and the instrument is functioning properly.

MECKLENBURG COUNTY BAT MOBILE UNIT 11 590

> Serial Number: 008970 Test Date: 09/04/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gillstrap, Jeffrey L Permit Number: 0006-2446 Effective: 12/01/2023-12/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	9:01am
AIR BLK	.00	9:02am
ACCY CHK	.07	9:03am
AIR BLK	.00	9:04am
SUB TEST	.00	9:04am
AIR BLK	.00	9:05am
SUB TEST	.00	9:07am
AIR BLK	.00	9:08am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

## MECKLENBURG COUNTY BAT MOBILE UNIT 11 590

Serial Number: 008970 Test Record Number: 1300 Test Date: 09/04/2025 Test Time: 9:09am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	9:09am
FLO	Pass	9:09am
FC	Pass	9:09am

# Temperature Tests

Status	Time
Pass	9:10am
	Pass Pass Pass Pass

#### Blank Tests

Test	Status	Time
AIR	Pass	9:10am

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:10am
	CRC Tests	
		-

Test	Status	Time
COMP	Pass	9:10am
CAL	Pass	9:10am

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 4 day of September, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health roices, and the instrument is functioning properly.

MECKLENBURG COUNTY BAT MOBILE UNIT 11 590

> Serial Number: 008973 Test Date: 09/04/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gillstrap, Jeffrey L Permit Number: 0006-2446 Effective: 12/01/2023-12/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	9:18am
AIR BLK	.00	9:19am
ACCY CHK	.07	9:20am
AIR BLK	.00	9:20am
SUB TEST	.00	9:21am
AIR BLK	.00	9:22am
SUB TEST	.00	9:23am
AIR BLK	.00	9:24am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

# MECKLENBURG COUNTY BAT MOBILE UNIT 11 590

Serial Number: 008973 Test Date: 09/04/2025 Test Record Number: 1365

Test Time: 9:25am EDT

System Check: Passed

# Baseline Tests

Test	Status	Time
IR	Pass	9:26am
FLO	Pass	9:26am
FC	Pass	9:26am

# Temperature Tests

Test	Status	Time
FC1	Pass	9:26am
SRC	Pass	9:26am
DET	Pass	9:26am
BAR	Pass	9:26am
BT	Pass	9:26am

#### Blank Tests

Test	Status	Time	
AIR	Pass	9:26am	

## Printer Tests

Test	Status	Time	
PRNT	Pass	9:26am	

#### CRC Tests

Test	Status	Time
COMP	Pass	9:27am
CAL	Pass	9:27am

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	ial No. 008615 Vass PD
The preventive serial number	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the <u>26</u> day of <u>500 ten ber</u> , 20 <u>25</u> the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008615 Test Date: 09/26/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK	Pass .00 .07 .00	10:27pm 10:28pm 10:29pm 10:30pm 10:30pm
SUB TEST	.00	10:31pm 10:33pm
AIR BLK	.00	10:33pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008615 Test Record Number: 6152 Test Date: 09/26/2025 Test Time: 10:34pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:34pm
FC	Pass	10:34pm 10:34pm

# Temperature Tests

Test	Status	Time
FC1	Pass	10:34pm
SRC	Pass	10:34pm
DET	Pass	10:34pm
BAR	Pass	10:34pm
BT	Pass	10:34pm

#### Blank Tests

Test	Status	Time
AIR	Pass	10:35pm

## Printer Tests

Test	Status	Time
PRNT	Pass	10:35pm
	CRC Tests	
Test	Status	Time
COMP	Pass	10:35pm

10:35pm

Preventive Maintenance Status: Pass

Pass

CAL

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County M	54,000 A 1944 (1945 14 14 14 14 14 14 14 14 14 14 14 14 14	Instrument Location		Mobile Unit 8
Instrument Seri	al No. 008736		Vass	170
	maintenance procedures for the 0,000 or higher) to be followed			Model Intox EC/IR II (Enhanced wit
(1)	Verify the ethanol gas canis breath simulator thermomet			nch (psi) of pressure, or the alcohol ee centigrade;
(2)	Verify instrument displays t	ime and date;		
(3)	Initiate breath test sequence	;		
(4)	Enter information as promp	ted;		
(5)	Verify instrument accuracy;			
(6)	When "PLEASE BLOW" ap	ppears, collect breath sa	mple;	
(7)	When "PLEASE BLOW" ap	ppears, collect breath sa	mple;	
(8)	Print test record;			
(9)	Run diagnostic program and	confirm preventive ma	intenance status of	"Pass"; and
(10)	Verify that the ethanol gas simulator solution is being whichever occurs first.	s canister is being changed every four n	anged before expir nonths or after 12	ration date, or the alcoholic breat 5 Alcoholic Breath Simulator test
were performed	the 26 day of Sept on the instrument indicated ab vices, and the instrument is fund	ove, in accordance wit	25 the forgoing h current regulation	preventive maintenance procedure ns of the N.C. Department of Healt
	() Eg. (	ignature of Certifying C	Official	193759 Certificate Number

MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008736 Test Date: 09/26/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK	Pass .00 .07 .00 .00	10:15pm 10:16pm 10:16pm 10:17pm 10:18pm 10:19pm
SUB TEST AIR BLK	.00	10:20pm 10:21pm
WIK DDK	.00	10.21pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008736 Test Record Number: 1513 Test Date: 09/26/2025 Test Time: 10:22pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:22pm 10:22pm
FC	Pass	10:22pm

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	10:22pm 10:22pm 10:22pm 10:22pm 10:22pm

## Blank Tests

Test	Status	Time
AIR	Pass	10:23pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:23pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	10:23pm 10:23pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. 008775		Vass	PD
The preventive serial number 1	maintenance procedures for the l 0,000 or higher) to be followed a	Intoximeters, Model In it least once every four	tox EC/IR II and Mode months are:	I Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas caniste breath simulator thermometer	er displays at least 51 p r shows 34 degrees, plu	ounds per square inch ( s or minus .2 degree ce	(psi) of pressure, or the alcoholic ntigrade;
(2)	Verify instrument displays tir	me and date;		
(3)	Initiate breath test sequence;			
(4)	Enter information as prompte	ed;		
(5)	Verify instrument accuracy;			
(6)	When "PLEASE BLOW" app	pears, collect breath sar	nple;	
(7)	When "PLEASE BLOW" app	pears, collect breath sar	nple;	
(8)	Print test record;			
(9)	Run diagnostic program and	confirm preventive mai	ntenance status of "Pas	s"; and
(10)				n date, or the alcoholic breath lcoholic Breath Simulator tests.
were performed	the 26 day of Septed on the instrument indicated abovices, and the instrument is funct	ove, in accordance with	25 the forgoing previous of	entive maintenance procedures f the N.C. Department of Health
the same rate	000	0		193759
	Sin	gnature of Certifying O	tticial	Certificate Number

Signature of Certifying Official

MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008775 Test Date: 09/26/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759
Effective:
09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST	Pass .00 .08 .00	9:52pm 9:53pm 9:53pm 9:54pm <b>9:55pm</b>
AIR BLK	.00	9:56pm
SUB TEST	.00	9:57pm
AIR BLK	.00	9:58pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008775 Test Record Number: 2361 Test Date: 09/26/2025 Test Time: 10:06pm EDT

System Check: Passed

# Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:07pm 10:07pm
FC	Pass	10:07pm

# Temperature Tests

Test	Status	Time
FC1	Pass	10:07pm
SRC	Pass	10:07pm
DET	Pass	10:07pm
BAR	Pass	10:07pm
BT	Pass	10:07pm

#### Blank Tests

Test	Status	Time
AIR	Pass	10:07pm

## Printer Tests

Test	Status	Time
PRNT	Pass	10:08pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	10:08pm 10:08pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County		Mobile Unit 8 S PD
	maintenance procedures for the Intoximeters, Model Intox EC/IR II an 0,000 or higher) to be followed at least once every four months are:	d Model Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas canister displays at least 51 pounds per squar breath simulator thermometer shows 34 degrees, plus or minus .2 de	e inch (psi) of pressure, or the alcoholic gree centigrade;
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status	of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before ex simulator solution is being changed every four months or after whichever occurs first.	
were performed	the 26 day of 5004. , 2025 the forgoin d on the instrument indicated above, in accordance with current regular vices, and the instrument is functioning properly.	ng preventive maintenance procedures tions of the N.C. Department of Health
-	B120	193759
	Signature of Certifying Official	Certificate Number

#### MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008816 Test Date: 09/26/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Carroll, Barry J
Permit Number: 0019-3759

Effective: 09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431002 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	9:39pm
AIR BLK	.00	9:40pm
ACCY CHK	.08	9:41pm
AIR BLK	.00	9:42pm
SUB TEST	.00	9:42pm
AIR BLK	.00	9:43pm
SUB TEST	.00	9:45pm
AIR BLK	.00	9:45pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008816 Test Record Number: 7946 Test Date: 09/26/2025 Test Time: 9:46pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:47pm
FLO	Pass	9:47pm
FC	Pass	9:47pm

## Temperature Tests

Test	Status	Time
FC1	Pass	9:47pm
SRC	Pass	9:47pm
DET	Pass	9:47pm
BAR	Pass	9:47pm
BT	Pass	9:47pm

#### Blank Tests

Test	Status	Time	
AIR	Pass	9:47pm	

#### Printer Tests

Test

CAL

Status Time

9:48pm

PRNT	Pass	9:47pm
	CRC Tests	
Test	Status	Time
COMP	Pass	9:48pm

Preventive Maintenance Status: Pass

Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	rial No. 008929 Instrument Location BAT Mobile Unit 8	
The preventive serial number	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced 10,000 or higher) to be followed at least once every four months are:	with
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcohoreath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;	holic
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and	
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic be simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator whichever occurs first.	reath tests.
were performe	n the 26 day of 5ept , 2025 the forgoing preventive maintenance proceed on the instrument indicated above, in accordance with current regulations of the N.C. Department of Fervices, and the instrument is functioning properly.	dures lealth
	193759	

Signature of Certifying Official

Certificate Number

MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008929 Test Date: 09/26/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Carroll, Barry J Permit Number: 0019-3759 Effective: 09/01/2025-09/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST	Pass .00 .07 .00	9:19pm 9:20pm 9:21pm 9:22pm 9:22pm
AIR BLK	.00	9:23pm
SUB TEST	.00	9:25pm
AIR BLK	.00	9:26pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# MOORE COUNTY BAT MOBILE UNIT 8 620

Serial Number: 008929 Test Record Number: 1649
Test Date: 09/26/2025 Test Time: 9:27pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:27pm
FLO FC	Pass Pass	9:27pm 9:27pm

## Temperature Tests

Test	Status	Time
FC1	Pass	9:27pm
SRC	Pass	9:27pm
DET	Pass	9:27pm
BAR	Pass	9:27pm
BT	Pass	9:27pm

## Blank Tests

Test	Status	Time
ATR	Pass	9:28pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:28pm
	CRC Tests	
Test	Status	Time
COMP	Pass	9:28pm

Preventive Maintenance Status: Pass

Pass

CAL

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County NAS	Instrument Location NASH COUNTY DETENTION CONT
Instrument Seri	al No. QO8630 225. WASHINGTON ST NASHVILLE, NZ
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the
SAM	179707

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

NASH COUNTY NASH DETENTION CTR 630

Serial Number: 008630 Test Date: 09/16/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Bryant, Earl A Permit Number: 0017-9707 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516203 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	12:44pm
AIR BLK	.00	12:45pm
ACCY CHK	.07	12:45pm
AIR BLK	.00	12:46pm
SUB TEST	.00	12:47pm
AIR BLK	.00	12:48pm
SUB TEST	.00	12:49pm
AIR BLK	.00	12:50pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

## NASH COUNTY NASH DETENTION CTR 630

Serial Number: 008630 Test Record Number: 6692 Test Date: 09/16/2025 Test Time: 12:51pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	12:51pm
FLO	Pass	12:51pm
FC	Pass	12:51pm

# Temperature Tests

Test	Status	Time
FC1	Pass	12:51pm
SRC	Pass	12:51pm
DET	Pass >	12:51pm
BAR	Pass	12:51pm
BT	Pass	12:51pm

## Blank Tests

Test	Status	Time
AIR	Pass	12:52pm

## Printer Tests

Status

Test	blacus	TIME
PRNT	Pass	12:52pm
	CRC Tests	
Test	Status	Time
COMP	Pass	12:52pm
CAL	Pass	12:52pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	Instrument Location NEW HANOVER COUNTY  JETEN TION CENTER
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi- breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	STATE OF THE STATE

I certify that on the <u>35</u> day of <u>SEPTEMBER</u>, 20<u>35</u> the forgoing preventive maintenance procedures were performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health and Human Services, and the instrument is functioning properly.



Signature of Certifying Official

Certificate Number

NEW HANOVER COUNTY DETENTION CENTER 640

> Serial Number: 008613 Test Date: 09/25/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R

Permit Number: 0014-6279

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	2:52pm
AIR BLK	.00	2:53pm
ACCY CHK	.07	2:53pm
AIR BLK	.00	2:54pm
SUB TEST	.00	2:55pm
AIR BLK	.00	2:56pm
SUB TEST	.00	2:57pm
AIR BLK	.00	2:58pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Che Ze Bana

# NEW HANOVER COUNTY DETENTION CENTER 640

Serial Number: 008613 Test Record Number: 1508 Test Date: 09/25/2025 Test Time: 2:58pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	2:59pm 2:59pm
FC	Pass	2:59pm

# Temperature Tests

Test	Status	Time
FC1	Pass	2:59pm
SRC	Pass	2:59pm
DET	Pass	2:59pm
BAR	Pass	2:59pm
BT	Pass	2:59pm

# Blank Tests

Test	Status	Time
AIR	Pass	3:00pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	3:00pm
	CRC Tests	

Test	Status	Time
COMP	Pass	3:00pm
CAL	Pass	3:00pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	EW HANDLER Instrument Location NEW HANDLER COUNTY ial No. 008626  DETENTION CENTER
The preventive serial number	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 35 day of SEPTEMBER, 2025 the forgoing preventive maintenance procedure on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt vices, and the instrument is functioning properly.



Cell Ry Barries
Signature of Certifying Official

Certificate Number

NEW HANOVER COUNTY DETENTION CENTER 640

> Serial Number: 008626 Test Date: 09/25/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R Permit Number: 0014-6279 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	2:36pm
AIR BLK	.00	2:37pm
ACCY CHK	.08	2:37pm
AIR BLK	.00	2:39pm
SUB TEST	.00	2:39pm
AIR BLK	.00	2:40pm
SUB TEST	.00	2:42pm
AIR BLK	.00	2:43pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

alu 129 Baus Analyst

## NEW HANOVER COUNTY DETENTION CENTER 640

Serial Number: 008626 Test Record Number: 9058 Test Date: 09/25/2025 Test Time: 2:43pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	2:44pm
FLO	Pass	2:44pm
FC	Pass	2:44pm

## Temperature Tests

Test	Status	Time
FC1	Pass	2:44pm
SRC	Pass	2:44pm
DET	Pass	2:44pm
BAR	Pass	2:44pm
BT	Pass	2:44pm

## Blank Tests

Test	Status	Time
AIR	Pass	2:44pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	2:44pm

#### CRC Tests

Test	Status	Time
COMP	Pass	2:45pm
CAL	Pass	2:45pm

Preventive Maintenance Status: Pass

Ulm Ra Bans

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County	al No. 008628 Rope, Frent
The preventive	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(I)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the 44 day of September, 20 25 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.
STATE OF	

Signature of Certifying Official

Certificate Number

NEW HANOVER COUNTY WILMINGTON PD 640

Serial Number: 008628 Test Date: 09/04/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Ryan, Robert F

Permit Number: 0084-5023

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG AIR BLK	Pass	1:50pm 1:51pm
ACCY CHK	.07	1:52pm
AIR BLK	.00	1:53pm
SUB TEST	.00	1:53pm
AIR BLK	.00	1:54pm
SUB TEST	.00	1:56pm
AIR BLR	.00	1:56pm

Reported AC:

.00 g/210L

Signature of Chemical Analyst

Court CVR

Analys

## NEW HANOVER COUNTY WILMINGTON PD 640

Serial Number: 008628 Test Record Number: 7274
Test Date: 09/04/2025 Test Time: 1:57pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	1:57pm 1:57pm
FC	Pass	1:57pm

### Temperature Tests

Test	Status	Time
FC1 SRC DET	Pass Pass Pass	1:57pm 1:57pm 1:57pm
BAR	Pass	1:57pm
BT	Pass	1:57pm

#### Blank Tests

Test	Status	Time
AIR	Pass	1:58pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:58pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	1:58pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	ial No. 008661 Instrument Location CAROLINA BEACH POLICE DEPT		
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.		
I certify that or	the <u>25</u> day of <u>SEPTEMBER</u> , 20 25 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health		



Olun Rg Bang Signature of Certifying Official

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

and Human Services, and the instrument is functioning properly.

NEW HANOVER COUNTY CAROLINA BEACH PD 640

> Serial Number: 008661 Test Date: 09/25/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R

Permit Number: 0014-6279

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	12:07pm
	.00	12:08pm
ACCY CHK	.08	12:08pm
AIR BLK	.00	12:10pm
SUB TEST	.00	12:10pm
AIR BLK	.00	12:11pm
SUB TEST	.00	12:13pm
AIR BLK	.00	12:14pm

Reported AC: .00 g/210L

ignature of Chemical Analyst

Court CVR

alu Ry Bans

## NEW HANOVER COUNTY CAROLINA BEACH PD 640

Serial Number: 008661 Test Record Number: 3464
Test Date: 09/25/2025 Test Time: 12:15pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	12:15pm
FLO	Pass	12:15pm
FC	Pass	12:15pm

## Temperature Tests

Test	Status	Time
FC1	Pass	12:15pm
SRC	Pass	12:15pm
DET	Pass	12:15pm
BAR	Pass	12:15pm
BT	Pass	12:15pm

#### Blank Tests

Test	Status	Time
AIR	Pass	12:16pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	12:16pm
	CRC Tests	
Test	Status	Time
COMP	Pass	12:16pm

12:16pm

Preventive Maintenance Status: Pass

Pass

alu Ry Bener

CAL

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	rial No. 008667 POLICE DEPT		
	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 10,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.		
were performed	the <u>25</u> day of <u>SEPTEMBER</u> , 20 <u>25</u> the forgoing preventive maintenance procedure d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt rvices, and the instrument is functioning properly.		

Signapore of Certifying Official

Certificate Number

NEW HANOVER COUNTY WRIGHTSVILLE BCH PD 640

> Serial Number: 008667 Test Date: 09/25/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R

Permit Number: 0014-6279

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test d/210h Time	Test	g/210L	Time
------------------	------	--------	------

DIAG	Pass	10:42am
AIR BLK	.00	10:42am
ACCY CHK	.08	10:43am
AIR BLK	.00	10:44am
SUB TEST	.00	10:45am
AIR BLK	.00	10:46am
SUB TEST	.00	10:47am
ATR BLK	.00	10:48am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

#### NEW HANOVER COUNTY WRIGHTSVILLE BCH PD 640

Serial Number: 008667 Test Record Number: 3014
Test Date: 09/25/2025 Test Time: 10:49am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	10:50am
FLO	Pass	10:50am
FC	Pass	10:50am

## Temperature Tests

Test	Status	Time
FC1	Pass	10:50am
SRC	Pass	10:50am
DET	Pass	10:50am
BAR	Pass	10:50am
BT	Pass	10:50am

#### Blank Tests

Test	Status	Time	
AIR	Pass	10:50am	

### Printer Tests

Test	Status	Time
PRNT	Pass	10:50am
	CRC Tests	
Test	Status	Time
COMP	Pass	10:51am
CAL	Pass	10:51am

Preventive Maintenance Status: Pass

alun Ry Bours Analyst

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:	
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;	
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and	
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.	
were performed	the 20 day of September, 2025 the forgoing preventive maintenance procedures of the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.	
Som ra	2266313	
* Taxasia	Signature of Certifying Official Certificate Number	

ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008575 Test Date: 09/20/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective: 02/01/2025-02/01/2027

> Officer's Name: NONE, NONE Type of Agency: FTA Agency: DHHS Test Type: Breath Test

> > Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
AIR BLK SUB TEST AIR BLK SUB TEST	Pass .00 .08 .00 .00 .00	10:51pm 10:52pm 10:52pm 10:53pm 10:54pm 10:55pm 10:57pm 10:58pm

Reported AP: .00 g/210

Signature of Chemical Analyst

Court CVR

Analyst

### ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008575 Test Date: 09/20/2025 Test Record Number: 1515 Test Time: 11:04pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	11:05pm
FLO	Pass	11:05pm
FC	Pass	11:05pm

## Temperature Tests

Test	Status	Time
FC1	Pass	11:05pm
SRC	Pass	11:05pm
DET	Pass	11:05pm
BAR	Pass	11:05pm
BT	Pass	11:05pm

### Blank Tests

Test	Status	Time
AIR	Pass	11:06pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:06pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	11:06pm 11:06pm

Preventive Maintenance Status: Pass

11:06pm

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 20 day of

ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008616 Test Date: 09/20/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	11:03pm
AIR BLK	.00	11:04pm
ACCY CHK	.07	11:05pm
AIR BLK	.00	11:06pm
SUB TEST	.00	11:07pm
AIR BLK	.00	11:08pm
SUB TEST	.00	11:09pm
AIR BLK	.00	11:10pm

Reported ACy .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

This form is used when performing Preventive Maintenance procedures

Forensic Tests for Alcohol Branch Department of Health and Human Services Rev. 12/2007

# ONSLOW COUNTY BAT MOBILE UNIT 9 660

Test Record Number: 2906 Serial Number: 008616 Test Time: 11:31pm EDT Test Date: 09/20/2025

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	11:31pm
FLO	Pass	11:31pm
FC	Pass	11:32pm

## Temperature Tests

Test	Status	Time
FC1	Pass	11:32pm
SRC	Pass	11:32pm
DET	Pass	11:32pm
BAR	Pass	11:32pm
BT	Pass	11:32pm

#### Blank Tests

Test	Status	Time
ATR	Pass	11:32pm

## Printer Tests

CAL

Test	Status	Time
PRNT	Pass	11:32pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	11:33pm 11:33pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

CountyC	Inslow	Instrument Location	BAT Mo	Sile Un	49
Instrument Ser	ial No. 00 8647		Onslow	County	SO
	maintenance procedures for the total 0,000 or higher) to be follower			fodel Intox EC/II	R II (Enhanced with
(1)	Verify the ethanol gas can breath simulator thermome	ister displays at least 51 eter shows 34 degrees, p	pounds per square in lus or minus .2 degre	nch (psi) of press e centigrade;	are, or the alcoholic
(2)	Verify instrument displays	s time and date;			
(3)	Initiate breath test sequence	ce;			
(4)	Enter information as prom	pted;			
(5)	Verify instrument accurac	y;			
(6)	When "PLEASE BLOW"	appears, collect breath s	ample;		
(7)	When "PLEASE BLOW"	appears, collect breath s	ample;		
(8)	Print test record;				
(9)	Run diagnostic program a	nd confirm preventive m	aintenance status of '	"Pass"; and	
(10)	Verify that the ethanol simulator solution is being whichever occurs first.				
were performe	the 20th day of d on the instrument indicated rvices, and the instrument is fu		25 the forgoing ith current regulation	preventive main ns of the N.C. De	tenance procedures
	b.			2266	313
The Parket of th	- 2	Signature of Cartifician	Official	Cortific	ate Number

ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008647 Test Date: 09/20/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	10:53pm
AIR BLK	.00	10:54pm
ACCY CHK	.07	10:54pm
AIR BLK	.00	10:55pm
SUB TEST	.00	10:56pm
AIR BLK	.00	10:57pm
SUB TEST	.00	10:58pm
AIR BLK	.00	10:59pm

Reported AC: \_00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

### ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008647 Test Record Number: 2894 Test Date: 09/20/2025 Test Time: 11:05pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	11:06pm 11:06pm
FC	Pass	11:06pm

### Temperature Tests

Test	Status	Time
FC1	Pass	11:06pm
SRC	Pass	11:06pm
DET	Pass	11:06pm
BAR	Pass	11:06pm
BT	Pass	11:06pm

#### Blank Tests

Test	Status	Time	
AIR	Pass	11:07pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:07pm
	CRC Tests	
Test	Status	Time
COMP	Pass	11:07pm

Pass

11:07pm

Preventive Maintenance Status: Pass

CAL

Analyst

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 20 day of September, 20 35 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008704 Test Date: 09/20/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	10:53pm
AIR BLK	.00	10:54pm
ACCY CHK	.07	10:55pm
AIR BLK	.00	10:56pm
SUB TEST	.00	10:56pm
AIR BLK	.00	10:57pm
SUB TEST	.00	10:59pm
AIR BLK	.00	11:00pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008704 Test Date: 09/20/2025 Test Record Number: 951

Test Time: 11:05pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	11:05pm
FLO FC	Pass Pass	11:05pm 11:05pm

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	11:05pm 11:05pm 11:05pm 11:05pm 11:05pm

#### Blank Tests

Test	Status	Time
AIR	Pass	11:06pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:06pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	11:06pm 11:06pm

Preventive Maintenance Status: Pass

Analyst

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	Instrument Location BAT Mobile Unit 9  Onslow County SU
Instrument Serie	11 No. 00 8826 Onslow County SU
The preventive serial number 10	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 20th day of September, 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
S TATE O	
STATE OF	I C
CALL OF	
a om sea	Signature of Certifying Official Certificate Number

ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008826 Test Date: 09/20/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	10:49pm
AIR BLK	.00	10:50pm
ACCY CHK	.07	10:51pm
AIR BLK	.00	10:52pm
SUB TEST	.00	10:53pm
AIR BLK	.00	10:54pm
SUB TEST	.00	10:56pm
AIR BLK	.00	10:57pm

Reported AC: .90 g/210L

Signature Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services
Rev. 12/2007

Analyst

## ONSLOW COUNTY BAT MOBILE UNIT 9 660

Serial Number: 008826 Test Date: 09/20/2025

Test Record Number: 8581

Test Time: 11:04pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	11:04pm
FLO	Pass	11:04pm
FC	Pass	11:05pm

## Temperature Tests

Test	Status	Time
FC1	Pass	11:05pm
SRC	Pass	11:05pm
DET	Pass	11:05pm
BAR	Pass	11:05pm
BT	Pass	11:05pm

### Blank Tests

Test	Status	Time
AIR	Pass	11:05pm

## Printer Tests

Test	Status	Time
PRNT	Pass	11:05pm
	CRC Tests	
Test	Status	Time

COMP	Pass	11:06pm
CAL	Pass	11:06pm

Preventive Maintenance Status: Pass

Analyst

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	squotank Instrument Location Elizabeth City P.D. 305 E. Main St. Elizabeth
	NC
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.



Signature of Certifying Micial

Certificate Number

PASQUOTANK COUNTY ELIZABETH CITY 690

Serial Number: 008941 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Chappell, Mark A

Permit Number: 0020-6272

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG405101 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	1:09pm
AIR BLK	.00	1:10pm
ACCY CHE	.08	1:10pm
AIR BLK	.00	1:12pm
SUB TEST	.00	1:13pm
AIR BLK	.00	1:14pm
SUB TEST	.00	1:15pm
AIR BLK	.00	1:16pm

Reported AC+ .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

### PASQUOTANK COUNTY ELIZABETH CITY 690

Serial Number: 008941 Test Record Number: 1759
Test Date: 09/18/2025 Test Time: 1:30pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	1:31pm
FLO	Pass	1:31pm
FC	Pass	1:31pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	1:31pm
SRC	Pass	1:31pm
DET	Pass	1:31pm
BAR	Pass	1:31pm
BT	Pass	1:31pm
		10 miles 10 miles 2000 miles

#### Blank Tests

Test	Status	Time	
AIR	Pass	1:31pm	

### Printer Tests

Test	Status	Time
PRNT	Pass	1:32pm
	CRC Tests	
Test	Status	Time
COMP	Pass	1:32pm

Pass

Preventive Maintenance Status: Pass

CAL

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County Te	NOER	Instrument Location_	PENDER	COUNTY
Instrument Seri	al No. 008935	-	DETENTION	1 CENTER
The preventive serial number 1	maintenance procedures for the 0,000 or higher) to be followe	ne Intoximeters, Model Ind d at least once every four	tox EC/IR II and Model In months are:	ntox EC/IR II (Enhanced with
(1)	Verify the ethanol gas can breath simulator thermome			<ul> <li>i) of pressure, or the alcoholic grade;</li> </ul>
(2)	Verify instrument displays	time and date;		
(3)	Initiate breath test sequence	e;		
(4)	Enter information as prom	pted;		
(5)	Verify instrument accuracy	y;		
(6)	When "PLEASE BLOW"	appears, collect breath sar	mple;	
(7)	When "PLEASE BLOW"	appears, collect breath sar	mple;	
(8)	Print test record;			
(9)	Run diagnostic program ar	nd confirm preventive mai	intenance status of "Pass";	; and
(10)	Verify that the ethanol g simulator solution is being whichever occurs first.	as canister is being changed every four m	anged before expiration on nonths or after 125 Alco	date, or the alcoholic breath holic Breath Simulator tests
were performed	the	above, in accordance with nctioning properly.	the forgoing preven th current regulations of the	ne N.C. Department of Healti
China Age	Blu	Le / Sams		146279

PENDER COUNTY DETENTION CENTER 700

Serial Number: 008935 Test Date: 09/26/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R
Permit Number: 0014-6279
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	11:13am
AIR BLK	.00	11:13am
ACCY CHK	.08	11:14am
AIR BLK	.00	11:15am
SUB TEST	.00	11:16am
AIR BLK	.00	11:17am
SUB TEST	.00	11:19am
AIR BLK	.00	11:20am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

alun Ry Bans Analyst

### PENDER COUNTY DETENTION CENTER 700

Serial Number: 008935 Test Record Number: 3783 Test Date: 09/26/2025 Test Time: 11:20am EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	11:20am
FLO	Pass	11:20am
FC	Pass	11:20am

#### Temperature Tests

Status	Time
Pass	11:20am
	Pass Pass Pass Pass

#### Blank Tests

Test	Status	Time
AIR	Pass	11:21am

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:21am
	CRC Tests	
Test	Status	Time
COMP	Pass	11:21am

Pass 11:21am

Preventive Maintenance Status: Pass

CAL

alu R Bans

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 12th day of Septem , 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

## PENDER COUNTY GOVERNMENT ANNEX 700

Serial Number: 008948 Test Date: 09/12/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: GILLESPIE, PENTTI W

Permit Number: 9523-2149

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG405102 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	9:17am
AIR BLK		9:17am
ACCY CHK	.07	9:18am
AIR BLK		
SUB TEST	.00	9:19am
AIR BLK	.00	
SUB TEST	.00	9:22am
AIR BLK	.00	9:23am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

### PENDER COUNTY GOVERNMENT ANNEX 700

Serial Number: 008948 Test Record Number: 1607 Test Date: 09/12/2025 Test Time: 9:23am EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	9:23am
FLO	Pass	9:23am
FC	Pass	9:23am

## Temperature Tests

Test Status Tir	ne
FC1 Pass 9:	23am
SRC Pass 9:3	23am
DET Pass 9:3	23am
BAR Pass 9:3	23am
BT Pass 9:	23am

#### Blank Tests

Test	Status	Time	
ATR	Page	9 - 24 am	

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:24am

### CRC Tests

rest	Status	Time
COMP	Pass	9:24am
CAL	Pass	9:24am

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
	the 22 day of Septembe ( , 20,25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

PITT COUNTY AYDEN PD 730

Serial Number: 008666 Test Date: 09/22/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gray, Kelly D

Permit Number: 0037-7722

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG431003

Exp Date: 11/05/2026

Test g/210L Time

		2002011
DIAG	Pass	8:26am

	E 0000	O . L O CALL
AIR BLK	.00	8:27am
ACCY CHK	.07	8:27am
AIR BLK	.00	8:28am

SUB TEST .00 8:29am

AIR BLK .00 8:30am SUB TEST .00 8:32am

AIR BLK .00 8:32am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

### PITT COUNTY AYDEN PD 730

Serial Number: 008666 Test Record Number: 1639 Test Date: 09/22/2025 Test Time: 8:34am EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	8:34am
FLO	Pass	8:34am
FC	Pass	8:34am

## Temperature Tests

Test	Status	Time
FC1 SRC	Pass Pass	8:34am 8:34am
DET	Pass	8:34am
BAR	Pass	8:34am
BT	Pass	8:34am

#### Blank Tests

Test	Status	Time	
AIR	Pass	8:35am	

### Printer Tests

Test	Status	Time
PRNT	Pass	8:35am
	CRC Tests	
Test	Status	Time
COMP	Pass	8:35am

Pass

8:35am

Preventive Maintenance Status: Pass

CAL

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 2.5 day of September, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

PITT COUNTY PITT CO DETENTION 730

Serial Number: 008668 Test Date: 09/25/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Gray, Kelly D

Permit Number: 0037-7722

Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG506303

Exp Date: 03/04/2027

Test

DIAG	Pass	10:28am
AIR BLK	.00	10:29am
ACCY CHK	-07	10:29am

g/210L Time

ACCY CHK .07 10:29am AIR BLK .00 10:30am SUB TEST .00 10:31am

AIR BLK .00 10:32am

SUB TEST .00 10:34am AIR BLK .00 10:34am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

#### PITT COUNTY PITT CO DETENTION 730

Serial Number: 008668 Test Record Number: 4851 Test Date: 09/25/2025 Test Time: 10:35am EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:36am
FC	Pass	10:36am

## Temperature Tests

Test	Status	Time
FC1	Pass	10:36am
SRC	Pass	10:36am
DET	Pass	10:36am
BAR	Pass	10:36am
BT	Pass	10:36am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:37am

#### Printer Tests

Test

PRNT	Pass	10:37am
	CRC Tests	
Test	Status	Time
	_	

Status Time

COMP Pass 10:37am CAL Pass 10:37am

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	Instrument Location BAT MOBILE UNIT 9  LUMBERTON PD		
The preventive serial number I	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi- breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.		
were performed	the 18th day of September, 20, 25 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.		

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

ROBESON BAT MOBILE UNIT 9 770

Serial Number: 008575 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name:

Crutchfield, Jr, Marshall B

Permit Number: 0008-3034

Effective:

07/01/2025-07/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK SUB TEST AIR BLK	Pass .00 .08 .00 .00 .00	4:57pm 4:58pm 4:59pm 5:00pm 5:00pm 5:01pm 5:03pm 5:03pm

Reported

Chemical Analyst Signature

Court CVR

## ROBESON BAT MOBILE UNIT 9 770

Serial Number: 008575 Test Date: 09/18/2025

Test Record Number: 1509 Test Time: 5:05pm EDT

System Check: Passed

# Baseline Tests

Test	Status	Time
IR	Pass	5:05pm
FLO	Pass	5:05pm
FC	Pass	5:06pm

# Temperature Tests

Test	Status	Time
FC1	Pass	5:06pm
SRC	Pass	5:06pm
DET	Pass	5:06pm
BAR	Pass	5:06pm
BT	Pass	5:06pm

#### Blank Tests

Test	Status	Time

AIR Pass 5:06pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	5:06pm

#### CRC Tests

Test	Status	Time	
COMP	Pass	5:06pm	
CAL	Pass	5:06pm	

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

cedures for the Intoximeters to be followed at least once hanol gas canister displays at	Lumberton P.D.  Lumberton P.D.  s, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with every four months are:  at least 51 pounds per square inch (psi) of pressure, or the alcoholdegrees, plus or minus .2 degree centigrade;
to be followed at least once of hanol gas canister displays at ator thermometer shows 34 d	every four months are: at least 51 pounds per square inch (psi) of pressure, or the alcohol
ator thermometer shows 34 d	it least 51 pounds per square inch (psi) of pressure, or the alcohol legrees, plus or minus .2 degree centigrade;
ment displays time and date;	
	n n
h test sequence;	
ation as prompted;	
ment accuracy;	
ASE BLOW" appears, collect	t breath sample;
ASE BLOW" appears, collect	t breath sample;
ord;	
ic program and confirm prev	ventive maintenance status of "Pass"; and
	being changed before expiration date, or the alcoholic breatery four months or after 125 Alcoholic Breath Simulator test
y of <i>SCP km ber</i> ent indicated above, in accor strument is functioning prop	, 20 25 the forgoing preventive maintenance procedured and with current regulations of the N.C. Department of Heal perly.
	S3034 Certifying Official Certificate Number
ķ	ent indicated above, in acconstrument is functioning prop

A signed original of the preventive maintenance record shall be kept on file for at least three years.

ROBESON COUNTY BAT MOBILE UNIT 9 770

Serial Number: 008616 Test Date: 09/18/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Crutchfield, Jr, Marshall B Permit Number: 0008-3034 Effective: 07/01/2025-07/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK	Pass .00 .07 .00 .00	5:05pm 5:06pm 5:07pm 5:08pm 5:09pm 5:10pm
SUB TEST	.00	5:11pm
AIR BLK	.00	5:12pm

Reported #C: \.00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## ROBESON COUNTY BAT MOBILE UNIT 9 770

Serial Number: 008616

Test Record Number: 2900

Test Date: 09/18/2025 Test Time: 5:13pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	5:13pm
FLO	Pass	5:13pm
FC	Pass	5:13pm

# Temperature Tests

Test	Status	Time	
FC1 SRC DET BAR	Pass Pass Pass Pass	5:13pm 5:13pm 5:13pm 5:13pm	
BT	Pass	5:13pm	

#### Blank Tests

Test	Status	Time	
AIR	Pass	5:14pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	5:14pm
	CRC Tests	
Test	Status	Time

Test	Status	Time	
COMP	Pass	5:14pm	
CAL	Pass	5:14pm	

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County	obeson	Instrument Location	BAT MOBILE	UNIT 9
Instrument Ser	rial No008649	-	Lumberton	PD
	e maintenance procedures for 10,000 or higher) to be follow			Intox EC/IR II (Enhanced with
(1)			pounds per square inch (per lus or minus .2 degree cent	si) of pressure, or the alcoholi- igrade;
(2)	Verify instrument displa	ys time and date;		
(3)	Initiate breath test seque	nce;		
(4)	Enter information as pro	mpted;		
(5)	Verify instrument accura	cy;		
(6)	When "PLEASE BLOW	* appears, collect breath s	ample;	
(7)	When "PLEASE BLOW	appears, collect breath s	ample;	
(8)	Print test record;			
(9)	Run diagnostic program	and confirm preventive m	aintenance status of "Pass"	; and
(10)				date, or the alcoholic breath sholic Breath Simulator tests
were performe	the 18th day of School don the instrument indicated rvices, and the instrument is i	d above, in accordance w	25 the forgoing prevenith current regulations of t	ntive maintenance procedures he N.C. Department of Health
	S CAROLINI	40		83034
-		Signature of Certifying	Official	Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

ROBESON COUNTY BAT MOBILE UNIT 9 770

Serial Number: 008647 Test Date: 09/18/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Crutchfield, Jr, Marshall B Permit Number: 0008-3034 Effective: 07/01/2025-07/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	5:43pm
AIR BLK	.00	5:44pm
ACCY CHK	.07	5:44pm
AIR BLK	.00	5:45pm
SUB TEST	.00	5:46pm
AIR BLK	.00	5:47pm
SUB TEST	.00	5:48pm
AIR BLK	.00	5:49pm

Reported AC / .00 g/2

Signature of Chemical Analyst

Coludt CVR

Analyst

## ROBESON COUNTY BAT MOBILE UNIT 9 770

Serial Number: 008647 Test Record Number: 2889 Test Date: 09/18/2025 Test Time: 5:50pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time	
IR	Pass	5:50pm	
FLO FC	Pass Pass	5:50pm 5:50pm	

## Temperature Tests

Test	Status	Time
FC1	Pass	5:51pm
SRC	Pass	5:51pm
DET	Pass	5:51pm
BAR	Pass	5:51pm
BT	Pass	5:51pm

#### Blank Tests

Test	Status	Time
AIR	Pass	5:51pm

#### Printer Tests

Test Statu	
PRNT Pass	5:51pm

#### CRC Tests

Test	Status	Time
COMP	Pass Pass	5:51pm 5:51pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County	BESON al No. 008704	Instrument Location	BAT MOBILE	₽ UNIT 9 P.D.
The preventive serial number 1	maintenance procedures for to 0,000 or higher) to be follow	the Intoximeters, Model I ed at least once every fou	Intox EC/IR II and Model In ir months are:	ntox EC/IR II (Enhanced with
(1)	Verify the ethanol gas can breath simulator thermon	nister displays at least 51 neter shows 34 degrees, p	pounds per square inch (psi lus or minus .2 degree centig	) of pressure, or the alcoholic grade;
(2)	Verify instrument display	s time and date;		
(3)	Initiate breath test sequen	ce;		
(4)	Enter information as pron	npted;		
(5)	Verify instrument accurac	cy;		
(6)	When "PLEASE BLOW"	appears, collect breath s	ample;	
(7)	When "PLEASE BLOW"	appears, collect breath s	ample;	
(8)	Print test record;			
(9)	Run diagnostic program a	and confirm preventive m	aintenance status of "Pass";	and
(10)				ate, or the alcoholic breath nolic Breath Simulator tests.
	theday ofSe on the instrument indicated vices, and the instrument is for	above, in accordance wi	25 the forgoing prevent ith current regulations of the	tive maintenance procedures e N.C. Department of Health
		40		83034

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

ROBESON COUNTY BAT MOBILE UNIT 9 770

Serial Number: 008704 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name:

Crutchfield, Jr, Marshall B

Permit Number: 0008-3034

Effective:

07/01/2025-07/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK	Pass .00 .07	5:21pm 5:22pm 5:22pm 5:23pm
SUB TEST	.00	5:24pm
AIR BLK	.00	5:25pm
SUB TEST	.00	5:26pm
AIR BLK	.00	5:27pm

Reported AC

.00 g/210L

Signature

Chemical Analyst

Court CVR

Ańalyst

# ROBESON COUNTY BAT MOBILE UNIT 9 770

Serial Number: 008704 Test Record Number: 945

Test Date: 09/18/2025 Test Time: 5:28pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	5:28pm
FLO	Pass	5:28pm
FC	Pass	5:28pm

# Temperature Tests

Test	Status	Time
FC1	Pass	5:28pm
SRC	Pass	5:28pm
DET	Pass	5:28pm
BAR	Pass	5:28pm
BT	Pass	5:28pm

#### Blank Tests

Test	Status	Time
AIR	Pass	5:29pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	5:29pm
	CRC Tests	
Test	Status	Time

Test	Status	Time
COMP	Pass	5:29pm
CAL	Pass	5:29pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

ROBESON COUNTY DETENTION CENTER 770

Serial Number: 008805 Test Date: 09/02/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Garner, Joel K Permit Number: 0036-5156

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG503001 Exp Date: 01/30/2027

Test	g/210L	Time
DIAG	Pass	10:44am
AIR BLK	.00	10:45am
ACCY CHK	.07	10:45am
AIR BLK	.00	10:47am
SUB TEST		10:47am
AIR BLK	.00	
SUB TEST	.00	10:50am
ATR BLK	.00	10:50am

Report/ed AC: .00 g/210L

gnature of Chemical Analyst

Court CVR

Analyst

## ROBESON COUNTY DETENTION CENTER 770

Serial Number: 008805 Test Record Number: 5810 Test Date: 09/02/2025 Test Time: 10:53am EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	10:53am
FLO	Pass	10:53am
FC	Pass	10:53am

#### Temperature Tests

Test	Status	Time
FC1	Pass	10:53am
SRC	Pass	10:53am
DET	Pass	10:53am
BAR	Pass	10:53am
BT	Pass	10:53am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:54am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:54am
	CRC Tests	
Test	Status	Time
COMP	Pass	10:54am

Preventive Maintenance Status: Pass

Pass

10:54am

CAL

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County	obeson	_ Instrument Location_	BAT MOBILE	Unit 9
Instrument Ser	ial No. 008826	28 82	Lumberton	PD
The preventive serial number	maintenance procedures for t 10,000 or higher) to be followe	he Intoximeters, Model Inda at least once every four	ntox EC/IR II and Model months are:	Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas can breath simulator thermom	ister displays at least 51 geter shows 34 degrees, pl	pounds per square inch (pe us or minus .2 degree cent	si) of pressure, or the alcoholi- igrade;
(2)	Verify instrument displays	s time and date;		
(3)	Initiate breath test sequen	ce;		
(4)	Enter information as pron	npted;		
(5)	Verify instrument accurac	y;		
(6)	When "PLEASE BLOW"	appears, collect breath sa	mple;	
(7)	When "PLEASE BLOW"	appears, collect breath sa	mple;	
(8)	Print test record;			
(9)	Run diagnostic program a	nd confirm preventive ma	intenance status of "Pass"	; and
(10)	Verify that the ethanol simulator solution is being whichever occurs first.	gas canister is being ch ng changed every four r	anged before expiration nonths or after 125 Alco	date, or the alcoholic breath oholic Breath Simulator tests
were performe	the 18th day of Sept d on the instrument indicated rvices, and the instrument is fu	above, in accordance wit	25 the forgoing preventh current regulations of t	ntive maintenance procedures he N.C. Department of Health
A COLUMNIA	15	Signature of Certifying	Official	83034 Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

ROBESON COUNTY BAT MOBILE UNIT 9 770

Serial Number: 008826 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name:

Crutchfield, Jr, Marshall B

Permit Number: 0008-3034

Effective:

07/01/2025-07/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time

DIAG		Pass	5:26pm
AIR	BLK	.00	5:27pm
ACCY	CHK	.07	5:27pm
AIR	BLK	.00	5:28pm
SUB	TEST	.00	5:30pm
AIR	BLK	.00	5:31pm
SUB		.00	5:33pm
AIR	BLK	/.00	5:34pm

Reported /AC;

Signature

Qhemical Analyst

Collect CVR

#### ROBESON COUNTY BAT MOBILE UNIT 9 770

Serial Number: 008826 Test Record Number: 8576 Test Date: 09/18/2025 Test Time: 5:35pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	5:35pm
FLO FC	Pass Pass	5:35pm 5:35pm

## Temperature Tests

Test	Status	Time
FC1	Pass	5:35pm
SRC	Pass	5:35pm
DET	Pass	5:35pm
BAR	Pass	5:35pm
BT	Pass	5:35pm

## Blank Tests

Test	Status	Time
AIR	Pass	5:36pm

## Printer Tests

Test	Status	Time
PRNT	Pass	5:36pm
	CRC Tests	
Test	Status	Time

COMP	Pass	5:36pm
CAL	Pass	5:36pm

Preventive Maintenance Status: Pass

nalyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No 008889 Instrument Location Forest City PD  Forest City, NC
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 17 day of Septembel, 20 Z5 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

DHHS 4080 (04/20)

RUTHERFORD COUNTY FOREST CITY PD 800

Serial Number: 008889 Test Date: 09/17/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Loftis, Benjamin C Permit Number: 0024-4987 Effective: 03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431001 Exp Date: 11/05/2026

m.
m.
m.
m.
m
m
m
m

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## RUTHERFORD COUNTY FOREST CITY PD 800

Serial Number: 008889 Test Record Number: 1266
Test Date: 09/17/2025 Test Time: 1:36pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass	1:36pm 1:36pm
FC	Pass	1:37pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	1:37pm
SRC	Pass	1:37pm
DET	Pass	1:37pm
BAR	Pass	1:37pm
BT	Pass	1:37pm

## Blank Tests

Test	Status	Time
AIR	Pass	1:37pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:37pm
	CRC Tests	
Test	Status	Time
COMP	Pass	1:37pm

Pass

1:37pm

Preventive Maintenance Status: Pass

CAL

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Serie	al No. 008914 Instrument Location Rutherford County Jail Rutherfordton, NC	_
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced 0,000 or higher) to be followed at least once every four months are:	with
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcohoreath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;	nolic
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and	
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic be simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator to whichever occurs first.	
were performed	the 17 day of September, 2025 the forgoing preventive maintenance proced on the instrument indicated above, in accordance with current regulations of the N.C. Department of Hervices, and the instrument is functioning properly.	lures ealth
The Com to	244987	

A signed original of the preventive maintenance record shall be kept on file for at least three years.

DHHS 4080 (04/20)

RUTHERFORD COUNTY RUTHERFORD COUNTY SO 800

> Serial Number: 008914 Test Date: 09/17/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Loftis, Benjamin C Permit Number: 0024-4987 Effective: 03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405101 Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	2:28pm
AIR BLK	.00	2:28pm
ACCY CHK	.08	2:29pm
AIR BLK	.00	2:30pm
SUB TEST	.00	2:31pm
AIR BLK	.00	2:32pm
SUB TEST	.00	2:33pm
AIR BLK	.00	2:34pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court/ CVR

Analyst

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

## RUTHERFORD COUNTY RUTHERFORD COUNTY SO 800

Serial Number: 008914 Test Record Number: 2996 Test Date: 09/17/2025 Test Time: 2:34pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	2:35pm 2:35pm
FC	Pass	2:35pm

## Temperature Tests

Test	Status	Time
FC1	Pass	2:35pm
SRC	Pass	2:35pm
DET	Pass	2:35pm
BAR	Pass	2:35pm
BT	Pass	2:35pm

#### Blank Tests

AIR	Pass	2:36pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	2:36pm
	CRC Tests	

Test	Status	Time
COMP	Pass	2:36pm
CAL	Pass	2:36pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the
	2266313

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008575 Test Date: 09/21/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	6:59pm
AIR BLK	.00	7:00pm
ACCY CHK	.08	7:00pm
AIR BLK	.00	7:01pm
SUB TEST	.00	7:02pm
AIR BLK	.00	7:03pm
SUB TEST	.00	7:06pm
AIR BLK	.00	7:07pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008575 Test Date: 09/21/2025

Test Record Number: 1520 Test Time: 7:07pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	7:08pm
FLO	Pass	7:08pm
FC	Pass	7:08pm

# Temperature Tests

Test	Status	Time
FC1	Pass	7:08pm
SRC	Pass	7:08pm
DET	Pass	7:08pm
BAR	Pass	7:08pm
BT	Pass	7:08pm

#### Blank Tests

Test	Status	Time
ATD	Dees	7.00
AIR	Pass	7:09pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:09pm
	CRC Tests	
Tost	Statue	Timo

Test	Status	Time
COMP	Pass	7:09pm
CAL	Pass	7:09pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatl simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the 21st day of Septender, 20,25 the forgoing preventive maintenance procedure on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt vices, and the instrument is functioning properly.
OM HE	2266313

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008616 Test Date: 09/21/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective: 02/01/2025-02/01/2027

> Officer's Name: NONE, NONE Type of Agency: FTA Agency: DHHS Test Type: Breath Test

> > Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK	Pass .00 .07 .00 .00	7:00pm 7:01pm 7:02pm 7:03pm 7:03pm 7:04pm
SUB TEST	.00	7:06pm
AIR BLK	.00	7:07pm

Reported AC: .00 g/210L

Chemical Analyst Signature of

Court CVR

This form is used when performing Preventive Maintenance procedures Forensic Tests for Alcohol Branch Department of Health and Human Services Rev. 12/2007

Analyst

# SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008616 Test Date: 09/21/2025 Test Record Number: 2910 Test Time: 7:08pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	7:09pm
FLO	Pass	7:09pm
FC	Pass	7:09pm

# Temperature Tests

Test	Status	Time
FC1	Pass	7:09pm
SRC	Pass	7:09pm
DET	Pass	7:09pm
BAR	Pass	7:09pm
BT	Pass	7:09pm

#### Blank Tests

Test	Status	Time 7:10pm
------	--------	----------------

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:10pm
	CRC Tests	
Test	Status	Time
COMP	Pass	7:10pm
CAL	Pass	7:10pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

bro	rify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic ath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2) Ve	
	rify instrument displays time and date;
(3) Ini	tiate breath test sequence;
(4) En	ter information as prompted;
(5) Ve	rify instrument accuracy;
(6) W	nen "PLEASE BLOW" appears, collect breath sample;
(7) W	nen "PLEASE BLOW" appears, collect breath sample;
(8) Pr	nt test record;
(9) Rt	n diagnostic program and confirm preventive maintenance status of "Pass"; and
sir	rify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath nulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests ichever occurs first.
were performed on th	day of September . 20 25 the forgoing preventive maintenance procedure e instrument indicated above, in accordance with current regulations of the N.C. Department of Health and the instrument is functioning properly.

Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008647 Test Date: 09/21/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J
Permit Number: 1820-8591
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

-/010+

Test	g/210L	Time
DIAG	Pass	7:00pm
AIR BLK	.00	7:01pm
ACCY CHK	.07	7:02pm
AIR BLK	.00	7:03pm
SUB TEST	.00	7:04pm
AIR BLK	.00	7:05pm
SUB TEST	.00	7:06pm
AIR BLK	.00	7:07pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008647 Test Record Number: 2897 Test Date: 09/21/2025 Test Time: 7:09pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	7:09pm
FLO	Pass	7:09pm
FC	Pass	7:09pm

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	7:09pm 7:09pm 7:09pm 7:09pm 7:09pm
	rass	/ . U > pill

#### Blank Tests

Test	Status	Time	
AIR	Pass	7:10pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:10pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	7:10pm 7:10pm

Preventive Maintenance Status: Pass

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County_S	ampson Instrument Location BAT Mobile Unit 9
Instrument Seri	ial No. 00 8704 Instrument Location BAT Mobile Unit 9 Sampson County So
	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced w 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic bre simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator te whichever occurs first.
were performe	n the day of September . 20 25 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Heavyvices, and the instrument is functioning properly.
	Signature of Certifying Official Certificate Number

SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008704 Test Date: 09/21/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	7:01pm
AIR BLK	.00	7:02pm
ACCY CHK	.07	7:03pm
AIR BLK	.00	7:03pm
SUB TEST	.00	7:05pm
AIR BLK	.00	7:06pm
SUB TEST	.00	7:07pm
AIR BLK	.00	7:08pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services
Rev. 12/2007

Analyst

## SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008704 Test Record Number: 954
Test Date: 09/21/2025 Test Time: 7:11pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time	
IR	Pass	7:11pm	
FLO	Pass	7:11pm	
FC	Pass	7:11pm	

## Temperature Tests

Test	Status	Time
FC1	Pass	7:12pm
SRC	Pass	7:12pm
DET	Pass	7:12pm
BAR	Pass	7:12pm
BT	Pass	7:12pm

## Blank Tests

Test	Status	Time	
3.70	Deser	7.12	
AIR	Pass	7:12pm	

## Printer Tests

Test	Status	Time
PRNT	Pass	7:12pm

#### CRC Tests

Test	Status	Time
COMP	Pass	7:12pm
CAL	Pass	7:12pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County	SAMPSON	Instrument Location_	SAMPSON C	OUN TY
Instrument S	Serial No. <u>00</u> 88 25	-	DETENTION	CENTER
The prevent serial numb	tive maintenance procedures for the er 10,000 or higher) to be followe	ne Intoximeters, Model Int d at least once every four	tox EC/IR II and Model Intox months are:	EC/IR II (Enhanced with
(1)	Verify the ethanol gas can breath simulator thermome	ister displays at least 51 peter shows 34 degrees, plus	ounds per square inch (psi) of s or minus .2 degree centigrac	f pressure, or the alcoholide;
(2)	Verify instrument displays	time and date;		
(3)	Initiate breath test sequence	e;		
(4)	Enter information as prom	pted;		
(5)	Verify instrument accuracy	y:		
(6)	When "PLEASE BLOW"	appears, collect breath san	nple;	
(7)	When "PLEASE BLOW"	appears, collect breath san	nple;	
(8)	Print test record;			
(9)	Run diagnostic program ar	nd confirm preventive mai	ntenance status of "Pass"; and	1
(10)			nged before expiration date onths or after 125 Alcoholi	
were perform	on the 24 day of 3E med on the instrument indicated services, and the instrument is ful	above, in accordance with nctioning properly.	current regulations of the N	i.C. Department of Healt
OCH COM	Celu	Ry 13.		46279

#### SAMPSON COUNTY DETENTION CENTER 810

Serial Number: 008825 Test Date: 09/24/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R Permit Number: 0014-6279 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG417802 Exp. Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	9:30am
AIR BLK	.00	9:30am
ACCY CHK	.08	9:31am
AIR BLK	.00	9:32am
SUB TEST	.00	9:33am
AIR BLK	.00	9:34am
SUB TEST	.00	9:35am
AIR BLK	.00	9:36am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

## SAMPSON COUNTY DETENTION CENTER 810

Serial Number: 008825 Test Record Number: 4175 Test Date: 09/24/2025 Test Time: 9:38am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	9:38am
FLO	Pass	9:38am
FC	Pass	9:38am

## Temperature Tests

Test	Status	Time
FC1	Pass	9:38am
SRC	Pass	9:38am
DET	Pass	9:38am
BAR	Pass	9:38am
BT	Pass	9:38am

#### Blank Tests

Test	Status	Time	
		4	
ATR	Pass	9:39am	

## Printer Tests

Test	Status	Time
PRNT	Pass	9:39am
	CRC Tests	
Test	Status	Time
COMP	Pass	9:39am

Preventive Maintenance Status: Pass

Pass

9:39am

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with
(1)	0,000 or higher) to be followed at least once every four months are: Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	the day of September. 20 25 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008826 Test Date: 09/21/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J
Permit Number: 1820-8591
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK	Pass .00 .07	6:58pm 6:59pm 6:59pm 7:00pm
SUB TEST	.00	7:01pm
AIR BLK	.00	7:02pm
SUB TEST	.00	7:04pm
AIR BLK	.00	7:05pm

Reported AC: \_\_\_00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## SAMPSON COUNTY BAT MOBILE UNIT 9 810

Serial Number: 008826 Test Date: 09/21/2025 Test Record Number: 8586 Test Time: 7:07pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	7:07pm
FLO	Pass	7:07pm
FC	Pass	7:07pm

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	7:07pm 7:07pm 7:07pm 7:07pm
BT	Pass	7:07pm

## Blank Tests

Test	Status	Time
AIR	Pass	7:08pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:08pm
	CRC Tests	
Test	Status	Time
COMP	Pass	7:08pm

Pass

7:08pm

Preventive Maintenance Status: Pass

CAL

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH


# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County3	SAMPSON Instrument Location SAMPSON COUNTY
Instrument Ser	rial No. 008877 DETENTION CENTER
The preventive serial number	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alco breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic be simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator whichever occurs first.



Signature of Certifying Official

Certificate Number



#### SAMPSON COUNTY DETENTION CENTER 810

Serial Number: 008877 Test Date: 09/24/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: BARNES, ALVIN R
Permit Number: 0014-6279
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	9:31am
AIR BLK	.00	9:31am
ACCY CHK	.08	9:32am
AIR BLK	.00	9:33am
SUB TEST	.00	9:34am
AIR BLK	.00	9:34am
SUB TEST	.00	9:36am
AIR BLK	.00	9:37am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

alu Zy Bons Analyst

## SAMPSON COUNTY DETENTION CENTER 810

Serial Number: 008877 Test Record Number: 4310 Test Date: 09/24/2025 Test Time: 9:38am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:38am
FLO	Pass	9:38am
FC	Pass	9:38am

## Temperature Tests

Status	Time
Pass	9:38am
	Pass Pass Pass Pass

#### Blank Tests

Test	Status	tus Time
AIR	Pass	9:39am

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:39am
	CRC Tests	
Test	Status	Time
COMP	Pass	9:39am
CAL	Pass	9:39am

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
ere performe	the
	365156

Signature of Certifying Official

Certificate Number

#### SCOTLAND COUNTY LAURINBURG PD 820

Serial Number: 008834 Test Date: 09/03/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Garner, Joel K

Permit Number: 0036-5156

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	10:46am
AIR BLK	.00	10:47am
ACCY CHK	.08	10:48am
AIR BLK	.00	10:49am
SUB TEST	.00	10:49am
AIR BLK	.00	10:50am
SUB TEST	.00	10:52am
AIR BLK		10:53am

Reported AC: .00 g/210L

ignature of Chemical Analyst

Court CVR

Analyst

## SCOTLAND COUNTY LAURINBURG PD 820

Serial Number: 008834 Test Date: 09/03/2025

Test Record Number: 1316 Test Time: 10:53am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	10:54am
FLO	Pass	10:54am
FC	Pass	10:54am

## Temperature Tests

Test	Status	Time
FC1	Pass	10:54am
SRC	Pass	10:54am
DET	Pass	10:54am
BAR	Pass	10:54am
BT	Pass	10:54am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:54am

## Printer Tests

Test	Status	Time
PRNT	Pass	10:54am
	CRC Tests	
Test	Status	Time

Pass

Pass

10:55am

10:55am

Preventive Maintenance Status: Pass

COMP

CAL

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County	al No. 008846 Instrument Location Laurin burg Police Department
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	the 29 day of September, 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.



Signature of Certifying Official

365156 Certificate Number

## SCOTLAND COUNTY LAURINBURG PD 820

Serial Number: 008846 Test Date: 09/29/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Garner, Joel K Permit Number: 0036-5156

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	10:41am
AIR BLK	.00	10:42am
ACCY CHK	.08	10:42am
AIR BLK	.00	10:44am
SUB TEST	.00	10:44am
AIR BLK	.00	10:45am
SUB TEST	.00	10:46am
AIR BLK	.00	10:47am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## SCOTLAND COUNTY LAURINBURG PD 820

Serial Number: 008846 Test Record Number: 6412 Test Date: 09/29/2025 Test Time: 10:49am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:49am 10:49am
FC	Pass	10:49am

## Temperature Tests

Test	Status	Time
FC1	Pass	10:49am
SRC	Pass	10:49am
DET	Pass	10:49am
BAR	Pass	10:49am
BT	Pass	10:49am

## Blank Tests

Test	Status	Time
AIR	Pass	10:50am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:50am
	CRC Tests	
		m i

Test	Status	Time
COMP	Pass Pass	10:50am 10:50am

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County Seri	oHand Instrument Location Scotland County ial No. 008846 Shortfs Office
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 3 day of 500 her, 2035 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.
	HASignature of Certifying Official Signature of Certifying Official Certificate Number

SCOTLAND COUNTY SHERIFFS OFFICE 820

Serial Number: 008846 Test Date: 09/03/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Garner, Joel K
Permit Number: 0036-5156
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK	.00	10:04am 10:04am
SUB TEST	.00	10:06am
AIR BLK SUB TEST	.00	10:07am 10:09am
AIR BLK	.00	10:09am

Reported AC: .00 g/210L

gnature of Chemical Analyst

Court CVR

Analyst

## SCOTLAND COUNTY SHERIFFS OFFICE 820

Serial Number: 008846 Test Record Number: 6405 Test Date: 09/03/2025 Test Time: 10:10am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	10:10am 10:10am
FC	Pass	10:11am

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	10:11am 10:11am 10:11am 10:11am 10:11am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:11am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:11am
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	10:12am 10:12am

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the 29 day of Souther, 2025 the forgoing preventive maintenance procedures and on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.

SCOTLAND COUNTY SHERIFFS OFFICE 820

Serial Number: 008861 Test Date: 09/29/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Garner, Joel K Permit Number: 0036-5156

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	9:36am
AIR BLK	.00	9:37am
ACCY CHK		
AIR BLK		
SUB TEST	.00	9:39am
AIR BLK	.00	9:40am
SUB TEST		9:42am
AIR BLK		9:43am

Reportéd AC: .00 g/210L

Agnature of Chemical Analyst

Court CVR

Analyst

## SCOTLAND COUNTY SHERIFFS OFFICE 820

Serial Number: 008861 Test Record Number: 2174
Test Date: 09/29/2025 Test Time: 9:43am EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	9:44am 9:44am
FC	Pass	9:44am

## Temperature Tests

Test	Status	Time
FC1	Pass	9:44am
SRC	Pass	9:44am
DET	Pass	9:44am
BAR	Pass	9:44am
BT	Pass	9:44am

#### Blank Tests

Test	Status	Time
AIR	Pass	9:44am

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:45am
	CRC Tests	
Test	Status	Time

COMP	Pass	9:45am
CAL	Pass	9:45am

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County Series	Instrument Location Socust PD Jacobs J. No.
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	the 1704 day of September . 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.



STANLY COUNTY LOCUST PD 830

Serial Number: 008706 Test Date: 09/17/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG501303 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	12:53pm
AIR BLK	.00	12:53pm
ACCY CHK	.07	12:54pm
AIR BLK	.00	12:55pm
SUB TEST	.00	12:56pm
AIR BLK	.00	12:56pm
SUB TEST	.00	12:58pm
AIR BLK	.00	12:59pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

## STANLY COUNTY LOCUST PD 830

Serial Number: 008706 Test Record Number: 3859 Test Date: 09/17/2025

Test Time: 12:59pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	12:59pm
FLO	Pass	12:59pm
FC	Pass	1:00pm

## Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	1:00pm 1:00pm 1:00pm 1:00pm
DI	rass	1.00pm

#### Blank Tests

Test	Status	Time
AIR	Pass	1:00pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:00pm

## CRC Tests

Test	Status	Time
COMP	Pass	1:01pm
CAL	Pass	1:01pm

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 15th day of September, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

SURRY COUNTY MOUNT AIRY PD 850

Serial Number: 008896 Test Date: 09/15/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: HANKS, Timothy S Permit Number: 0063-3175 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516203 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	1:04pm
AIR BLK	.00	1:05pm
ACCY CHK	.08	1:06pm
AIR BLK	.00	1:07pm
SUB TEST	.00	1:07pm
AIR BLK	.00	1:09pm
SUB TEST	.00	1:10pm
AIR BLK	.00	1:11pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

## SURRY COUNTY MOUNT AIRY PD 850

Serial Number: 008896 Test Record Number: 1787
Test Date: 09/15/2025 Test Time: 1:20pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	1:21pm
FLO	Pass	1:21pm
FC	Pass	1:21pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	1:21pm
SRC	Pass	1:21pm
DET	Pass	1:21pm
BAR	Pass	1:21pm
BT	Pass	1:21pm

## Blank Tests

Test	Status	Time
ATR	Pass	1:22pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:22pm
	CRC Tests	
Test	Status	Time
COMP	Pass	1:22pm

Preventive Maintenance Status: Pass

Pass

1:22pm

CAL

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

## PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. 008970 Instrument Location BAT Mobile Unit 11  Transylvania County 50
The preventive serial number	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
(10)  I certify that or were performe	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tension whichever occurs first.  A the 27th day of September



Signature of Certifying Official

Certificate Number

TRANSYLVANIA COUNTY BAT MOBILE UNIT 11 870

> Serial Number: 008970 Test Date: 09/27/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Gillstrap, Jeffrey L

Permit Number: 0006-2446

Effective:

12/01/2023-12/01/2025

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test

DIAG Pass 7:32pm AIR BLK .00 7:33pm ACCY CHK .07 7:33pm AIR BLK .00 7:34pm

g/210L

Time

SUB TEST .00 7:35pm AIR BLK .00 7:36pm

SUB TEST .00 7:37pm

AIR BLK .00 7:38pm

Reported AC: .00 g/210L

Signature of Chemical Arayyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

## TRANSYLVANIA COUNTY BAT MOBILE UNIT 11 870

Serial Number: 008970 Test Date: 09/27/2025

Test Record Number: 1314 Test Time: 7:39pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	7:39pm
FLO	Pass	7:39pm
FC	Pass	7:39pm

## Temperature Tests

Test	Status	Time
FC1	Pass	7:39pm
SRC	Pass	7:39pm
DET	Pass	7:39pm
BAR	Pass	7:39pm
BT	Pass	7:39pm

#### Blank Tests

Test	Status	Time
AIR	Pass	7:40pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:40pm
	CRC Tests	
Test	Status	Time

Test	Status	Time
COMP	Pass	7:40pm
CAL	Pass	7:40pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. 008973 Transylvania County 50
The preventive serial number	e maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.

I certify that on the 27 day of September . 20 25 the forgoing preventive maintenance procedures were performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health and Human Services, and the instrument is functioning properly.



Signature of Certifying Official

Certificate Number

TRANSYLVANIA COUNTY BAT MOBILE UNIT 11 870

> Serial Number: 008973 Test Date: 09/27/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Gillstrap, Jeffrey L Permit Number: 0006-2446 Effective: 12/01/2023-12/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	7:40pm
AIR BLK	.00	7:41pm
ACCY CHK	.07	7:42pm
AIR BLK	.00	7:43pm
SUB TEST	.00	7:43pm
AIR BLK	.00	7:44pm
SUB TEST	.00	7:46pm
AIR BLK	.00	7:47pm
SUB TEST AIR BLK SUB TEST	.00	7:43pr 7:44pr 7:46pr

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

## TRANSYLVANIA COUNTY BAT MOBILE UNIT 11 870

Serial Number: 008973 Test Date: 09/27/2025 Test Record Number: 1375

2025 Test Time: 7:47pm EDT

System Check: Passed

## Baseline Tests

Test	Status	Time
IR	Pass	7:48pm
FLO	Pass	7:48pm
FC	Pass	7:48pm

## Temperature Tests

Test	Status	Time
FC1	Pass	7:48pm
SRC	Pass	7:48pm
DET	Pass	7:48pm
BAR	Pass	7:48pm
BT	Pass	7:48pm

## Blank Tests

Test	Status	Time
AIR	Pass	7:49pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:49pm
	CRC Tests	

Test	Status	Time	
COMP	Pass	7:49pm	
CAL	Pass	7:49pm	

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Serial No. 008598 Instrument Location Waxhaw PD Waxhaw, NC
The preventive maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced w serial number 10,000 or higher) to be followed at least once every four months are:
(1) Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcohologous breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2) Verify instrument displays time and date;
(3) Initiate breath test sequence;
(4) Enter information as prompted;
<li>(5) Verify instrument accuracy;</li>
(6) When "PLEASE BLOW" appears, collect breath sample;
(7) When "PLEASE BLOW" appears, collect breath sample;
(8) Print test record;
<ul><li>(9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and</li></ul>
(10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatmulator solution is being changed every four months or after 125 Alcoholic Breath Simulator test whichever occurs first.
1 certify that on the

Signature of Certifying Official Certificate Number

UNION COUNTY WAXHAW PD 890

Serial Number: 008598 Test Date: 09/03/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG501303 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	3:09pm
AIR BLK	.00	3:09pm
ACCY CHK	.07	3:10pm
AIR BLK	.00	3:11pm
SUB TEST	.00	3:12pm
AIR BLK	.00	3:12pm
SUB TEST	.00	3:14pm
AIR BLK	.00	3:15pm

Deported AC: .00 g/210L

Court CVR

Analyst

# UNION COUNTY WAXHAW PD 890

Serial Number: 008598 Test Record Number: 1150 Test Date: 09/03/2025 Test Time: 3:15pm EDT

System Check: Passed

# Baseline Tests

Test	Status	Time
IR	Pass	3:16pm
FLO	Pass	3:16pm
FC	Pass	3:16pm

# Temperature Tests

Test	Status	Time
FC1	Pass	3:16pm
SRC	Pass	3:16pm
DET	Pass	3:16pm
BAR	Pass	3:16pm
BT	Pass	3:16pm

#### Blank Tests

Test	Status	Time
AIR	Pass	3:17pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	3:17pm
	CRC Tests	
Test	Status	Time
COMP	Pass	3:17pm

Preventive Maintenance Status: Pass

Pass

CAL

3:17pm

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Serial No. 008694 Instrument Serial No. 008694

The preventive maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with serial number 10,000 or higher) to be followed at least once every four months are:

- (1) Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
- Verify instrument displays time and date;
- (3) Initiate breath test sequence;
- (4) Enter information as prompted;
- (5) Verify instrument accuracy;
- (6) When "PLEASE BLOW" appears, collect breath sample;
- (7) When "PLEASE BLOW" appears, collect breath sample;
- (8) Print test record;
- (9) Run diagnostic program and confirm preventive maintenance status of "Pass"; and
- (10) Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.

I certify that on the 34 day of September, 2035 the forgoing preventive maintenance procedures were performed on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health and Human Services, and the instrument is functioning properly.



Signature of Certifying Official

844842

Certificate Number

UNION COUNTY STALLINGS PD 890

Serial Number: 008694 Test Date: 09/24/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431001 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	1:05pm
AIR BLK	.00	1:05pm
ACCY CHK	.08	1:06pm
AIR BLK	.00	1:07pm
SUB TEST	.00	1:07pm
AIR BLK	.00	1:08pm
SUB TEST	.00	1:10pm
AIR BLK	.00	1:11pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# UNION COUNTY STALLINGS PD 890

Serial Number: 008694 Test Record Number: 1971 Test Date: 09/24/2025 Test Time: 1:11pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	1:12pm
FLO	Pass	1:12pm
FC	Pass	1:12pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	1:12pm
SRC	Pass	1:12pm
DET	Pass	1:12pm
BAR	Pass	1:12pm
BT	Pass	1:12pm

# Blank Tests

Test	Status	Time
AIR	Pass	1:13pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:13pm

#### CRC Tests

Test	Status	Time
COMP	Pass	1:13pm
CAL	Pass	1:13pm

Preventive Maintenance

Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County UY	nion Instrument Location Union County 80 Monne, NC
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that on were performed and Human Ser	the
66	

Signature of Certifying Official

Certificate Number

UNION COUNTY UNION COUNTY SO 890

Serial Number: 008876 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	2:20pm
AIR BLK	.00	2:20pm
ACCY CHK	.08	2:21pm
AIR BLK	.00	2:23pm
SUB TEST	.00	2:23pm
AIR BLK	.00	2:24pm
SUB TEST	.00	2:26pm
AIR BLK	.00	2:27pm

Reported AC; 4.00 g/210L

Signature of Chemical Analyst

Court CVR

Analys

# UNION COUNTY UNION COUNTY SO 890

Serial Number: 008876 Test Record Number: 7488
Test Date: 09/18/2025 Test Time: 2:27pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	2:27pm
FLO	Pass	2:27pm
FC	Pass	2:28pm

# Temperature Tests

Test	Status	Time
FC1	Pass	2:28pm
SRC	Pass	2:28pm
DET	Pass	2:28pm
BAR	Pass	2:28pm
BT	Pass	2:28pm

#### Blank Tests

Test	Status	Time	
ATD	Dage	2:28pm	
AIR	Pass	2:2	

#### Printer Tests

Test

CAL

Statue Time

2:29pm

1696	status	TIME
PRNT	Pass	2:28pm
	CRC Tests	
Test	Status	Time
COMP	Pass	2:29pm

Preventive Maintenance Status: Pass

Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County UY	nion Instrument Location Stallings PD al No.008910 Stallings, NC
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
I certify that on were performed and Human Ser	the 180h day of September, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
STATE OF	

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

UNION COUNTY STALLINGS PD 890

Serial Number: 008910 Test Date: 09/18/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Helms, Bryce A Permit Number: 0084-9845 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431001 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	1:30pm
AIR BLK	.00	1:31pm
ACCY CHK	.07	1:31pm
AIR BLK	.00	1:32pm
SUB TEST	.00	1:33pm
AIR BLK	.00	1:34pm
SUB TEST	.00	1:35pm
AIR BLK	.00	1:36pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

#### UNION COUNTY STALLINGS PD 890

Serial Number: 008910 Test Record Number: 1895 Test Date: 09/18/2025 Test Time: 1:36pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	1:37pm
FLO	Pass	1:37pm
FC	Pass	1:37pm

# Temperature Tests

Test	Status	Time
FC1	Pass	1:37pm
SRC	Pass	1:37pm
DET	Pass	1:37pm
BAR	Pass	1:37pm
BT	Pass	1:37pm

#### Blank Tests

Test	Status	Time	
ATR	Pass	1:38pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:38pm
	CRC Tests	
Test	Status	Time

	100.00.00.00.00	
COMP	Pass	1:38pm
CAL	Pass	1:38pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number I	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the

VANCE COUNTY BAT MOBILE UNIT 11 900

Serial Number: 008970 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Gillstrap, Jeffrey L Permit Number: 0006-2446 Effective: 12/01/2023-12/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	1:42pm
AIR BLK	.00	1:43pm
ACCY CHK	.07	1:44pm
AIR BLK	.00	1:45pm
SUB TEST	.00	1:45pm
AIR BLK	.00	1:46pm
SUB TEST	.00	1:48pm
AIR BLK	.00	1:49pm

Reported AC: .00 g/210L

Signarus of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

# VANCE COUNTY BAT MOBILE UNIT 11 900

Serial Number: 008970 Test Record Number: 1305

Test Date: 09/18/2025 Test Time: 1:50pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	1:50pm 1:50pm
FC	Pass	1:50pm

# Temperature Tests

Test	Status	Time
FC1 SRC DET BAR	Pass Pass Pass Pass	1:50pm 1:50pm 1:50pm 1:50pm
BT	Pass	1:50pm

# Blank Tests

Test	Status	Time
AIR	Pass	1:51pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	1:51pm

# CRC Tests

Test	Status	Time
COMP	Pass Pass	1:51pm 1:51pm

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
Verify instrument displays time and date;
Initiate breath test sequence;
Enter information as prompted;
Verify instrument accuracy;
When "PLEASE BLOW" appears, collect breath sample;
When "PLEASE BLOW" appears, collect breath sample;
Print test record;
Run diagnostic program and confirm preventive maintenance status of "Pass"; and
Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatt simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
the 19 day of September, 2025 the forgoing preventive maintenance procedured on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt rvices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Certificate Number

VANCE COUNTY BAT MOBILE UNIT 11 900

Serial Number: 008970 Test Date: 09/19/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Gillstrap, Jeffrey L

Permit Number: 0006-2446

Effective:

12/01/2023-12/01/2025

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	4:38pm
AIR BLK	.00	4:39pm
ACCY CHK	.07	4:40pm
AIR BLK	.00	4:41pm
SUB TEST	.00	4:41pm
AIR BLK	.00	4:42pm
SUB TEST	.00	4:44pm
AIR BLK	.00	4:44pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analy

#### VANCE COUNTY BAT MOBILE UNIT 11 900

Serial Number: 008970 Test Record Number: 1310 Test Date: 09/19/2025 Test Time: 4:48pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	4:48pm
FLO	Pass	4:48pm
FC	Pass	4:48pm

# Temperature Tests

Test	Status	Time
FC1	Pass	4:48pm
SRC	Pass	4:48pm
DET	Pass	4:48pm
BAR	Pass	4:48pm
BT	Pass	4:48pm

#### Blank Tests

Test	Status	Time
AIR	Pass	4:49pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	4:49pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	4:49pm 4:49pm

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	10th ( 1 ) 15

A signed original of the preventive maintenance record shall be kept on file for at least three years.

gnature of Certifying Official

Certificate Number

VANCE COUNTY BAT MOBILE UNIT 11 900

Serial Number: 008973 Test Date: 09/18/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gillstrap, Jeffrey L Permit Number: 0006-2446 Effective: 12/01/2023-12/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG AIR BLK	Pass	2:32pm 2:33pm
ACCY CHK	.07	2:33pm
AIR BLK	.00	2:34pm
SUB TEST		2:35pm
AIR BLK	.00	2:36pm
SUB TEST	.00	2:37pm
AIR BLK	.00	2:38pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

# VANCE COUNTY BAT MOBILE UNIT 11 900

Test Record Number: 1369 Serial Number: 008973 Test Time: 2:39pm EDT Test Date: 09/18/2025

System Check: Passed

#### Baseline Tests

2:39pm 2:39pm 2:39pm

# Temperature Tests

Test	Status	Time
FC1	Pass	2:39pm
SRC	Pass	2:39pm
DET	Pass	2:39pm
BAR	Pass	2:39pm
BT	Pass	2:39pm

#### Blank Tests

Test	Status	Time
AIR	Pass	2:40pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	2:40pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	2:40pm 2:40pm

2:40pm

Preventive Maintenance Status: Pass

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the 19 day of System 2, 20 25 the forgoing preventive maintenance procedures of on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.

VANCE COUNTY BAT MOBILE UNIT 11 900

Serial Number: 008973 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gillstrap, Jeffrey L Permit Number: 0006-2446 Effective: 12/01/2023-12/01/2025

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	4:56pm
AIR BLK	.00	4:57pm
ACCY CHK	.07	4:58pm
AIR BLK	.00	4:59pm
SUB TEST	.00	5:00pm
AIR BLK	.00	5:00pm
SUB TEST	.00	5:02pm
AIR BLK	.00	5:03pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

# VANCE COUNTY BAT MOBILE UNIT 11 900

Serial Number: 008973

Test Record Number: 1371

Test Date: 09/19/2025 Test Time: 5:04pm EDT

System Check: Passed

# Baseline Tests

Status	Time
Pass	5:04pm
Pass	5:04pm
Pass	5:04pm
	Pass Pass

# Temperature Tests

Test	Status	Time
FC1	Pass	5:04pm
SRC	Pass	5:04pm
DET	Pass	5:04pm
BAR	Pass	5:04pm
BT	Pass	5:04pm

#### Blank Tests

Test	Status	Time
AIR	Pass	5:05pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	5:05pm
	CRC Tests	
Test	Status	Time

Test	Status	Time
COMP	Pass	5:05pm
CAL	Pass	5:05pm

Preventive Maintenance Status: Pass

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	rial No. 008577	3301 HAMM	umo Ro
		Raleigh, NC	umo Ro
The preventive serial number	e maintenance procedures for the Intoximeters, N 10,000 or higher) to be followed at least once ev	Model Intox EC/IR II and Mo	
(1)	Verify the ethanol gas canister displays at le breath simulator thermometer shows 34 deg	east 51 pounds per square inclurees, plus or minus .2 degree	n (psi) of pressure, or the alcoholic centigrade;
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect b	reath sample;	
(7)	When "PLEASE BLOW" appears, collect b	reath sample;	
(8)	Print test record;		
(9)	Run diagnostic program and confirm preven	ntive maintenance status of "P	ass"; and
(10)	Verify that the ethanol gas canister is b simulator solution is being changed every whichever occurs first.	eing changed before expirat y four months or after 125	ion date, or the alcoholic breath Alcoholic Breath Simulator tests,
were performe	n the 2 day of Sylembor and on the instrument indicated above, in according property and the instrument is functioning property.	ance with current regulations	reventive maintenance procedures of the N.C. Department of Health

WAKE COUNTY DETENTION CENTER 910

Serial Number: 008577 Test Date: 09/02/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Barnes, Simon S Permit Number: 0014-6221

Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	7:29am
AIR BLK	.00	7:29am
ACCY CHK	.07	7:30am
AIR BLK	.00	7:31am
SUB TEST	.00	7:32am
AIR BLK	.00	7:33am
SUB TEST	.00	7:35am
AIR BLK	.00	7:36am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# WAKE COUNTY DETENTION CENTER 910

Serial Number: 008577 Test Record Number: 9045 Test Date: 09/02/2025 Test Time: 7:36am EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	7:36am
FLO	Pass	7:36am
FC	Pass	7:37am

# Temperature Tests

Test	Status	Time
FC1	Pass	7:37am
SRC	Pass	7:37am
DET	Pass	7:37am
BAR	Pass	7:37am
BT	Pass	7:37am

#### Blank Tests

Test	Status	Time
ATR	Pass	7:37am

# Printer Tests

Test	Status	Time
PRNT	Pass	7:37am
	CRC Tests	
Test	Status	Time
COMP	Pass	7:37am

Preventive Maintenance Status: Pass

Pass

CAL

7:37am

les DALLE

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that on were performed	simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator te

WAKE COUNTY CARY PD 910

Serial Number: 008587 Test Date: 09/02/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Barnes, Simon S

Permit Number: 0014-6221

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG400302 Exp Date: 01/03/2026

Test	g/210L	Time
DIAG	Pass	10:29am
AIR BLK	.00	10:30am
ACCY CHK	.08	10:31am
AIR BLK		10:32am
SUB TEST		10:32am
AIR BLK		10:33am
SUB TEST		10:35am
ATR BLK		10:36am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# WAKE COUNTY CARY PD 910

Serial Number: 008587 Test Record Number: 5527 Test Date: 09/02/2025 Test Time: 10:36am EDT

System Check: Passed

# Baseline Tests

Test	Status	Time
IR	Pass	10:37am
FLO	Pass	10:37am
FC	Pass	10:37am

# Temperature Tests

Test	Status	Time
FC1	Pass	10:37am
SRC	Pass	10:37am
DET	Pass	10:37am
BAR	Pass	10:37am
BT	Pass	10:37am

#### Blank Tests

Test	Status	Time
ATR	Pass	10:38am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:38am
	CRC Tests	
Test	Status	Time

1000	00000	22
COMP	Pass	10:38am
CAL	Pass	10:38am

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
	the 2 day of September . 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

WAKE COUNTY SOUTH WEST DISTRICT 910

Serial Number: 008612 Test Date: 09/02/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Barnes, Simon S

Permit Number: 0014-6221

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG400302 Exp Date: 01/03/2026

Test	g/210L	Time
DIAG	Pass	9:45am
AIR BLK	.00	9:46am
ACCY CHK	.07	9:47am
AIR BLK	.00	9:48am
SUB TEST	.00	9:50am
AIR BLK	.00	9:51am

AIR BLK .00 9:53am

SUB TEST .00

Reported AC:

9:52am

.00 g/210L

Signature of Chemical Analyst

Court CVR

# WAKE COUNTY SOUTH WEST DISTRICT 910

Serial Number: 008612 Test Record Number: 5423 Test Date: 09/02/2025 Test Time: 9:54am EDT

System Check: Passed

# Baseline Tests

Test	Status	Time
IR	Pass	9:54am
FLO	Pass	9:54am
FC	Pass	9:55am

# Temperature Tests

Test	Status	Time
FC1	Pass	9:55am
SRC	Pass	9:55am
DET	Pass	9:55am
BAR	Pass	9:55am
BT	Pass	9:55am

#### Blank Tests

Test	Status	Time
AIR	Pass	9:55am

#### Printer Tests

rest	Status	rime
PRNT	Pass	9:55am
	CRC Tests	

Status	Time
Pass	9:55am
Pass	9:55am
	Pass

Preventive Maintenance Status: Pass

Analyst

# DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

(1) (2) (3) (4) (5) (6)	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:  Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;  Verify instrument displays time and date;  Initiate breath test sequence;  Enter information as prompted;  Verify instrument accuracy;
(2) (3) (4) (5)	Verify instrument displays time and date;  Initiate breath test sequence;  Enter information as prompted;  Verify instrument accuracy;
(3) (4) (5)	Initiate breath test sequence; Enter information as prompted; Verify instrument accuracy;
(4) (5)	Enter information as prompted;  Verify instrument accuracy;
(5)	Verify instrument accuracy;
(6)	
	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
	the 2 day of Softender, 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rices, and the instrument is functioning properly.

WAKE COUNTY APEX PD

Serial Number: 008621 Test Date: 09/02/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Barnes, Simon S

Permit Number: 0014-6221

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	11:48am
AIR BLK	.00	11:49am
ACCY CHK	.07	11:49am
AIR BLK	.00	11:50am
SUB TEST	.00	11:51am
AIR BLK	.00	11:52am
SUB TEST	.00	11:53am
ATR BLK	0.0	11:54am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### WAKE COUNTY APEX PD

Serial Number: 008621 Test Record Number: 3723 Test Date: 09/02/2025 Test Time: 11:55am EDT

System Check: Passed

# Baseline Tests

Test	Status	Time
IR	Pass	11:55am
FLO	Pass	11:55am
FC	Pass	11:55am

#### Temperature Tests

Test	Status	Time
FC1	Pass	11:55am
SRC	Pass	11:55am
DET	Pass	11:55am
BAR	Pass	11:55am
BT	Pass	11:55am

#### Blank Tests

Test	Status	Time
AIR	Pass	11:56am

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:56am
	CRC Tests	
Test	Status	Time
COMP	Pass	11:56am
CAL	Pass	11:56am

Preventive Maintenance Status: Pass

Soum Stokes BANS

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 22 day of SEPTEMBER, 20 25the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

fifying Official

WAKE COUNTY NORTH EAST DISTRICT 910

Serial Number: 008623 Test Date: 09/22/2025

Citation Number: M0000000-0
Subject's Name:
PREVENTIVE, MAINTENANCE
Subject's Date of Birth: 11/11/1911
Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Bryant, Earl A
Permit Number: 0017-9707
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG505001 Exp Date: 02/19/2027

Test	g/210L	Time
DIAG	Pass	10:17am
AIR BLK	.00	10:18am
ACCY CHK	.07	10:19am
AIR BLK	.00	10:20am
SUB TEST	.00	10:21am
AIR BLK	.00	10:22am
SUB TEST	.00	10:23am
AIR BLK	.00	10:24am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

# WAKE COUNTY NORTH EAST DISTRICT 910

Serial Number: 008623 Test Record Number: 4993 Test Date: 09/22/2025 Test Time: 10:25am EDT

System Check: Passed

#### Baseline Tests

Test Stati	ıs Time
IR Pass	10:25am
FLO Pass	10:25am
FC Pass	10:25am

#### Temperature Tests

Test	Status	Time
FC1	Pass	10:26am
SRC	Pass	10:26am
DET	Pass	10:26am
BAR	Pass	10:26am
BT	Pass	10:26am

#### Blank Tests

Test	Status	Time
AIR	Pass	10:26am

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:26am
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	10:26am 10:26am

Preventive Maintenance Status: Pass

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services

Rev. 12/2007

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 008760 3301 Haymond Rd
	RALEIGH, NC
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the 2 day of Scolember , 2025 the forgoing preventive maintenance procedures of on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health revices, and the instrument is functioning properly.  Some Asker Bacco 146221

WAKE COUNTY DETENTION CENTER 910

Serial Number: 008760 Test Date: 09/02/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Barnes, Simon S

Permit Number: 0014-6221

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	7:38am
AIR BLK	.00	7:39am
ACCY CHK	.08	7:39am
AIR BLK	.00	7:40am
SUB TEST	.00	7:41am
AIR BLK	.00	7:42am
SUB TEST	.00	7:44am
AIR BLK	.00	7:45am

Reported AC: .00 g/210L

Somm Stoles SARUS

Signature of Chemical Analyst

Court CVR

Smy Stokes Expres

#### WAKE COUNTY DETENTION CENTER 910

Serial Number: 008760 Test Record Number: 7312 Test Date: 09/02/2025 Test Time: 7:46am EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	7:46am
FLO	Pass	7:46am
FC	Pass	7:47am

#### Temperature Tests

Test	Status	Time
FC1	Pass	7:47am
SRC	Pass	7:47am
DET	Pass	7:47am
BAR	Pass	7:47am
BT	Pass	7:47am

#### Blank Tests

Test	Status	Time
AIR	Pass	7:47am

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:47am

#### CRC Tests

	à
COMP Pass 7:47	am
CAL Pass 7:47	am

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

		0201 11	, Pa
Instrument Seri	ial No. <u>008778</u>	3301 14	AMMIND ICI)
		Raleigh	noty Detention Gra HAMMAND RD
	maintenance procedures for the Intoximete 0,000 or higher) to be followed at least one	ers, Model Intox EC/IR II an	
(1)	Verify the ethanol gas canister displays breath simulator thermometer shows 34		
(2)	Verify instrument displays time and da	te;	
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, coll	ect breath sample;	
(7)	When "PLEASE BLOW" appears, coll	ect breath sample;	
(8)	Print test record;		
(9)	Run diagnostic program and confirm p	reventive maintenance status	s of "Pass"; and
(10)	Verify that the ethanol gas canister simulator solution is being changed whichever occurs first.		
were performed	the day of do not the instrument indicated above, in acryices, and the instrument is functioning professional for the control of the control o	cordance with current regul	
Ishan Sa	SICAI		146221

WAKE COUNTY DETENTION CENTER 910

Serial Number: 008778 Test Date: 09/02/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Barnes, Simon S

Permit Number: 0014-6221

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	7:28am
AIR BLK	.00	7:29am
ACCY CHK	.07	7:30am
AIR BLK	.00	7:31am
SUB TEST	.00	7:31am
AIR BLK	.00	7:32am
SUB TEST	.00	7:35am
AIR BLK	.00	7:35am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Simm Ades BANES

# WAKE COUNTY DETENTION CENTER 910

Serial Number: 008778 Test Record Number: 8854 Test Date: 09/02/2025 Test Time: 7:36am EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	7:36am
FLO	Pass	7:36am
FC	Pass	7:36am

#### Temperature Tests

Test	Status	Time
FC1	Pass	7:36am
SRC	Pass	7:36am
DET	Pass	7:36am
BAR	Pass	7:36am
BT	Pass	7:36am

#### Blank Tests

Test	Status	Time
AIR	Pass	7:37am

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:37am
	CRC Tests	
	Chahua	Mimo

Test Stati	
COMP Pass	7:37am
CAL Pass	7:37am

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number I	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.		
were performe	the 18 day of September , 20 25 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.		

Signature of Certifying Official

Certificate Number

WAKE COUNTY BAT MOBILE UNIT 13 910

Serial Number: 008869 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX

Driver's License Number: NONE

Analyst's Name: Whitehurst, Timothy B

Permit Number: 0030-7699

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	8:02pm
AIR BLK	.00	8:03pm
ACCY CHK	.08	8:04pm
AIR BLK	.00	8:05pm
SUB TEST	.00	8:05pm
AIR BLK	.00	8:06pm
SUB TEST	.00	8:08pm

8:09pm

Reported AC: .00 g/210L

AIR BLK .00

Court CVR

#### WAKE COUNTY BAT MOBILE UNIT 13 910

Serial Number: 008869 Test Record Number: 2110
Test Date: 09/18/2025 Test Time: 8:09pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	8:09pm
FLO	Pass	8:09pm
FC	Pass	8:10pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	8:10pm
SRC	Pass	8:10pm
DET	Pass	8:10pm
BAR	Pass	8:10pm
BT	Pass	8:10pm

#### Blank Tests

Test	Status	Time
ATR	Dage	8 • 1 0 mm

#### Printer Tests

Test	Status	Time
PRNT	Pass	8:10pm
	CRC Tests	
Test	Status	Time

COMP Pass 8:11pm CAL Pass 8:11pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. 008898  Instrument Location BAT Mabife Haif 13  Rolesville PD
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholis breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breatt simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performed	the

Signature of Certifying Offici

307699

Certificate Number

WAKE COUNTY BAT MOBILE UNIT 13 910

Serial Number: 008898 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male er's License State: X

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Whitehurst, Timothy B

Permit Number: 0030-7699

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

.....

Test	g/210L	Time
DIAG	Pass	7:42pm
AIR BLK	.00	7:43pm
ACCY CHE	.07	7:44pm
AIR BLK	.00	7:45pm
SUB TEST	.00	7:45pm
AIR BLK	.00	7:46pm
SUB TEST	.00	7:48pm
AIR BLK	.00	7:49pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# WAKE COUNTY BAT MOBILE UNIT 13 910

Serial Number: 008898 Test Record Number: 2057 Test Date: 09/18/2025 Test Time: 7:51pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	7:51pm
FLO	Pass	7:51pm
FC	Pass	7:51pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	7:52pm
SRC	Pass	7:52pm
DET	Pass	7:52pm
BAR	Pass	7:52pm
BT	Pass	7:52pm

# Blank Tests

Test	Status	Time
AIR	Pass	7:52pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:52pm
	CRC Tests	
32000000	102220000000	

rest	Status	Time
COMP	Pass	7:52pm
CAL	Pass	7:52pm

Preventive Maintenance Status: Pass

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy,
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 18 day of September . 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

WAKE COUNTY BAT MOBILE UNIT 13 910

Serial Number: 008939 Test Date: 09/18/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Whitehurst, Timothy B

Permit Number: 0030-7699

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG506302 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	7:27pm
AIR BLK	.00	7:28pm
ACCY CHK	.07	7:28pm
AIR BLK	.00	7:29pm
SUB TEST	.00	7:30pm
AIR BLK	.00	7:31pm
SUB TEST	.00	7:32pm
AIR BLK	.00	7:33pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# WAKE COUNTY BAT MOBILE UNIT 13 910

Serial Number: 008939 Test Record Number: 1927 Test Date: 09/18/2025 Test Time: 7:34pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	7:34pm
FLO	Pass	7:34pm
FC	Pass	7:34pm

# Temperature Tests

Test	Status	Time
FC1	Pass	7:34pm
SRC	Pass	7:34pm
DET	Pass	7:34pm
BAR	Pass	7:34pm
BT	Pass	7:34pm

#### Blank Tests

Test	Status	Time
AIR	Pass	7:35pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:35pm

#### CRC Tests

Test	Status	Time
COMP	Pass	7:35pm
CAL	Pass	7:35pm

Preventive Maintenance Status: Pass

1 mg Batter

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Ser	ial No. 008970 Wende 11 PD
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performe	the 12th day of September , 205 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
SUN	Am Janier 1604930

WAKE COUNTY BAT MOBILE UNIT 11 910

Serial Number: 008970 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Lanier Jr., John P
Permit Number: 4582-9118
Effective:
03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	9:06pm
AIR BLK	.00	9:07pm
ACCY CHK	.08	9:07pm
AIR BLK	.00	9:08pm
SUB TEST	.00	9:09pm
AIR BLK	.00	9:10pm
SUB TEST	.00	9:11pm
AIR BLK	.00	9:12pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### WAKE COUNTY BAT MOBILE UNIT 11 910

Serial Number: 008970

Test Record Number: 1302

Test Date: 09/12/2025

Test Time: 9:13pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:13pm
FLO	Pass	9:13pm
FC	Pass	9:13pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	9:13pm
SRC	Pass	9:13pm
DET	Pass	9:13pm
BAR	Pass	9:13pm
BT	Pass	9:13pm

#### Blank Tests

Test	Status	Time
ATR	Dage	9 - 14 mm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:14pm
	CRC Tests	

Test	Status	Time
COMP	Pass	9:14pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

mstrument Sen	al No. 008973 Werdell PD
The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 12th day of September , 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
City of	Signature of Certifying Official Certificate Number

WAKE COUNTY BAT MOBILE UNIT 11 910

Serial Number: 008973 Test Date: 09/12/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Lanier Jr., John P Permit Number: 4582-9118 Effective: 03/01/2025-03/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	9:07pm
AIR BLK	.00	9:08pm
ACCY CHK	.08	9:08pm
AIR BLK	.00	9:09pm
SUB TEST	.00	9:10pm
AIR BLK	.00	9:11pm
SUB TEST	.00	9:12pm
AIR BLK	.00	9:13pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# WAKE COUNTY BAT MOBILE UNIT 11 910

Serial Number: 008973

Test Record Number: 1367

Test Date: 09/12/2025

Test Time: 9:14pm EDT

### System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:14pm
FLO FC	Pass Pass	9:14pm 9:14pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	9:14pm
SRC	Pass	9:14pm
DET	Pass	9:14pm
BAR	Pass	9:14pm
BT	Pass	9:14pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:15pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:15pm

#### CRC Tests

Test	Status	Time
COMP	Pass Pass	9:15pm 9:15pm

Preventive Maintenance Status: Pass

This form is used when performing Preventive Maintenance procedures Forensic Tests for Alcohol Branch Department of Health and Human Services

Rev. 12/2007

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the day of September, 2025 the forgoing preventive maintenance procedures of on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.
- De com rea	2266313
	Signature of Certifying Official Certificate Number

WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008575 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591

Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG	Pass	9:16pm
AIR BLK	.00	9:17pm
ACCY CHK	.08	9:17pm
AIR BLK	.00	9:18pm
SUB TEST	.00	9:19pm
AIR BLK	.00	9:20pm
SUB TEST	.00	9:21pm
AIR BLK	.00	9:22pm

Reported AC: 000 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008575

Test Record Number: 1511

Test Date: 09/19/2025 Test Time: 9:23pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:24pm
FLO	Pass	9:24pm
FC	Pass	9:24pm

# Temperature Tests

Test	Status	Time
FC1 SRC DET BAR BT	Pass Pass Pass Pass Pass	9:24pm 9:24pm 9:24pm 9:24pm 9:24pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:24pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:24pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	9:25pm 9:25pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that on	the day of September, 20 25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

Signature of Certifying Official

Certificate Number

WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008616 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911 Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J Permit Number: 1820-8591 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	9:15pm
AIR BLK	.00	9:16pm
ACCY CHK	.08	9:17pm
AIR BLK	.00	9:18pm
SUB TEST	.00	9:18pm
AIR BLK	.00	9:19pm
SUB TEST	.00	9:21pm
AIR BLK	.00	9:22pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

#### WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008616

Test Record Number: 2902

Test Date: 09/19/2025

Test Time: 9:22pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	9:23pm
FLO	Pass	9:23pm
FC	Pass	9:23pm

#### Temperature Tests

Status	Time
Pass	9:23pm
	Pass Pass Pass Pass

#### Blank Tests

Test	Status	Time	
AIR	Pass	9:24pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:24pm
	CRC Tests	
Test	Status	Time

COMP Pass 9:24pm CAL Pass 9:24pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the day of September, 20,25 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
3	
- a am rea	2266 313

Signature of Certifying Official

Certificate Number

WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008647 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J
Permit Number: 1820-8591
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG AIR BLK	Pass	9:14pm 9:15pm
ACCY CHK	.07	9:15pm
AIR BLK	.00	9:16pm
SUB TEST	.00	9:17pm
AIR BLK	.00	9:18pm
SUB TEST	.00	9:20pm
AIR BLK	.00	9:20pm

Reported AC: \_00 g/210L

Signatur of Chemical Analyst

Court CVR

Analyst

# WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008647 Test Record Number: 2891
Test Date: 09/19/2025 Test Time: 9:21pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR	Pass	9:21pm 9:21pm
FLO FC	Pass Pass	9:21pm

#### Temperature Tests

Test	Status	Time
FC1	Pass	9:22pm
SRC	Pass	9:22pm
DET	Pass	9:22pm
BAR	Pass	9:22pm
BT	Pass	9:22pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:22pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:22pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	9:23pm 9:23pm

Preventive Maintenance Status: Pass

Analyst

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	al No. UOB649 Instrument Location Wayne Co. Defention 200 Strongch Ave., Goldstory		
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:		
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;		
(2)	Verify instrument displays time and date;		
(3)	Initiate breath test sequence;		
(4)	Enter information as prompted;		
(5)	Verify instrument accuracy;		
(6)	When "PLEASE BLOW" appears, collect breath sample;		
(7)	When "PLEASE BLOW" appears, collect breath sample;		
(8)	Print test record;		
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and		
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.		
were performed	the 19 day of September, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.		

WAYNE COUNTY DETENTION CENTER 950

Serial Number: 008649 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Gray, Kelly D Permit Number: 0037-7722 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG400303 Exp Date: 01/03/2026

Test	g/210L	Time
		4
DIAG : .	Pass .	11:29am
AIR BLK	.00	11:29am.
ACCY CHK	.08	11:30am
AIR BLK	.00	11:31am
SUB TEST	.00	11:32am
AIR BLK	.00	11:33am
SUB TEST	.00	.11:34am
AIR BLK	.00	11:35am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

# WAYNE COUNTY DETENTION CENTER 950

Serial Number: 008649 Test Record Number: 6296 Test Date: 09/19/2025. Test Time: 11:36am EDT

System Check: Passed

# Baseline Tests

Test		Status	'Time
IR		Pass	11:37am
FLO	111	Pass	:11:37am
FC		Pass	11:37am

#### Temperature Tests

Test		Status	Time
FC1		Pass	11:37am
SRC		Pass	11:37am
DET	-	Pass	11:37am
BAR	100	Pass	11:37am
BT	1	Pass	11:37am
	72		

#### Blank Tests

Test	Status	Time	
AIR	Pass	11:37am	

#### Printer Tests

Test	Status	Time
PRNT	Pass	11:37an
4	CRC Tests	

Test	Status	Time
COMP	Pass	11:38am

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	the 19th day of September, 20 25 the forgoing preventive maintenance procedures don the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Certifying Official

Certificate Number

WAYNE COUNTY DETENTION CENTER 950

Serial Number: 008671 Test Date: 09/19/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male
Driver's License State: XX
Driver's License Number: NONE

Analyst's Name: Gray, Kelly D Permit Number: 0037-7722 Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG506301 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	11:52am
AIR BLK	.00	11:53am
ACCY CHK	.07	11:54am
AIR BLK	.00	11:55am
SUB TEST	.00	11:55am
AIR BLK	.00	11:56am
SUB TEST	.00	11:58am
AIR BLK	.00	11:59am

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

### WAYNE COUNTY DETENTION CENTER 950

Serial Number: 008671 Test Record Number: 5387 Test Date: 09/19/2025 Test Time: 11:59am EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	12:00pm
FLO	Pass	12:00pm
FC	Pass	12:00pm

### Temperature Tests

Test	Status	Time
FC1	Pass	12:00pm
SRC	Pass	12:00pm
DET	Pass	12:00pm
BAR	Pass	12:00pm
BT	Pass	12:00pm

#### Blank Tests

Test	Status	Time
AIR	Pass	12:01pm

### Printer Tests

Test	Status	Time
PRNT	Pass	12:01pm
	CRC Tests	
Test	Status	Time
COMP	Pass	12:01pm
CAL	Pass	12:01pm

Preventive Maintenance Status: Pass

Analyst

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

County (	Dayne	Instrument Location	BAT	Mobile U	\n,+ 9
Instrument Seri	al No. 00 8704		Wayne	County	So
	maintenance procedures for the 0,000 or higher) to be followed			nd Model Intox EC/	TR II (Enhanced with
(1)	Verify the ethanol gas canis breath simulator thermometer	ter displays at least 51 er shows 34 degrees, p	pounds per squa dus or minus .2 d	are inch (psi) of pres legree centigrade;	ssure, or the alcoholic
(2)	Verify instrument displays t	ime and date;			
(3)	Initiate breath test sequence				
(4)	Enter information as prompt	ted;			
(5)	Verify instrument accuracy;				
(6)	When "PLEASE BLOW" ap	ppears, collect breath s	sample;		
(7)	When "PLEASE BLOW" as	opears, collect breath s	sample;		
(8)	Print test record;				
(9)	Run diagnostic program and	confirm preventive n	naintenance status	s of "Pass"; and	
(10)	Verify that the ethanol ga simulator solution is being whichever occurs first.				
were performed	the day of self on the instrument indicated at vices, and the instrument is fund	ove, in accordance w	the forgointh current regula	ations of the N.C. I	Department of Health
Own ser		ignature of Certifying	Official Community		6313 icate Number

WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008704 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J
Permit Number: 1820-8591
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG506303 Exp Date: 03/04/2027

Test	g/210L	Time
DIAG	Pass	9:12pm
AIR BLK	.00	9:13pm
ACCY CHK	.07	9:13pm
AIR BLK	.00	9:14pm
SUB TEST	.00	9:15pm
AIR BLK	.00	9:16pm
SUB TEST	.00	9:17pm
AIR BLK	.00	9:18pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

### WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008704 Test Record Number: 947 Test Date: 09/19/2025 Test Time: 9:19pm EDT

System Check: Passed

Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	9:19pm 9:19pm
FC	Pass	9:19pm

### Temperature Tests

Test	Status	Time
FC1	Pass	9:20pm
SRC	Pass	9:20pm
DET	Pass	9:20pm
BAR	Pass	9:20pm
BT	Pass	9:20pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:20pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	9:20pm
	CRC Tests	
Test	Status	Time
COMP	Pass	9:20pm

Preventive Maintenance Status: Pass

Analyst

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

# PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and

MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	the day of September 2025 the forgoing preventive maintenance procedure on the instrument indicated above, in accordance with current regulations of the N.C. Department of Healt vices, and the instrument is functioning properly.
	2266313



WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008826 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Sharpe Jr., Robert J

Permit Number: 1820-8591

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG516204 Exp Date: 06/11/2027

Test	g/210L	Time
DIAG AIR BLK ACCY CHK		9:17pm 9:18pm 9:19pm
AIR BLK	.00	9:20pm
SUB TEST	.00	9:20pm
AIR BLK SUB TEST	.00	9:21pm
AIR BLK	.00	9:23pm 9:24pm

Reported AC: \( \delta \text{00} \) \( \quad \text{g} / 210L

Signature of Chemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services
Rev. 12/2007

Analyst

### WAYNE COUNTY BAT MOBILE UNIT 9 950

Serial Number: 008826 Test Date: 09/19/2025 Test Record Number: 8579 Test Time: 9:25pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR FLO	Pass Pass	9:25pm 9:25pm
FC	Pass	9:25pm

### Temperature Tests

Test	Status	Time
FC1	Pass	9:25pm
SRC	Pass	9:25pm
DET	Pass	9:25pm
BAR	Pass	9:25pm
BT	Pass	9:25pm

#### Blank Tests

Test	Status	Time
AIR	Pass	9:26pm


#### Printer Tests

Test	Status	Time
PRNT	Pass	9:26pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	9:26pm 9:26pm

Preventive Maintenance Status: Pass

Analyst

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH



MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcohol
	breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic bre simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator ter whichever occurs first.
I certify that on twere performed and Human Serv	the 19 day of September, 2025the forgoing preventive maintenance procedu on the instrument indicated above, in accordance with current regulations of the N.C. Department of Heavices, and the instrument is functioning properly.
Som ser	Tex 0.12 377722

WAYNE COUNTY DETENTION CENTER 950

Serial Number: 008879 Test Date: 09/19/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Gray, Kelly D Permit Number: 0037-7722 Effective: 02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS
Test Type: Breath Test

Lot Number: AG405101. Exp Date: 02/20/2026

Test	g/210L	Time
DIAG	Pass	12:Q6pm
AIR BLK	.00	12:07pm
ACCY CHK	.08	12:08pm
AIR BLK	.00	12:09pm
SUB TEST	.00	12:10pm
AIR BLK	.00	12:11pm
SUB TEST	.00	12:12pm
AIR BLK	.00	12:13pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

### WAYNE COUNTY DETENTION CENTER 950

Serial Number: 008879 Test Record Number: 2862 Test Date: 09/19/2025 Test Time: 12:14pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	12:15pm
FLO	Pass	12:15pm
FC	Pass	12:15pm

### Temperature Tests

Test	Status	Time
FC1	Pass	12:15pm
SRC	Pass	12:15pm
DET	Pass	12:15pm
BAR	Pass	12:15pm
BT	Pass	12:15pm

#### Blank Tests

Test	Status	Time
AIR.	Pass	12:16pm
P	rinter Tes	ts

reac	Status	TIME
DRNT	Dage	12-16pm

PRNT Pass 12:16pm

#### CRC Tests

Test	Status	Time
COMP	Pass	12:16pm
CAL	Pass	12:16pm

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests, whichever occurs first.
were performed	the 22 <sup>2</sup> day of SEPTEMBER, 20 <sup>2</sup> 5 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.

WILKES COUNTY WILKES CO DETENTION 960

Serial Number: 008843 Test Date: 09/22/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Oligmueller, Leo A
Permit Number: 0035-3799
Effective:
02/01/2025-02/01/2027

Officer's Name: NONE, NONE
Type of Agency: FTA
Agency: DHHS

Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG AIR BLK ACCY CHK AIR BLK SUB TEST AIR BLK SUB TEST AIR BLK	.00	7:17pm 7:18pm 7:18pm 7:19pm 7:20pm 7:21pm 7:22pm 7:23pm

Reported AC: .00 g/210L

....

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services
Rev. 12/2007

Analyst

### WILKES COUNTY WILKES CO DETENTION 960

Serial Number: 008843 Test Record Number: 3029 Test Date: 09/22/2025 Test Time: 7:25pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	7:25pm
FLO	Pass	7:25pm
FC	Pass	7:25pm

### Temperature Tests

Test	Status	Time
FC1	Pass	7:25pm
SRC	Pass	7:25pm
DET	Pass	7:25pm
BAR	Pass	7:25pm
BT	Pass	7:25pm

### Blank Tests

Test	Status	Time
AIR	Pass	7:26pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:26pm
	CRC Tests	
Test	Status	Time
COMP CAL	Pass Pass	7:26pm 7:26pm

Preventive Maintenance Status: Pass

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services
Rev. 12/2007

Adalyst

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive	Instrument Location WILKES COUNTY DETENTION  ial No. 00 8865  WILKES BURO, NC  maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 10,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that on were performed and Human Ser	the 22 day of SEPTEMBER, 2025 the forgoing preventive maintenance procedures on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health vices, and the instrument is functioning properly.
	Signature of Sertifying Oberat Certificate Number

A signed original of the preventive maintenance record shall be kept on file for at least three years.

Signature of Sertifying Official

WILKES COUNTY WILKES CO DETENTION 960

Serial Number: 008865 Test Date: 09/22/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Oligmueller, Leo A

Permit Number: 0035-3799

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA Agency: DHHS

Test Type: Breath Test

Lot Number: AG431003 Exp Date: 11/05/2026

Test	g/210L	Time
DIAG	Pass	7:15pm
AIR BLK	.00	7:16pm
ACCY CHK	.08	7:17pm
AIR BLK	.00	7:18pm
SUB TEST	.00	7:18pm
AIR BLK	.00	7:19pm
SUB TEST	.00	7:21pm
AIR BLK	.00	7:22pm

Reported AC: .00 g/210L

Signature of Spemical Analyst

Court CVR

This form is used when performing Preventive Maintenance procedures
Forensic Tests for Alcohol Branch
Department of Health and Human Services
Rev. 12/2007

Anatyst

### WILKES COUNTY WILKES CO DETENTION 960

Serial Number: 008865 Test Record Number: 1145 Test Date: 09/22/2025 Test Time: 7:22pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	7:23pm
FLO	Pass	7:23pm
FC	Pass	7:23pm

### Temperature Tests

Test	Status	Time
FC1	Pass	7:23pm
SRC	Pass	7:23pm
DET	Pass	7:23pm
BAR	Pass	7:23pm
BT	Pass	7:23pm

### Blank Tests

Test	Status	Time
AIR	Pass	7:24pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	7:24pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	7:24pm 7:24pm

Preventive Maintenance Status: Pass

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and 0,000 or higher) to be followed at least once every four months are:	d Model Intox EC/IR II (Enhanced with
(1)	Verify the ethanol gas canister displays at least 51 pounds per squar breath simulator thermometer shows 34 degrees, plus or minus .2 de	e inch (psi) of pressure, or the alcoholic gree centigrade;
(2)	Verify instrument displays time and date;	
(3)	Initiate breath test sequence;	
(4)	Enter information as prompted;	
(5)	Verify instrument accuracy;	
(6)	When "PLEASE BLOW" appears, collect breath sample;	
(7)	When "PLEASE BLOW" appears, collect breath sample;	
(8)	Print test record;	
(9)	Run diagnostic program and confirm preventive maintenance status	of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before ex- simulator solution is being changed every four months or after whichever occurs first.	
were performed	the day of	tions of the N.C. Department of Health
a com see	1 mg D white	

WILSON COUNTY BAT MOBILE UNIT 12 970

Serial Number: 008601 Test Date: 09/06/2025

Citation Number: M0000000-0 Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Whitehurst, Timothy B Permit Number: 0030-7699

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG501307 Exp Date: 01/13/2027

Test	g/210L	Time
DIAG	Pass	11:02pm
AIR BLK	.00	11:03pm
ACCY CHK	.07	11:04pm
AIR BLK	.00	11:05pm
SUB TEST	.00	11:06pm
AIR BLK	.00	11:07pm
SUB TEST	.00	11:08pm
AIR BLK	.00	11:09pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

- I wolf B Little

### WILSON COUNTY BAT MOBILE UNIT 12 970

Serial Number: 008601 Test Record Number: 1829 Test Date: 09/06/2025 Test Time: 11:12pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	11:13pm
FLO	Pass	11:13pm
FC	Pass	11:13pm

### Temperature Tests

Test	Status	Time
FC1	Pass	11:13pm
SRC	Pass	11:13pm
DET	Pass	11:13pm
BAR	Pass	11:13pm
BT	Pass	11:13pm

#### Blank Tests

Test	Status	Time
AIR	Pass	11:14pm

### Printer Tests

Test	Status	Time
PRNT	Pass	11:14pm
	CRC Tests	
Test	Status	Time
COMP	Pass	11:14pm
CAL	Pass	11:14pm

Preventive Maintenance Status: Pass

Analyst

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	Instrument Location BAT Mobile Unit 12  Wilson PD
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
were performe	the day of September, 20 25 the forgoing preventive maintenance procedures d on the instrument indicated above, in accordance with current regulations of the N.C. Department of Health rvices, and the instrument is functioning properly.

WILSON COUNTY BAT MOBILE UNIT 12 970

Serial Number: 008698 Test Date: 09/06/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Whitehurst, Timothy B

Permit Number: 0030-7699

Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG400303 Exp Date: 01/03/2026

Test	g/210L	Time
DIAG	Pass	11:21pm
AIR BLK	.00	11:22pm
ACCY CHK	.07	11:22pm
AIR BLK	.00	11:23pm
SUB TEST	.00	11:24pm
AIR BLK	.00	11:25pm
SUB TEST	.00	11:27pm
AIR BLK	.00	11:28pm

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

Analyst

### WILSON COUNTY BAT MOBILE UNIT 12 970

Serial Number: 008698 Test Record Number: 2661 Test Date: 09/06/2025 Test Time: 11:28pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	11:28pm
FLO	Pass	11:28pm
FC	Pass	11:29pm

### Temperature Tests

Test	Status	Time
FC1	Pass	11:29pm
SRC	Pass	11:29pm
DET	Pass	11:29pm
BAR	Pass	11:29pm
BT	Pass	11:29pm
		773 V5 700 C AP V 50 AP AP

#### Blank Tests

Test	Status	Time
AIR	Pass	11:29pm

#### Printer Tests

Test

PRNT	Pass	11:29pm
	CRC Tests	
Test	Status	Time
COMP	Pass	11:30pm
CAL	Pass	11:30pm

Status Time

Preventive Maintenance Status: Pass

T smits B With

### DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholic breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breath simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
	the

Signature of Certifying Official

Certificate Number

WILSON COUNTY BAT MOBILE UNIT 12 970

Serial Number: 008788 Test Date: 09/06/2025

Citation Number: M0000000-0 Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Whitehurst, Timothy B

Permit Number: 0030-7699 Effective:

03/01/2025-03/01/2027

Officer's Name: NONE, NONE Type of Agency: FTA

Agency: DHHS Test Type: Breath Test

Lot Number: AG417802 Exp Date: 06/26/2026

g/210L	Time
Pass	10:33pm
.00	10:34pm
.07	10:34pm
.00	10:35pm
.00	10:36pm
.00	10:37pm
.00	10:39pm
.00	10:40pm
	Pass .00 .07 .00 .00

Reported AC: .00 g/210L

Signature of Chemical Analyst

Court CVR

1 mily B hth

### WILSON COUNTY BAT MOBILE UNIT 12 970

Serial Number: 008788 Test Record Number: 2458 Test Date: 09/06/2025 Test Time: 10:40pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR FLO	Pass	10:40pm 10:40pm
FC	Pass	10:40pm

### Temperature Tests

Test	Status	Time
FC1	Pass	10:41pm
SRC	Pass	10:41pm
DET	Pass	10:41pm
BAR	Pass	10:41pm
BT	Pass	10:41pm

### Blank Tests

Test	Status	Time	
ATR	Pass	10:41pm	

#### Printer Tests

Test	Status	Time
PRNT	Pass	10:41pm
	CRC Tests	
Test	Status	Time
COMP	Pass	10:41pm
CAL	Pass	10:41pm

Preventive Maintenance Status: Pass

Analyst

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

The preventive serial number 1	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced with 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.
I certify that on were performed	simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator te

YADKIN COUNTY YADKIN CO JAIL 980

Serial Number: 008854 Test Date: 09/22/2025

Citation Number: M0000000-0

Subject's Name: PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Oligmueller, Leo A

Permit Number: 0035-3799

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	6:09pm
AIR BLK	.00	6:10pm
ACCY CHK	.08	6:10pm
AIR BLK	.00	6:11pm
SUB TEST	.00	6:12pm
AIR BLK	.00	6:13pm
SUB TEST	.00	6:14pm
ATR BLK	.00	6:15pm

Reported AC: .00 g/210L

Memical Miai

Court CVR

This form is used when performing Preventive Maintenance procedures Forensic Tests for Alcohol Branch

Department of Health and Human Services Rev. 12/2007

### YADKIN COUNTY YADKIN CO JAIL 980

Serial Number: 008854 Test Date: 09/22/2025

Test Record Number: 1052

Test Time: 6:17pm EDT

System Check: Passed

#### Baseline Tests

Test	Status	Time
IR	Pass	6:18pm
FLO	Pass	6:18pm
FC	Pass	6:18pm

#### Temperature Tests

Test	Status	Time
FC1 SRC	Pass Pass	6:18pm 6:18pm
DET	Pass	6:18pm
BAR	Pass	6:18pm
BT	Pass	6:18pm

### Blank Tests

Test	Status	Time
AIR	Pass	6:19pm

#### Printer Tests

Test	Status	Time
PRNT	Pass	6:19pm
	CRC Tests	
Test	Status	Time
COMP	Pass Pass	6:19pm

Preventive Maintenance Status: Pass

## DEPARTMENT OF HEALTH AND HUMAN SERVICES FORENSIC TESTS FOR ALCOHOL BRANCH

### PREVENTIVE MAINTENANCE RECORD INTOXIMETERS, MODEL INTOX EC/IR II and MODEL INTOX EC/IR II (Enhanced with serial number 10,000 or higher)

Instrument Seri	Instrument Location YADKIN COUNTY JAIL  AND NO. 008944  YADKINVILLE, NC
	maintenance procedures for the Intoximeters, Model Intox EC/IR II and Model Intox EC/IR II (Enhanced wit 0,000 or higher) to be followed at least once every four months are:
(1)	Verify the ethanol gas canister displays at least 51 pounds per square inch (psi) of pressure, or the alcoholi breath simulator thermometer shows 34 degrees, plus or minus .2 degree centigrade;
(2)	Verify instrument displays time and date;
(3)	Initiate breath test sequence;
(4)	Enter information as prompted;
(5)	Verify instrument accuracy;
(6)	When "PLEASE BLOW" appears, collect breath sample;
(7)	When "PLEASE BLOW" appears, collect breath sample;
(8)	Print test record;
(9)	Run diagnostic program and confirm preventive maintenance status of "Pass"; and
(10)	Verify that the ethanol gas canister is being changed before expiration date, or the alcoholic breat simulator solution is being changed every four months or after 125 Alcoholic Breath Simulator tests whichever occurs first.



Signature of Conflying Official

353799 Certificate Number

YADKIN COUNTY YADKIN CO JAIL 980

Serial Number: 008944 Test Date: 09/22/2025

Citation Number: M0000000-0

Subject's Name:

PREVENTIVE, MAINTENANCE

Subject's Date of Birth: 11/11/1911

Subject's Sex: Male

Driver's License State: XX Driver's License Number: NONE

Analyst's Name: Oligmueller, Leo A

Permit Number: 0035-3799

Effective:

02/01/2025-02/01/2027

Officer's Name: NONE, NONE

Type of Agency: FTA

Agency: DHHS

Test Type: Breath Test

Lot Number: AG417803 Exp Date: 06/26/2026

Test	g/210L	Time
DIAG	Pass	6:08pm
AIR BLK	.00	6:09pm
ACCY CHK	.08	6:09pm
AIR BLK	.00	6:10pm
SUB TEST	.00	6:11pm
AIR BLK	.00	6:12pm
SUB TEST	.00	6:13pm
ATR BLK	0.0	6:14pm

.00 g/210L Reported AC:

Chemical

Court CVR

This form is used when performing Preventive Maintenance procedures Forensic Tests for Alcohol Branch Department of Health and Human Services Rev. 12/2007

rnalyst

### YADKIN COUNTY YADKIN CO JAIL 980

Serial Number: 008944

Test Record Number: 2030

Test Date: 09/22/2025 Test Time: 6:14pm EDT

System Check: Passed

### Baseline Tests

Test	Status	Time
IR	Pass	6:15pm
FLO	Pass	6:15pm
FC	Pass	6:15pm

### Temperature Tests

Test	Status	Time
FC1	Pass	6:15pm
SRC	Pass	6:15pm
DET	Pass	6:15pm
BAR	Pass	6:15pm
BT	Pass	6:15pm

#### Blank Tests

Test	Status	Time	
AIR	Pass	6:16pm	

### Printer Tests

Test	Status	Time
PRNT	Pass	6:16pm
	CRC Tests	

me
16pm
16pm

Preventive Maintenance Status: Pass

This form is used when performing Preventive Maintenance procedures Forensic Tests for Alcohol Branch Department of Health and Human Services

Rev. 12/2007