
## NC Violent Death Reporting System

## **VIOLENT DEATH IN NORTH CAROLINA: GUILFORD COUNTY INCIDENTS, 2014-2023**

The North Carolina Violent Death Reporting System (NC-VDRS) is a CDC-funded statewide surveillance system that collects detailed information on violent deaths that occur in North Carolina, including: homicide, suicide, unintentional firearm deaths, legal intervention, and deaths of undetermined intent. NC-VDRS uses information from death certificates, medical examiner reports, and law enforcement reports to understand and aid in the prevention of violent deaths. Data reported in this document are based on the county where the death occurred rather than county of residence. For more information, please visit https://injuryfreenc.dph.ncdhhs.gov/About/ncVDRS.htm.


<sup>&</sup>lt;sup>1</sup>The occurrent ratio is used instead of the rate. This statistic is derived from the total number of violent deaths resulting from injuries in a specified geographic region divided by the number of residents in the region.



- For the years 2014-2023, there were 1288 violent deaths from injuries sustained in Guilford County. Of these 1288 deaths, 1245 were NC residents (96.7%) and 1126 were Guilford County residents (87.4%).
- There were 622 suicides (48.3%), 608 homicides (47.2%), eight unintentional firearm deaths (0.6%), 17 deaths from legal intervention (1.3%), and 33 deaths of undetermined intent (2.6%).


• In Guilford County, the suicide ratio was 3.6 times higher in males than in females, and the homicide ratio was 4.6 times higher in males than in females.

## Manner of Death by Sex: Guilford County, NC:



\*Rate per 100,000 based on county of injury occurrence.

## Manner of Death by Race/Ethnicity: Guilford County, NC: NC-VDRS, 2014-2023\*




- The suicide rate was highest among non-Hispanic (NH) White victims (19.6 suicides per 100,000 population) followed by NH Asian victims (6.8 per 100,000).
- In contrast, the homicide rate was highest among NH Black victims (26.3 per 100,000 population) followed by Hispanic victims (7.3 per 100,000).

<sup>\*</sup>Based on the county of injury occurrence.

<sup>\*</sup>Rate per 100,000 based on the county of injury occurrence. † Rate suppressed, 1-4 deaths. Chart excludes eight deaths of unknown or other race/ethnicity.


- Suicides and homicides displayed dissimilar age patterns. Homicides peaked among those aged 20-24 with 27.5 homicides per 100,000, while suicides peaked among those aged 35-44 with 17.0 suicides per 100,000.
- Over three quarters of homicides (82.7%) and more than half of suicides (54.3%) involved firearms.
- Suspicion of intoxication was reported in 16.3% of homicides and in 25.9% of suicides.
- For homicide incidents where one or more suspects were identified, the relationship of the victim to the suspect was known (current or former spouse/boyfriend/girlfriend, family, friend or acquaintance) more frequently for female (58.5%) than for male (40.0%) victims.



<sup>•</sup> Thirty-seven percent (36.8%) of male and 39.3% of female Guilford County suicide victims with circumstance information were characterized as being currently depressed when they died by suicide.

- Seventy-four percent (73.8%) of female and 57.1% of male suicide victims were characterized as having a current mental health problem.
- Females (33.1%) were more likely to have attempted suicide in the past as compared to males (17.2%).

<sup>\*</sup>Based on the county of injury occurrence, 97.1% of cases had circumstance information. Three females and 15 males were missing circumstance information.



<sup>\*</sup>Based on the county of injury occurrence, 95.1% of cases had circumstance information. Three females and 27 males were missing circumstance information.

- Arguments or conflicts were more likely to be a contributing factor for male homicides (36.7%) than for female homicides (36.5%).
- Twenty-one percent (20.9%) of female homicides and 30.9% of male homicides were precipitated by another crime such as robbery, burglary, or drug trafficking.
- Intimate partner violence was a contributing factor in 33.0% of female homicides, but only 8.6% of male homicides.

Page 2 of 2

The North Carolina Violent Death Reporting System is supported by Cooperative Agreement 5NU17/CE924955-02-00 with the Centers for Disease Control and Prevention (CDC).





NCDHHS Division of Public Health / www.dph.ncdhhs.gov / Injury Epidemiology & Surveillance Unit/ 919-707-5425
NC Violent Death Reporting System / 919-707-5432
State of North Carolina / Department of Health and Human Services / www.ncdhhs.gov
NCDHHS is an equal opportunity employer and provider.
2023 FINAL DATA 6/16/2025

Please see the NC-VDRS 2023 Annual Report for additional data and technical information.