




HIV in North Carolina, 2024



In 2024:

- It is estimated that 45,314 people are living with HIV /AIDS in North Carolina, including an estimated 6,700 people who have HIV but are undiagnosed.
- 38,614 people were diagnosed and living with HIV in North Carolina (rate of 356 per 100,000 NC population).
- 1,391 adults/adolescents were newly diagnosed with HIV/AIDS (rate of 15.1 cases per 100,000).



2024 HIV Among Men:

- 1,123 men were newly diagnosed with HIV (rate: 25 per 100,000).
- 69% of men newly diagnosed with HIV reported sex with men (MSM).
- 6% of men newly diagnosed with HIV reported injecting drug use, which is similar to the past few years.
- 62% were young men aged 13 to 34.
- Black/African American men continue to experience the highest rates of new HIV diagnoses (66.5 cases per 100,000).

2024 HIV Among Women:


- 229 women were newly diagnosed with HIV (rate: 4.8 per 100,000).
- 49% of women newly diagnosed reported exposure through heterosexual contact, while 43% had unknown risk.
- 8% reported injecting drug use, which is similar to the past few years.
- 55% were under the age of 40.
- Black/African American women continue to experience the highest rates of new HIV diagnoses (13.6 cases per 100,000).

Information on transgender North Carolinians with HIV is available in our annual report <https://epi.ncpublichealth.info/cd/stds/annualrpts.html>

Rates of New HIV Diagnosis Are Highest in the Poorest Census Tracts

HIV rates are highest among people living in the most impoverished neighborhoods.

People living in impoverished areas often have less access to resources, including health resources. This can result in less viral suppression and increased potential for transmission.



*Estimates of people living below the poverty line within a census tract and all population estimates obtained from the American Community Survey, 2019-2023 5-year estimate (<https://data.census.gov/>).

Contact Us:
North Carolina Department of Health and Human Services
Division of Public Health
Communicable Disease Branch
Phone: (919) 733-3419

Mailing Address: Communicable Disease Branch Epidemiology Section
1902 Mail Service Center
Raleigh, NC 27699-1902
Created by the HIV/STD/Hepatitis Surveillance Unit
9/23/2025




HIV in North Carolina, 2024



What is North Carolina doing to decrease HIV?

- North Carolina developed an Ending the Epidemic (ETE) Plan. All funded agencies and health departments are encouraged to utilize the plan as a blueprint. Visit <https://epi.dph.ncdhhs.gov/cd/stds/program.html#ete> to see the state's ETE Plan.
- North Carolina staff are working closely with funded agencies to address barriers to care and viral suppression, especially for historically marginalized populations.
- North Carolina provides funds for HIV testing, linkage to care, and evidence-based risk reduction programs. These activities prioritize support for the communities most affected by HIV, such as young men of color.
- Local health departments and other providers are starting to offer Pre-Exposure Prophylaxis (PrEP) for HIV. For more information about PrEP, visit <https://www.med.unc.edu/ncaidstraining/prep/PrEP-for-consumers> or <https://pleaseprepmo.org/>.

Viral Suppression by Race/Ethnicity and HIV Exposure, 2024



- Being virally suppressed (VL < 200 copies/mL) prevents transmission of HIV to others.
- 68% of people diagnosed and living with HIV in NC were virally suppressed in 2024.
- Barriers to care and achieving viral suppression include lack of transportation, lack of family support, social stigma, and the complexity of accessing health insurance.
- Hispanic/Latine and Black/African American residents of NC have lower viral suppression than other race/ethnicity groups.

What CLINICIANS can do

If you are a care provider, educate yourself about PrEP (<https://www.med.unc.edu/ncaidstraining/prep/PrEP-for-consumers> or <https://pleaseprepmo.org/>). Ensure that you receive regular cultural competency training in order to better meet the needs of your patient population.

If your patient is sexually active and HIV positive, talk with your patient about their sexual health. Patients with ongoing STI risk behaviors should be tested regularly for syphilis and other STIs, like gonorrhea and chlamydia. STI prevention is HIV prevention!

What YOU can do

If you have HIV, seek treatment: you deserve a long and happy life!

For treatment help, visit the North Carolina HIV Medication Assistance Program (HMAP) website: <https://epi.publichealth.nc.gov/cd/hiv/hmap.html>.

Data Sources: enhanced HIV/AIDS Reporting System (eHARS) (data as of July 1, 2025) and North Carolina Engagement in Care Database for HIV Outreach (NC ECHO) (data as of July 2025).

State of North Carolina • Josh Stein, Governor
NC DHHS • Devdutta Sangvai, MD, Secretary
NC DPH • Kelly Kimple, MPH, MD, Director Division of Public Health
HIV/STD/Hepatitis Surveillance Unit • Erika Samoff, MPH, PhD

www.ncdhhs.gov • www.publichealth.nc.gov
NC DHHS is an equal opportunity employer and provider
Created by the HIV/STD/Hepatitis Surveillance Unit
9/23/2025