SUBSURFACE WASTEWATER SYSTEM GROUNDWATER QUALITY MONITORING COMPLIANCE REPORT FORM	Mail Original To:On-Site Water ProtectionGW Data Manager1642 Mail Service Center, Raleigh NC27699-1642Phone: (919) 707-5874Fax: (919) 845-3973
Permit Name ( <i>if different</i> ):    Facility Physical Address:    Facility Mailing Address ( <i>if different</i> ):    Contact Person:	Industrial ProcessDrip Dispersal
(Note: Use MPN method for highly turbid samples)  Al - Aluminum    Dissolved Solids, Total  mg/l  Ba - Barium    pH (when analyzed)  units  Ca - Calcium    TOC  mg/l  Cd - Cadmium    Chloride  mg/l  Chromium, Total    Arsenic  µg/l  Cu - Copper    Grease and Oils  mg/l  Fe - Iron    Phenol  µg/l  Hg - Mercury    Sulfate  mg/l  K - Potassium    Total Ammonia  mg/l  Mg - Magnesium    TKN as N  mg/l  Mn - Manganese	mg/I Ni - Nickelµg/I mg/I Pb - Leadµg/I
Submitting false information, including the possibility of lines and imprisor OSWP-GW Rev: 6/4/2012	