

# Shared Clinical Decision-Making Guide on Vaccines for Clinicians

### Takeaways on Shared Clinical Decision-Making (SCDM)

- SCDM is clinician counseling with patients about the benefits and risks of vaccination.
- Two previously established vaccine recommendations have recently shifted from a routine recommendation to SCDM: COVID-19 and, more recently, newborn hepatitis B vaccines, which has yet to be signed off on by CDC and HHS.
- There are multiple ways to have a SCDM conversation. It can be short or long, synchronous or asynchronous, may occur over multiple touchpoints, and may involve a variety of clinicians.

# What is Shared Clinical Decision-Making (SCDM)?

<u>Shared clinical decision-making</u> – also sometimes referred to as individual decision-making – involves clinician counseling with patients about the benefits and risks of vaccination. Clinicians already routinely counsel patients about vaccines, and patients share in the decision to get vaccinated, even if the process is not called SCDM.

## Who Can Participate in Shared Clinical Decision-Making for Vaccines?

Primary care physicians, specialist physicians, physician assistants, nurse practitioners, registered nurses, and pharmacists can practice SCDM – though scope of practice and authority may differ by state.

## **How to Do Shared Clinical Decision-Making**

**Multiple options – and you're probably already doing it!** SCDM can be a short or long interaction, synchronous or asynchronous, may occur over multiple touchpoints, and may involve a variety of clinicians. Here are some example conversations for COVID-19 vaccine and hepatitis B vaccines - both of which were recently switched to SCDM:

#### Conversation 1:

- "I recommend your baby get the hepatitis B vaccine today. The vaccine information sheets you have explain the vaccine's benefits and potential risks."
- "Do you have any questions about the vaccines that you want to talk about?"

#### Conversation 2:

- "I see that you (your child) are due for your COVID-19 vaccine today. Generally, if you are older or have medical conditions, you are more likely to benefit from the vaccine's protection against severe disease. These vaccines cut the risk of being hospitalized by about half. The risks of vaccination are low and rare. The information sheet you reviewed shared some additional considerations."
- "What questions or concerns might you have that I can help answer about this vaccine?"

### Conversation 3:

- "I understand that you're wondering if your baby really needs a hepatitis B vaccine and that's perfectly normal. Are there any things you're particularly worried about?
  - "Even though you tested negative for Hepatitis B in pregnancy, the virus can be easily passed, sometimes silently, by other people around the baby. Holding off on the dose at



- birth leaves newborn babies vulnerable and unfortunately we don't have good data that spacing doses or lab testing protects them."
- "On the flip side, we do have decades of data and I've seen 100s of babies protected from lifelong hepatitis infections with this vaccine. The full hepatitis B vaccine provides near complete - 99% - immunity protection."
- "I am always considering side effects for anything I recommend. If I see any reactions, the most common reactions are things like fussiness or redness at the vaccine site. These are mild and usually last no more than 1-3 days."

If the patient chooses to not get vaccinated after a shared discussion, try again: "I respect your decision. I'm happy to answer any additional questions, and we can revisit at your next appointment."

## **Documenting Shared Clinical Decision-Making:**

No additional documentation is required for health insurance reimbursement.

Sample EHR Documentation for COVID-19 vaccination (e.g., dot phrase, smart phrase): The patient/caregiver and I engaged in shared clinical decision-making about the benefits and risks of the [2025-2026 COVID-19 vaccine OR hepatitis B vaccine]. This discussion included an opportunity for them to ask questions. No contraindication to vaccination was identified, and the patient/caregiver and I collaboratively determined the patient would benefit from vaccination. A [COVID-19 vaccine OR hepatitis B vaccine] was ordered in the context of shared clinical decision making and educational materials were provided.

Where applicable for patients with underlying conditions add: *The patient has* \_\_\_\_\_ (indicate underlying condition).

# **Frequently Asked Questions**

#### Are vaccines recommended as SCDM required to be covered by health insurance?

#### Can a medical assistant provide SCDM for vaccines?

No, they cannot generally independently provide SCDM for vaccines. SCDM needs to be made with a medical professional within their scope of practice. Please refer to your state's standards of practice for this, but it is unlikely that MAs are able to conduct SCDM. However, they can administer vaccines in most states, including for routinely recommended vaccines and those under SCDM if the patient has had a chance to discuss risks and benefits with a clinician who does SCDM.

# Are pharmacists in all states able to provide vaccines through shared clinical decision-making for all ages?

While pharmacists have the training, experience, and expertise to do SCDM, whether they can vaccinate all ages <u>may differ by state</u> based on their scope of practice and authority.

#### Can a pharmacy tech provide shared clinical decision-making for vaccines?

No, they cannot independently provide SCDM for vaccines. However, they can administer COVID-19 and flu vaccines in all states under the PREP Act. They can also administer vaccines under SCDM if the patient has had a chance to discuss risks and benefits with a clinician who does SCDM.

Can standing orders be used for vaccines with a shared clinical decision-making designation? Yes, if the provider conducting the vaccine counseling and administration is certified to do SCDM for vaccines.



Does the discussion need to be on the day of administration for shared decision making?

Based on CDC guidance on SCDM, there is no requirement for the discussion to happen on the same day of administration. Additionally, there is no prohibition against SCDM being done by a different person than the vaccine administrator.

Does shared clinical decision-making need to be a face-to-face conversation or could a triage nurse counsel the patient on the phone or using electronic communication prior to a vaccine visit?

There is no requirement for SCDM to be a face-to-face conversation. SCDM can be done on a separate day and does not need to be done by the vaccine administrator.

# Does a standard consent to treat, ICD-10 code, and CPT code for immunization counseling cover shared decision making?

There still needs to be a discussion of the risks, benefits and alternatives of any proposed course of treatment. It would be reasonable to include a brief sentence in the visit documentation. This is dependent on the specifics of the code, but in terms of content, SCDM regarding a vaccine should cover the same topics as immunization counseling.

# Would a message through the MyChart or other portal by a qualified health provider count as shared clinical decision making?

While there is no prohibition against this per CDC guidance, a single message through a portal is not a two-way conversation and thus may not qualify as "shared" clinical decision-making." However, if there is an opportunity for patients to request additional information or engage a clinician via an electronic portal, this could meet the expectations of SCDM.

# Additional Resources on Shared Clinical Decision-Making for Vaccination

- CDC guidance and FAQs
- American Pharmacists Association article on Shared Clinical Decision-Making
- American Academy of Pediatrics News Article on Shared Clinical Decision-Making
- Champions for Vaccine Education, Equity + Progress (CVEEP) report on Shared Decision
   Making for Vaccines
- Children's Hospital of Philadelphia article on Shared Clinical Decision-Making
- The Announcement Approach Training and Tools